From:

Joe Britt

To:

Beaver, Ebony K. - Procurement Services

Subject:

RE: Response to RFP No. B180003244: - Richmond Police Department Records Management System

Date: Monday, November 26, 2018 5:50:52 PM

Thank you for the contact on this issue. The RFP response submitted by Computer Square Inc. (dba CSI Technology Group) did NOT contain any proprietary information. Therefore there was no additional, redacted version of the response to be submitted.

Joe Britt, Sr. Vice President **CSI** Technology Group jbritt@csitech.com; (732) 346-0200

From: Beaver, Ebony K. - Procurement Services <Ebony.Beaver@richmondgov.com>

Sent: Monday, November 26, 2018 11:42 AM

To: Beaver, Ebony K. - Procurement Services < Ebony. Beaver@richmondgov.com>

Subject: Response to RFP No. B180003244: - Richmond Police Department Records Management

System

Good Morning –

We have received a Freedom of Information Act (FOIA) request in regards to this Request for Proposal (RFP).

Page 26 of the above-noted RFP outlines the requirements for proposals containing proprietary information and what is subject to FOIA:

2.7.3 Proprietary Information. Pursuant to City Code § 21-5(f) (Va. Code § 2.2-4342(F)), trade secrets or proprietary information submitted by an Offeror in connection with this procurement transaction shall not be subject to the Virginia Freedom of Information Act, provided that the Offeror (i) invokes the protections of section 21-5 of the Code of the City of Richmond prior to or upon submission of the data or other materials, (ii) identifies the data or other materials to be protected, and (iii) states the reasons why protection is necessary. Classifying aspects of the proposal that are not trade secrets or proprietary is cause for the City to reject the proposal. Budgets and price quotations are considered public information in proposals submitted to the City. Classifying budgets and price quotations as "proprietary" or "confidential" is cause for the City to reject the proposal.

The RFP requires submission of an electronic redacted copy of your proposal response:

(page 14) 3.0 Proposal Contents.

The proposal must include all of the information set forth in this section and be organized as set forth in this section. In addition to the original, the Offeror shall submit (i) six (6) complete, bound paper copies of its proposal and (ii) one (1) electronic copy in a portable document format readable by the Adobe Reader program and in a Microsoft Word format that can be searched and edited. If the Offeror's proposal contains proprietary or confidential information, or trade secrets, the Offeror must submit one (1) additional redacted electronic copy.





PRESENTED BY



CSI TECHNOLOGY GROUP 330 MAC LANE, KEASBEY, NJ 08832 www.csitech.com


Order of Contents

	CSI Technology Group Proposal Submission for RFP # B180003244						
	City of Richmond, VA						
	Police Department Records Management System						
Tab 1	Signed Forms						
	Signature Sheet						
	Addenda Acknowledgement						
	State Corporation Commission Form						
	NJ SBE Certification (in lieu of Office of Minority Business Forms)						
Tab 2	Statement of the Scope						
Tab 3	Executive Summary						
Tab 4	Experience						
Tab 5	Key Personnel						
Tab 6	References						
Tab 7	Project Approach						
Tab 8	SubContracting						
-							
Tab 9	Offeror History						
Tab 10	Functional Specifications and Technical Requirements Exhibit						
Tab 11	Price Proposal						

SIGNATURE SHEET

This signature sheet must be included as part of the Offeror's proposal, or the City will not consider the proposal. The Offeror's signature below certifies that this proposal as submitted complies with, and the Offeror agrees to be legally bound by, all terms and conditions set forth in Request for Proposals No. B180003244 for RPD Records Management System. The undersigned hereby represents and warrants that the undersigned is duly authorized to sign and submit this proposal on behalf of the Offeror.

Complete Legal Name of Offeror Firm:	Computer Square, Inc.
"Order from" Address:	330 Mac Lang
	Keasta, NJ 08832
"Remit to" Address:	330 Mac Lane
	Keasta, NV 08832
Federal EIN / SSN:	923077439
Authorized Signature:	Joseph Srott
Printed Name of Signatory:	Hoseph Britt
Title of Signatory:	Sr. Vice President
Telephone Number with Area Code:	(732) 346.0200
Fax Number with Area Code:	(73a) 346-0209
E-Mail Address:	ibritto csitechicom
Date:	6/5/2018





Addendum Acknowledgment

No addendum to the original RFP was received.



330 Mac Lane, Keasbey, NJ 08832 Tel: 732-346-0200 Fax: 732-346-0209

www.csitech.com

CSI is a registered business in the State of New Jersey. The following certificate documents that we have been approved under the Small business Set-Aside Act and Minority and Women Certification Program. We generally do not use subcontractors.



PHILIP D. MURPHY

Governor

DEPARTMENT OF THE TREASURY DIVISION OF REVENUE & ENTERPRISE SERVICES P.O. BOX 026 TRENTON, NJ 08625-034

SHEILA Y. OLIVER

Lt. Governor PHONE: 609-292-2146 FAX: 609-984-6679 **ELIZABETH MAHER MUOIO**

Acting State Treasurer

APPROVED

under the

Small Business Set-Aside Act and Minority and Women Certification Program

This certificate acknowledges COMPUTER SQUARE INC as a Category 3 and 5 approved Small Business Enterprise that has met the criteria established by N.J.A.C. 17:13 and/or 17:14.

This registration will remain in effect for three years. Annually the business must submit, not more than 60 days prior to the anniversary of the registration notice, an annual verification statement in which it shall attest that there is no change in the ownership, revenue eligibility or control of that business.

If the business fails to submit the annual verification statement by the anniversary date, the SBE registration will lapse and the business SBE status will be revoked in the New Jersey Selective Assistance Vendor information (NJSAVI) database that lists registered small businesses. If the business seeks to be registered again, it will have to reapply and complete the New SBE online registration located at: www.njportal.com/DOR/SBERegistry/.




Issued: 2/20/2018

Certification Number: A0066-09

Peter Lowicki **Deputy Director**

Expiration: 2/20/2021





Statement of Scope

CSI Technology Group understands that the City of Richmond Police Department is looking for a state-of the-art police Records Management System (RMS) to replace their current RMS. The replacement system will be cloud-based, that is, utilizing Software as a Service (SaaS) technology. Employing this type of solution, the City will not need to purchase or be responsible for any servers or network hardware to support or maintain the system. This should realize a substantial cost savings to the City, both in the form of financial outlay for purchase and maintenance and in human resources to maintain the application. CSI handles all coordination with the cloud-provider, as well as technical support for the application.

If selected, CSI will supply the City of Richmond's Department of Police with a cloud-based RMS product that will provide robust reporting and data-sharing capabilities to support the RMS requirements of a multi-jurisdictional police department.

The application will promote secure data-sharing among authorized users of partner agencies, which include but are not limited to, the Virginia Commonwealth University Campus Police Department and the Richmond Sheriff's Department. These entities may have their own separate RMS modules, if required. The RMS will provide seamless integration among all InfoShare™ modules, with appropriate, secure access and permissions to data, as determined by the needs of the City.

In addition to the RMS, CSI will provide the following modules for the solution. All modules are fully and seamlessly integrated with the RMS and each other:

- o Police RMS MDT
- Warrants
- Personnel, Scheduling, Policy & Procedure
- o Evidence
- o Intelligence Module
- o Permits & Licenses
- Fleet Management
- o Internal Affairs



330 Mac Lane, Keasbey, NJ 08832 Tel: 732-346-0200 Fax: 732-346-0209 www.csitech.com

- Pawn Shop Module
- Large File Repository for Video files
- o Full citation management for parking tickets and moving violations
- o Jail Management
- o Impound Yard Management

CSI will also build appropriate interfaces to exchange data between the RMS and the applications listed in Exhibit III of the RFP.

If selected, CSI will convert the current data and migrate it to the new system. We will provide training, installation and post-installation support. Our excellent customer service will be available throughout the life of the contract.

CSI specializes in premium software for law enforcement and public safety agencies. Our RMS has been installed in both local and regional police departments, on both site-hosted and cloud-hosted platforms. Even in our regional and multi-jurisdiction deployments, each agency maintains its own identity in the system with its own logos, departmental identification, report headers, etc. Reports and interfaces will be configured to meet the needs and requirements of the City, while preserving the identity of each organization, where appropriate.

As you can see in the details of this response, we are quite familiar with and deeply understand the reporting needs of police departments. Many on CSI's staff are former law enforcement officers themselves. If selected, we will provide a superior solution for the citizens and the police of the City of Richmond.




Executive Summary

Computer Square, Inc., d/b/a CSI Technology Group, is a New Jersey-based company that has been developing cost-effective, browser-based applications since 1996. Our focus is on customizable, user-friendly, commercial off-the shelf software products and support services for law enforcement, judicial, and regulatory agencies. For over 20 years, our systems have evolved significantly, based on our focused effort to provide our clients with superior information technology. CSI's standards-based approach has allowed us to efficiently integrate with a myriad of systems and networks, and has enabled our customers to acquire the best solution that meets their needs.

CSI applications are robustly designed, yet flexible enough to facilitate upgrades to meet the needs of an ever-changing environment, be it technology upgrades, regulatory changes or other business requirement modifications. Specifics such as contact information, codes, statutes, case types, protocols, document templates, etc., will be loaded into the system at time of start-up and will be easily maintained by Richmond Police Department's authorized systems administration staff to accommodate later updates or changes. We are prepared to meet all of the requirements listed in the RFP, and we have NIEM and JG-XML compliant design, mobile capability and additional features if your requirements expand in the future


CSI Technology Group is <u>uniquely qualified</u> to provide these visionary services to the citizens of Richmond. The reason is because we offer advantages that <u>no other</u> companies can offer, including:

 CSI has provided the successful implementation of products across a diverse governmental client list including law enforcement, prosecutorial agencies, corrections agencies, judicial agencies, regulatory agencies and more.





- Our RMS has integrated redaction and Bates numbering tools for municipal court discovery. This, too, will result in cost savings for the city, as fewer staff will be required to prepare officers' discovery for court.
- The InfoShare™ RMS provides electronic report preparation and approval processes. This means more officers can *remain on the street for longer periods* of time because they can prepare reports in their cars and supervisors can review and approve reports from inside their cars.
- Case documentation –When officers prepare reports, they are preparing actual PDF documents complete with digital signatures. Many other vendors use a template to populate reports "on demand," but the InfoShare™ product line produces and saves documents. The entire case package is paperless.
- Multi-jurisdiction capabilities with an "individual department" feel When
 the application is deployed on a multi-jurisdictional platform, the
 InfoShare™ system is designed so that when a user logs into the
 application, they see their logos and the reports are "their department's"
 reports. It is important that data be shared but it is equally important that
 an agency does not lose its identity in the process.
- Customer service Our customer service is unmatched anywhere. We welcome you to call our clients and ask them about the services we provide. Our company is NEVER satisfied with the status quo; we are constantly striving to capitalize on new technology and improve the functionality of our applications. Criminal Justice never stops evolving and neither can we.
- Agency control We give the agency control over user groups, support files, form template generators, permissions and other settings so that the agency is empowered. You can make many of these changes yourself, without any intervention from our company. While we pride ourselves on unparalleled customer service and support, we also know that the convenience of "getting it done immediately" is the right thing to do for our clients.
- Data conversion services We offer the most comprehensive structured data conversion services on the market today. We do not "just make the data fit" into the InfoShare™ system. We work with the agency to cleanse the data, standardize





it and normalize it for future reference. Most vendors do not perform this service properly because it is extremely complex and labor intensive. CSI Technology Group employs highly trained and experienced engineers who specialize in data conversion so that we can do it the right way.

• Flexibility in hosting capabilities —Our InfoShare™ application is fully cloudready and we will provide the City of Richmond Department of Police with a CJIS-compliant, cloud platform to host your new RMS application.

The content of this proposal accurately reflects CSI's ability to satisfy the technical and functional requirements of this RFP. We look forward to an opportunity to further discuss our RMS product with you and answer any questions you may have about our proposed solution for your agency. Please do not hesitate to contact Rich Norcross at 732.346.0200, by fax at 732.346.0209, or by e-mail at rnorcross@csitech.com. Also, we look forward to the opportunity to demonstrate our system to you, so you can see how it will expand the capabilities of your agency and enhance public safety in the City of Richmond.

			5



330 Mac Lane, Keasbey, NJ 08832 Tel: 732-346-0200 Fax: 732-346-0209 www.csitech.com


public safety organizations. Many of our other law enforcement modules are also in use by the New Jersey State Police, as well as local and regional public safety agencies.

CSI has close to two decades of experience in planning installations, conducting data conversions from legacy systems, and providing tailored training sessions for all major categories of staff. Our training and the implementation processes are successful because we focus on how the system integrates with individual work activities and what the individual can expect to get out of the system. Our tailored approach to workflow, permission and role-based security, and robust features make our systems extremely efficient, unique and effective.

Some of our customers to whom we provide similar services are listed below. This is, by far, not a complete customer listing:

- Morris County (NJ) Department of Law and Public Safety
- Camden County (NJ) Regional
- Montgomery County (PA) Department of Public Safety
- Bergen County (NJ) Sheriff's Office
- Bergen County (NJ) Public Safety Operational Center
- New Jersey State Police
- Oklahoma Department of Corrections
- All 21 county prosecutors in New Jersey, many with direct communication and electronic processing of reports and arrest documents with their local police departments through InfoShare™.

Some of our customers utilize a county cloud platform for their RMS system, while others are locally hosted. CSI can accommodate either environment, depending on the customer's wishes and requirements.





Key Personnel

While this project will have the full support of CSI, its executive management and its skilled engineering staff, the following staff will be the key personnel assigned to this project. All staff are assigned to CSI headquarters. Their city of residence is noted with their name below and their individual resumes follow.

- Peter Ugalde will be the manager in charge of this project and your first line of contact. He resides in Randolph, New Jersey
- John Mi will be the manager in charge of network design and programming. He resides in East Brunswick, NJ
- **Di Di** is a network engineer assigned to the project. He resides in Piscataway, NJ
- **Peng Cheng** is a systems engineer assigned to the project. He resides in Hillsboro, NJ.
- Longhu Dong is a systems engineer assigned to the project. He resides in Hillsboro, NJ.

CSI will make other assignments throughout the lifecycle of the project, as the requirements dictate.



Computer Square, Inc. d/b/a
CSI Technology
Group

330 Mac Lane Keasbey, New Jersey 08832 (732) 346-0200

Staff Resume

Peter Ugalde

Drawing on almost thirty years in law enforcement, Pete coordinates and leads many critical public safety projects for CSI. He easily develops a rapport with his clients, as he understands their work and what they need to get it done. He is fluent in Spanish and has excellent technical skills.

Professional Profile

2012- Present: CSI Technology Group

Vice President and Law Enforcement Liaison

- Responsible for analyzing, researching, updating, and maintaining CSI application modules
- Coordinates with clients and company programmers on a daily basis on program development, customer support and troubleshooting.
- Trains clients on the use of the CSI applications for criminal case and document management, CAD and RMS applications
- Serves as account manager for many CSI clients, including local and regional police departments

1983- 2012 Town of Dover Police Department, Dover, NJ

- 2001 2012 Captain (served as Executive Officer from 2010-2012)
- 1998 2001 Lieutenant
- 1994 1998 Sergeant
- 1993 1994 Detective
- 1985- 1993 Police Officer
- 1983 1985 Special Police Officer

A continuously progressing career in law enforcement that was marked by leadership and innovation, including the implementation of dispatch operations between his town and the

county call center, the migration of data between the two systems, investigation of insurance fraud, developing and combining information technologies and integrating them into police operations and supervision of personnel and operations

Education

- 2009, Graduation from FBI National Academy, Quantico, Va.
- 2009, College of St. Elizabeth, Morristown, NJ, MS, Business Management
- 2008, College of St. Elizabeth, Morristown, N J, BA, Criminal Justice
- 1983-2010: Continuous training in law enforcement, investigations, drug enforcement, public safety, street gang investigations, networking and technology and community policing



Computer Square, Inc. d/b/a

CSI Technology

Group

330 Mac Lane Keasbey, New Jersey 08832 (732) 346-0200

Staff Resume

Peng Cheng

A specialist in web application develop, Peng is a Microsoft- certified software engineer who keeps pace with changing technology to lead many of CSI's most critical projects

Professional Profile

2003- Present: CSI Technology Group

Project Manager, Software Engineering

- A specialist in the development of web applications using standard Microsoft product suites.
- Worked on the company's flagship product, InfoShare™, to develop web- enabled applications using SQL server as backend
- A lead software engineer in the development and support of CAD/RMS, as well as systems for New Jersey County Prosecutor's Offices and Administrative Office of the Courts (AOC)
- Microsoft Certified Professional
- Sun Certified Java Programmer

Education

- 2005, University of Hertford UK, Distributed Systems and Networks, MS, MS
- 1998, Southwest Jiaotong University of China, Applied Computer Science, BS



Computer Square, Inc. d/b/a

CSI Technology

Group

330 Mac Lane Keasbey, New Jersey 08832 (732) 346-0200

Staff Resume

LongHu Dong

A software developer with over ten years of diverse experience in many technologies, LongHu leads and contributes to many key projects at CSI. He is a Microsoft Certified Professional.

Professional Profile

2008- Present: CSI Technology Group

Senior Software Developer

- Works on multiple projects as a senior developer
- Responsible for system design, technical support, application architecture and database structure
- Designs e-government solutions for law enforcement, judiciary, regulatory and administrative agencies
- Develops new web-based system modules using C#, XAML, Silverlight, Java Script and MS SQL Server.
- Developed Link Analysis application for analyzing crime data
- Developed pawn shop management system for police departments

5/2007-12/2007 Microsoft Technology Center of Jiangxi

- In charge of designing the business website using ASP.NET, MSSQL Server,
 XML and JavaScript for Microsoft Technology Center.
- Studied web application development using Microsoft .NET platforms.

9/2006- 5/2007 Institute of Computer Applications, Jiangxi University of T.C.M International Education College

Work-study student

Education

2008, Jiangxi University of TCM International Education College, Computer Science BS



Computer Square, Inc. d/b/a
CSI Technology

330 Mac Lane Keasbey, New Jersey 08832 (732) 346-0200

Group

Staff Resume

John Mi

A results-driven network manager, John has led the technical operations of CSI for over 17 years. He leads a staff of skilled software development and network engineers, inspiring the highest level of technical competence to exceed the expectations of CSI customers.

Professional Profile

1999- Present: CSI Technology Group

Director, Department of Engineering

- Commercial Software Evaluation, Installation and Configuration
- Network-resident software
- Commercial Desktop Software Technical Support and Training
- Commercial Desktop Software Distribution and Version Control
- Client Installation and Configuration
- Local and Remote Locations
- LAN Administration Support

1997-1999: Infinity Interactive, Inc.

Responsible for Internet/Intranet TWnet.com, Real Server, Audio/Video on Demand, LAN

1989-1997, North China Power Group

Responsible for more than 20 Hardware/Software applications in the electric power field

Education

- 2002, University of Bridgeport, CT, Computer Science, MS
- 1989, Beijing University of Aeronautics and Astronautics, Electrical Automation, BS



Computer Square, Inc. d/b/a

CSI Technology

Group

330 Mac Lane Keasbey, New Jersey 08832 (732) 346-0200

Staff Resume

Di Di

A highly skilled and trained network engineer, Di is dedicated to maintaining CSI's network and keeping the applications running smoothly, securely and efficiently. He is an expert at installing, trouble shooting and helping clients with network and system details

Professional Profile

2014- Present: CSI Technology Group

Network Engineer

- Install, support and maintain Windows server and network hardware
- Configure and maintain firewall, routing & switching protocols
- Implement clients' requirements for application redundancy and high availability
- Deploy & troubleshoot InfoShare™ application.
- Maintain Windows infrastructure & MS Exchange mail platform

2010-2011 United Automotive Electronic System Co.

IT Helpdesk Intern

- Support network
- Solve computer, network and printer problems

Education

- 2014, University of Hartford (CT), Electrical Engineering, MS
- 2012, Shanghai Normal University, Communication Engineering, BS



References

CSI offers the following four clients as references and welcomes you to contact them, or any of our other clients, to verify our experience, our quality customer service or any other information you would like concerning our company and our products. All of the following customers represent deployments similar in scope and features to what the City of Richmond is seeking in this RFP. You may contact them and we acknowledge that you may not divulge to us the information they provide you.

Morris County (NJ) Department of Law and Public Safety
 Scott DiGiralomo, Director

PO Box 900
Morristown, NJ 07963
973-829-8051
SDiGiralomo@co.morris.nj.us

In April 2012, CSI Technology Group implemented a Police Records Management System (RMS) for the Morris County Department of Law and Public Safety, which provided a regional RMS for the local police departments of Morris County. This cloud service installation was configured to integrate with their Computer Aided Dispatch (CAD) system, which was already in place and provided by another vendor, Keystone. Scope also encompassed integration of Mobile Data Terminals (MDT's) in police cars and NCIC and DMV look-up capabilities. The implementation also included interfaces with the Morris County Prosecutor's modules for Investigation, Prosecution, Sex Offender Tracking and Inmate Tracking.

• Camden County (NJ) Regional RMS
Chief William P. Walsh, Bellmawr Police Department

Captain Scott Parker, Bellmawr Police Department

*				
g#				
*				
			d	
		Ä		



330 Mac Lane, Keasbey, NJ 08832 Tel: 732-346-0200 Fax: 732-346-0209 www.csitech.com

In 2016, CSI Technology Group provided the Bergen County Sheriff's Office with their own CAD and RMS system, which also includes electronic ticketing. It is hosted on the county cloud and communicates with the CAD/RMS CSI provided to the Bergen County Public Safety Operational Center.

Scope for the projects listed above, as in most similar CSI implementations, encompassed integration of Mobile Data Terminals (MDT's) in police cars and NCIC and DMV look-up capabilities. Implementations have also included interfaces with the county Prosecutor's/DA modules for Investigation, Prosecution, Sex Offender Tracking and Inmate Tracking.

Besides cost savings for their citizens, the InfoShare™ Police RMS has provided robust features to these law enforcement organizations, including the following:

- Police Reporting Package with Digital Signatures:
 Standardized Reports customized to the extent that logos and names of agencies are unique to each participating agency. This functionality is based upon user login credentials.
- Arrest & Booking Process
- Field Contact Sub Module
- Citations & Summons Management
- Motor Vehicle Accident (CRASH) Reporting
- Document Imaging (Scanning)
- · Orders of Restraint Module
- Permit & Licenses Module
- Fleet Management Module
- Template Generator that allows each participating agency to create and manage their individual document needs apart from the standardized reports
- Crime mapping utilizing Microsoft BING® Technology

Implementation plans provide for the installation, configuration and customization of CSI's product, InfoShare RMS with access to local police departments in the county. A project plan and Scope of Work for each implementation was created by CSI Technology Group, agreed upon and shared between the two parties. Our project plans include schedules for gap analysis, coding, customization, testing and training, resources and assumptions of responsibility and dates for all deliverables and milestones.



330 Mac Lane, Keasbey, NJ 08832 Tel: 732-346-0200 Fax: 732-346-0209 www.csitech.com

CSI always assigns a Law Enforcement Liaison with technical knowledge of the InfoShare™ Records Management System as a point of contact. The customization process begins with a gap analysis between the base CSI application and the requirements of the individual customer.

CSI delivers on-site training for both administrators and users of the system. This includes training for each agency on the creation of documents and use of the template generator. CSI also provides an eLearning tutorial that can be accessed by the user(s) from the InfoShare™ RMS home screen.

Project Approach


System Backup and Redundancy Procedures

InfoShare™, a hybrid cloud solution, utilizing an Amazon AWS GovCloud platform which provides VPC (virtual private cloud) with the full network security, EC2 VMs and S3 storage services, operates within a target hardened facility, with out-of-state disaster recovery. It has been designed by law enforcement professionals for law enforcement professionals.

CSI will work with Richmond Police Department to modify the Department's current Disaster Recovery plan to include the data files created by InfoShare™. CSI will provide installation CDs to the agency to restore the application after a disaster, and our engineers will assist in any Disaster Recovery efforts to restore business continuity to our customers. In addition, CSI maintains a duplicate environment, with sample and test data, on CSI's servers for troubleshooting and improvements that is also available for Disaster Recovery purposes. There is no extra charge to maintain this duplicate environment.

InfoShareTM RMS leverages the SQL Server backup and restore component to provide an important safeguard for protecting critical data stored in SQL Server databases. A well-planned backup and restore strategy helps protect databases against data loss caused by a variety of failures. CSI will develop a tailor-made backup and restore plan with the client by considering the essence and importance of their data and their priority of resource distribution. CSI offers the following backup plans on demand:

- Full Database Backups: A full database backup backs up the whole database.
 This includes part of the transaction log so that the full database backup can be recovered. Full database backups represent the database at the time the backup finished.
- Partial Backups: A partial backup resembles a full database backup, but a partial backup does not contain all the file groups. Instead, a partial backup contains all the data in the primary file group, every read/write file group, and any optionally-specified read-only files.



(Note the figure is from Microsoft SQL Server official web site)

- Partial backups are useful whenever you want to exclude read-only file groups. A partial backup of a read-only database contains only the primary file group.
- Full File Backups: A full file backup backs up all the data in one or more files or file groups. Under the full recovery model, a complete set of full file backups, together with enough log backups to span all the file backups, is the equivalent of a full database backup.

- Using Differential Backups: A differential backup includes only the data that has changed since the
 differential base. Since SQL Server 2008, differential file backups can be very fast because the SQL Server
 Database Engine tracks the changes that were made since the differential base was created.
- Backing Up Read-Only Databases: For a read-only database, the primary file cannot be updated during a
 backup. The best practice for a read-only database is to take a full backup. However, if a database alternates
 between read-only and read/write, it may make sense to back up the database when it is read/write. Then,
 as long as the database remains read/write, if the scope of the changes is small, you can take differentials
 backups.

In assessing the D/R needs and options for your enterprise (in this case, a multi-tenant RMS, Intelligence, and Case Management system that serves hundreds, or thousands, of law enforcement personnel) you will no doubt consider a range of options. Across these options, you'll likely place a high priority on both the <u>depth</u> of knowledge in the technology and Law Enforcement, and actual <u>experience</u> of your selected vendor(s). As a solution provider, CSI gives you a tremendous level of both.

Disaster Recovery for a system such as Richmond Police Department is considering, will involve:

✓ Hardware

✓ Facilities

✓ Software

✓ Policles, Protocols & Procedures

✓ Data Storage

✓ Drills/Exercises

✓ Access (Network)

The actual situations ("disasters") to protect against include fires, floods, major extended power outages, aircraft accident, etc. There have even been cases whereby a building's plumbing failures caused the loss of \$ Millions in computer systems and data.

There are companies who specialize in large scale D/R. Just one example is a company such as Iron Mountain. Such facilities operate in hardened, specifically-engineered datacenter locations - with redundancy built into all of the facility, electrical, network, and cooling infrastructure. As your solution provider, CSI works directly with your staff, and your selected vendor(s) for the actual physical D/R site. Of course, CSI provides and assists you with all the basic components, keeping our own development and test servers backed up and secured as a second-tier means of backup unto themselves, and we provide installation CDs or DVD's to the agency (for restoration of the application after a disaster), providing you with backup configuration files. But equally as important – possibly more important – is our practice whereby our engineers and account/project managers work with you to create, write, and even publish a comprehensive D/R plan document. We also work with you on-site during your D/R exercises and simulations. Our staff remains available to assist with any aspect of disaster recovery situations with the ultimate and fundamental goal to restore business continuity to your customers.

Security Features of the InfoShare™ RMS Platform Security

In the event that a secure hybrid cloud solution is provided, CSI offers a hosted Amazon AWS GovGloud platform for our RMS solution utilizes state of the art security such as SHA-2, (designed by the National Security Agency for data encryption), STS Secure Token Service (security for user information), PCI DSS Auditing (for credit card transactions), Federal Information Security Management Act (FISMA), and their Cloud has obtained the ISO/IEC 27001:2005 certification for Information Security Management...

The deployment will utilize the Microsoft Global Foundation Services (GFS) datacenters. The data center is physically secured with fire, flood protection, high security locks, closed circuit cameras, biometric devices, electronic ID card readers and alarms. All access is secured with positive ID Access Control Lists.

InfoShare™ RMS is using a Service-Orientated Architecture (SOA) as a foundation for Business Process Management (BPM).The Service Oriented Architecture (SOA) concept is based on the principle of developing reusable business service and building applications instead of building monolithic applications in silos. BPM is a methodology, as well a collection of tools that enables enterprises to specify step-by- step business processes. **Business** process management (BPM) addresses organizations can identify, model, develop, deploy, and manage their business processes, including processes that involve IT systems and human interaction.

The major point of implementing an SOA is to provide a loosely coupled integration platform that allows application instance to change and evolve without affecting the core integration technology. Similarly, the process modifications that require different applications to communicate with each other should not alter the core integration technology as well as application instance.




Figure 10.Technology Architecture of InfoShare™ RMS

As shown in the diagram, BPM does the modeling, simulation, and redesign of processes. SOA infrastructure orchestrates business processes and mediates service providers. Services are exposed, to be used in various processes. Service changes should not impact processes. Process changes reuse various services, as needed.

According to this technology architecture, InfoShare™ RMS is highly configurable and it's a support file and business rule driven system. As a result, it easily accommodates RPD's regulations and policies to fit the city's requirements.

Network Security

The InfoShare™ RMS application is a service oriented, N-tier architecture, enterprise web based application. In addition to meeting all business requirements, the InfoShare™ RMS architecture will maximize the security and flexibility and minimize the management and integration effort. With service oriented design in place, the system can easily interoperate with an existing system or 3rd party system.




Figure 11.INFOSHARE™ RMS N-Tier Architecture Diagram


With N-tier architecture in place, the system separates different types of business logic into different tiers to provide superb flexibility and security. By following this industry best practice, the system takes less effort during managing installation and upgrading. The entire architecture is compliant with the most recent software design standards and can be easily understood and enhanced by professional software developers.

Access Security

Our CJIS Security solution has been reviewed and approved by the New Jersey State Police, Identification and Information Technology Unit (commonly called the CJIS Security Unit). CSI Technology has two solutions that it routinely recommends / uses –

- Single Use Sign On Code When a User logs into a PC, they have to put in their User Name & Password
 (Authentication One Something they know.) and then a Single Use Sign on Code is sent either to their
 registered e-mail address or a registered cell phone. They enter that code to gain access (Authentication
 Two Something they have).
- Dongle Key An encrypted code that is synchronized to a specific User's account is loaded onto an external thumb drive. The user enters their User Name & Password (Authentication One Something they know) and the application searches for the matching authentication code on the dongle device (Authentication Two Something they have).


Due to the confidential and sensitive investigations that our clients routinely do, CSI Technology is extremely sensitive to data security and integrity. Every User gets assigned to individual group(s). Each group has certain permissions that control every aspect of the application. InfoShare[™] has several hundred permissions that allow for very narrow access control. For example, there is a clerk at one client location whose only job in the system is to maintain the agency staff files. When that user logs in; all they see is one hyperlink that allows that User to handle their assignments. They have access to no other data in the application.



▲ Groups are hierarchal so a child group cannot have more permissions than the parent group.


During the project phase that CSI refers to as the Gap Analysis Phase, we will work with the various entities involved in this project to identify their hierarchal structure. We will also train the appropriate administrative staff on how to create and maintain these groups in the future. In that process the following will occur –

- Names of Groups will be identified (often based on the agency table of organization)
- Group Information will be established. This where
 - What modules can be accessed
 - What other units' data can be seen by members of the group
 - Who belongs to the group
- Group permissions will be set. This is where "what people can do" is determined. These permissions range
 from who can simply add something to the database to the far end of the spectrum such as who can merge
 one or more cases together if needed.




There is a number of Administrative security tools built in as well to include -

- Transaction Log Reports All activity is tracked and can be searched on via a number of search criteria.
- Transaction Login Reports Who logged in and from where.



Additionally, every individual case has the ability to be locked down to a specific group of Users within the groups by using the Permissions Tab in the case. So for example, if several narcotics detectives are working on a sensitive investigation, they can lock that job down to their specific group of detectives.

- NOTE: For officer safety and agency integrity purposes, there <u>should</u> always be a Super User(s) who
 can see all cases at all times. This is a recommendation, not a requirement.
- NOTE: The restriction can always be lifted after a case has gone public if desired.



▲ User selects who can see a case and moves the Group or individuals in the Group to the right to give them access

Integration with Active Directory is a very common and standard request that CSI Technology Group receives and there should be no issues with this integration.

Exceptions to Requirements in Section 2.0

CSI Technology Group understands and will comply with all requirements in Section2.0

Technology requirements to Support the RMS:

• Computer Hardware and Equipment Requirements

Virtual Server Hardware (Local VMware or Cloud Environment):

- 1. InfoRMS Application Server:
 - CPU: 4 vCore CPU;
 - RAM: 16GB
 - Network Interface Card: Virtual Gigabit Ethernet Interface
 - Hard Drive Space: 120GB or greater for System, Services and Logs;

500GB or Up for Application and Logs

- 2. InfoRMS Database Server:
 - CPU: 8-16 vCore CPU (16 vCore recommended for the extension of the capacity)
 - RAM: 32GB
 - Network Interface Card: Virtual Gigabit Ethernet Interface
 - Hard Drive Space: 120GB or greater for OS, Services and Logs;

1TB for Data, Transaction Logs and Document Storage

- 3. InfoRMS Media Server: (The option for handling a large amount of video media files)
 - CPU: 2 vCore CPU
 - RAM: 8GB
 - Network Interface Card: Virtual Gigabit Ethernet Interface
 - Hard Drive Space: 120GB or greater for System, Services and Logs;

4-8TB or Up for media file storage

Virtual Server Software:

Server OS: Microsoft Windows Server 2012 R2/2016 Standard Edition

Database Server: Microsoft SQL Server 2012 R2/2014/2016 Standard Edition

• Computer Desktop Requirements

Client Desktop Computer:

- 1. CPU: Intel i5 CPU or above processor
- 2. RAM: 8Gb of RAM
- 3. HDD: 250 GB HDD or SSD
- 4. NIC: Gigabit Network Interface Card
- 5. Operating System: Windows 7 or Windows 10 (Windows 10 recommended)
- 6. Application: Microsoft Internet Explorer 11, Adobe Reader,

Microsoft Word 2007/2010/2013/2016 (Option)

Network requirements

Local VM Host:

- 1. Gigabit Local Ethernet Network
- 2. Switch: Gigabit Ethernet Switch
- 3. Cable: CAT5e or CAT6 Cable (or high speed wireless)
- 4. Protocol: TCP/IP, HTTP/HTTPS

Cloud Host:

- 1. The Internet connection is required
- 2. The downlink minimum speed: 25Mbps (100Mbps recommended)
- 3. Protocol: HTTPS

Database Management System

Microsoft SQL Server 2012 R2/2014/2016 Standard Edition (Enterprise Edition if SQL High Availability is required)

• Other Technical Requirements

Windows Server license(s) and SQL Server license.


Data Migration:

The plan of retrieving data from previous RMS, start date, time to complete, and estimated hours are addressed in the project timeline of the implementation plan. During the data migration process, we will need RPD's assistant to prove data from the existing system, review and advise on the data analysis report that CSI provides, make decisions when there is conflict or ambiguous data found. Data migration and conversion is one of our specialties. Furthermore, an exception report will be provided if any discrepancies are found during the data analysis process and we will work with RPD to come up alternative solutions, if required. There's no need to compromise on losing any important data.

CSI has had a great deal of experience in performing data conversion services, including rendering these services after the job had been done inadequately by a previous vendor. We do not utilize sub-contractors for this process. We have designed a methodology, which we describe below; to perform the conversion and we have highly skilled engineers that specialize in legacy data conversions.

When CSI Technology Group performs a data conversion, it is very important that we stress the fact that we do not "just make it fit" into the InfoShare™ system; we cleanse and condense the data. We will work with the agencies to cleanse their master indices so that, for example, a unique person exists in InfoShare™ in a single consolidated record and not exponentially in disparate records.

We rise above upon the industry standard with our extensive experience, our high volume of successful deployments and highly positive customer feedback. We have the confidence we can make things right the first time. The data migration plan is performed conscientiously, step by step, with no ambiguity.




▲ InfoShare™ data migration strategy

CSI uses SQL Server 2012/2014 Data Transformation Service, which contains a rich set of tools for extracting and transforming data. In addition, CSI has devised a methodology to smooth the conversion of criminal justice related databases. The data conversion for a legacy system is a multi-step process. Each step requires active user interaction as there are many decisions to be made, which ultimately results in cleaner data and better data structure. Therefore, CSI works with the client to appoint a data conversion liaison who can call together a data conversion team of Subject Matter Experts as needed, where each team member is knowledgeable in a specific area. CSI will have a project manager, account manager, and engineer(s) working closely with the data conversion team during the entire data conversion process. Each conversion step consists of an analysis step to Extract source data from the legacy system, Transform the data according to InfoShare™ requirements, and Load the clean data into the InfoShare™ system. These ETL steps are repeated as necessary in each organizational unit, and the successful completion of each step is the starting point of the following step. CSI's Data Conversion Engine is based on this principle and we believe our Data Conversion process will be a more efficient and effective data migration experience for the agency.

Following is an example of the process, which will be customized for the data files of the Richmond Police Department.

Steps 1 and 2 the initial data analysis and generating of table structure and support data:



Steps 3 and 4 create the basic framework for case/records management parties involved and the key identifiers.


At the end of the process, we will have a clean set of data and load scripts that can be repeatedly used for data conversion (e.g. Dry-Run conversions, followed by Cut-Live conversion). The load scripts can be altered directly for additional business or non-business requirements, as needed.

Our success stems from our referral-dominated client base. The continuous attention to detail, friendly nature, knowledge and expertise are the results of our long lasting customer relationships and have driven CSI's success. We are passionate about what we do and certainly understand the need for urgency. CSI is always willing and ready to help support our customers' requests, projects, or issues that may occur.

We offer the most comprehensive structured data conversion services on the market today. We do not "just make the data fit" into the InfoShare™ system. We work with the agency to cleanse the data, standardize it and normalize it for future reference. Most vendors do not perform this service properly because it is extremely complex and labor intensive. CSI Technology Group employs skilled engineers who specialize in data conversion so that we can do it the right way.

Implementation Plan:

CSI Deployment Process



Testing

Based upon the customer's requirements, CSI's project team will work with RPD project team to define test plans for the proposed system. For each interface, module & sub-module, CSI will provide quick start guides that contain the appropriate work scenarios for the proposed system. The system will have passed all CSI's test cases before being presented to RPD testers for validation. CSI will install the proposed software in the RPD's test environment. The RPD testers will use work scenarios to validate the system as part of their acceptance testing. CSI expects the RPD core team to test the system rigorously as each set of modifications are made during this acceptance phase, and at each phase of the project. CSI will provide support during User Acceptance Testing and make corrections as needed.

Line #	Task Description	Duration	Start Date	Finish Date	Predecessors
	PO Received	1 day	11/1/2018 8:00	11/1/2018 17:00	
2	Police Modules Prepared on CSI DEV	14 days?	11/2/2018 8:00	11/21/2018 17:00	П
Т	Build Police RMS Module on CSI DEV	14 days	11/2/2018 8:00	11/21/2018 17:00	7
4	Build Evidence Module on CSI DEV	14 days	11/2/2018 8:00	11/21/2018 17:00	-
2	Build Personnel, Scheduling and Policy & Procedure on CSI DEV	14 days	11/2/2018 8:00	11/21/2018 17:00	1
9	Build Fleet Management Module on CSI DEV	14 days	11/2/2018 8:00	11/21/2018 17:00	1
_	Build Warrants Module on CSI DEV	1 day?	11/2/2018 8:00	11/2/2018 17:00	-1
	Build Intelligence Module on CSI DEV	1 day?	11/2/2018 8:00	11/2/2018 17:00	1
6	Build Pawn Shop Module on CSI DEV	1 day?	11/2/2018 8:00	11/2/2018 17:00	1
ទ្ព	Build Permits & License Module on CSI DEV	1 day?	11/2/2018 8:00	11/2/2018 17:00	
F	Build Jail Management System on CSI DEV	1 day?	11/2/2018 8:00	11/2/2018 17:00	1
12	Build Court Management Module for Warrants & Tickets on CSI DEV	1 day	11/2/2018 8:00	11/2/2018 17:00	1
13					
14	Data Conversion Services	73 days?	11/2/2018 8:00	2/12/2019 17:00	1
12	Richmond PD to provide the initial copy of the incumbant database	1 day?	11/2/2018 8:00	11/2/2018 17:00	
16	CSI Engineers to Analyze incumbant database	10 days	11/5/2018 8:00	11/16/2018 17:00	15
17	CSI Engineers to initiaite conversion process	40 days	11/19/2018 8:00	1/11/2019 17:00	16
18	CSI Engineers to initiate data cleansing process	20 days	1/14/2019 8:00	2/8/2019 17:00	17
19	CSI Account Manager to review data with Richmond PD Staff (Side by Side comparison)	1 day?	2/11/2019 8:00	2/11/2019 17:00	18
2	CSI to make any adjustments as needed	1 day?	2/12/2019 8:00	2/12/2019 17:00	19
21	Go Live of Data Conversion	4 days?	2/28/2019 8:00	3/5/2019 17:00	
22	Richmond PD to provide FINAL copy of the incumbant database	1 day?	2/28/2019 8:00	2/28/2019 17:00	202
23	CSI to execture stored proceduress from the initial data conversion	1 day?	3/1/2019 8:00	3/1/2019 17:00	22
24	CSI to insert the data into the database	1 day?	3/4/2019 8:00	3/4/2019 17:00	23
25	Final Review and QC of data transfer services	1 day?	3/5/2019 8:00	3/5/2019 17:00	24
56					
27	Interface Development	552 days	1/31/2017 8:00	3/13/2019 17:00	1
28	Intergraph CAD	27 days	11/2/2018 8:00		
29	CSI to provide sample schema for CAD/RMS interface	27 days	11/2/2018 8:00	12/10/2018 17:00	-
30	Client to schedule initial contact with Intergraph	1 day	11/2/2018 8:00	11/2/2018 17:00	1
31	Intergraph to provide schema	10 days	11/5/2018 8:00	11/16/2018 17:00	30
32	Review schema with clients & interface partners to confirm desired results	1 day	11/19/2018 8:00	11/19/2018 17:00	31
Ī		40 days	00.0 0400/00/44	00 10 0100/ 0/ 01	ć

34	Testing (Testing Plan Pending)	1 day	12/4/2018 8:00	12/4/2018 17:00	33
35	Correct any problems identified (Repeat as needed)	1 day	12/5/2018 8:00	12/5/2018 17:00	34
36	Re-testing (Repeat as needed)	1 day	12/6/2018 8:00	12/6/2018 17:00	35
37	Final Acceptance	1 day	12/7/2018 8:00	12/7/2018 17:00	36
38	VCIN/NCIC	65 days	11/2/2018 8:00	1/31/2019 17:00	1
39	Richmond to submit requests to VCIN Admin for approval if required	1 day	11/2/2018 8:00	11/2/2018 17:00	
40	VCIN Admin to provide schemas to CSI	20 days	11/2/2018 8:00	11/29/2018 17:00	
41	Review schema with clients & interface partners to confirm desired results	1 day	11/30/2018 8:00	11/30/2018 17:00	40
42	CSI to code interfaces to work with InfoShare	40 days	12/3/2018 8:00	1/25/2019 17:00	41
43	Testing (Testing Plan Pending)	1 day	1/28/2019 8:00	1/28/2019 17:00	42
4	Correct any problems identified (Repeat as needed)	1 day	1/29/2019 8:00	1/29/2019 17:00	43
45	Re-testing (Repeat as needed)	1 day	1/30/2019 8:00	1/30/2019 17:00	44
46	Final Acceptance	1 day	1/31/2019 8:00	1/31/2019 17:00	45
47	Local Inmate Data System (LIDS) Web Services	46 days	11/2/2018 8:00	1/4/2019 17:00	1
48	Richmond to submit requests to LIDS Admin for approval if required	1 day	11/2/2018 8:00	11/2/2018 17:00	
49	LIDS Admin to provide schemas to CSI	20 days	11/2/2018 8:00	11/29/2018 17:00	
ος	Review schema with clients & interface partners to confirm desired results	1 day	11/5/2018 8:00	11/5/2018 17:00	48
51	CSI to code interfaces to work with InfoShare	40 days	11/6/2018 8:00	12/31/2018 17:00	50
25	Testing (Testing Plan Pending)	1 day	1/1/2019 8:00	1/1/2019 17:00	51
23	Correct any problems identified (Repeat as needed)	1 day	1/2/2019 8:00	1/2/2019 17:00	52
24	Re-testing (Repeat as needed)	1 day	1/3/2019 8:00	1/3/2019 17:00	23
25	Final Acceptance	1 day	1/4/2019 8:00	1/4/2019 17:00	24
26	Keefe Commisary Network (KCN)	45 days	11/2/2018 8:00	1/3/2019 17:00	44
57	Richmond to submit requests to KCN Admin for approval	1 day	11/2/2018 8:00	11/2/2018 17:00	
28	KCN Admin to provide schemas to CSI	19 days	11/5/2018 8:00	11/29/2018 17:00	57
65	Review schema with clients & interface partners to confirm desired results	1 day	11/5/2018 8:00	11/5/2018 17:00	57
09	CSI to code interfaces to work with InfoShare	40 days	11/5/2018 8:00	12/28/2018 17:00	57
61	Testing (Testing Plan Pending)	1 day	12/31/2018 8:00	12/31/2018 17:00	99
62	Correct any problems identified (Repeat as needed)	1 day	1/1/2019 8:00	1/1/2019 17:00	61
63	Re-testing (Repeat as needed)	1 day	1/2/2019 8:00	1/2/2019 17:00	62
64	Final Acceptance	1 day	1/3/2019 8:00	1/3/2019 17:00	63
92	LexisNexis	534 days	1/31/2017 8:00	2/15/2019 17:00	1
99	Richmond to submit requests to LexisNexis for approval	19 days	1/31/2017 8:00	11/2/2018 9:31	
29	LexisNexIs to provide connection information	30 days	11/2/2018 8:00	12/13/2018 17:00	

CSI to provide an Excel Questionnaire to aid in initial development
Meet with RPD Admin to discuss Agency Structure & General Workflow
Richmond Police Department
Gap Analysis & Agency Development - All Agencies
Deficiencies to be reported by Richmond PD to CSI
Richmond Agencies to report that their hardware meets/exceeds requirements
CSI to provide minimum Hardware specifications (Desktop & MDT Devices)
Richmond PD - Agency Hardware
Re-testing (Repeat as needed)
Correct any problems identified (Repeat as needed)
Testing (Testing Plan Pending)
CSI to work with local network administrators to make needed network connections
CSI to install necessary components for LiveScan Interface
VSP Central Criminal Records Exchange (CCRE) LiveScan
Re-testing (Repeat as needed)
Correct any problems identified (Repeat as needed)
Testing (Testing Plan Pending)
CSI to code interfaces to work with InfoShare
Review schema with clients & interface partners to confirm desired results
QueTel to provide schema to CSI
Richmond to submit requests to QueTel Admin for approval
Re-testing (Repeat as needed)
Correct any problems identified (Repeat as needed)
Testing (Testing Plan Pending)
CSI to code interfaces to work with InfoShare
Review schema with clients & interface partners to confirm desired results

		12/19/2018 17:00	12/19/2018 8:00	1 day	System Administration functions	135
Review returned questionnaire with CSI Engineers 1 day		12/20/2018 17:00	12/19/2018 8:00	2 days	Document Management Structure	134
Review returned questionnaire with CSI Engineers 1.day 1		12/20/2018 17:00	12/19/2018 8:00	2 days	Event Setup	133
Review returned questionnaire with CSI Engineers 1,1 day		12/20/2018 17:00	12/19/2018 8:00	2 days	Support Files	132
Review returned questionnaire with CSI Engineers		12/19/2018 17:00	12/19/2018 8:00	1 day	ID & Password Administration	131
Review returned questionnaire with CSI Engineers		12/20/2018 17:00	12/19/2018 8:00	2 days	Permissions & Security	130
Review returned questionnaire with CSI Engineers		12/20/2018 17:00	12/19/2018 8:00	2 days	Groups/Staff	129
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00	127	12/20/2018 17:00	12/19/2018 8:00	2 days	PrototypeConfiguration - CSI Engineers code in initial information	128
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/7/2019 17:00 1/2/2019 8:00 1/2/2019 17:00 1/2/2019 8:00 1/2/2019 17:00 1/2/2019 8:00 1/2/2019 17:00 1/2/2019 8:00 1/2/2019 17:00 1/2/2019 8:00 1/2/2019 17:00 1/2/2019 8:00 1/2/2019 17:00	126	l	12/18/2018 8:00	1 day	Review returned questionnaire with CSI Engineers	127
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 1 day 1/4/2019 8:00 1/7/2019 17:00 1/4/2019 8:00 1/	125	l	11/6/2018 8:00	30 days	Sheriff's to return the completed information	126
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 1 day 1/4/2019 8:00 1/7/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 CSI Account Management Structure 1 day 1/4/2019 8:00 1/7/2019 17:00 CSI Account Managers schedule on site Gap Analysis Review with End Users 55 days 1/4/2019 8:00 1/4/2019 17:00 Meet with designated Staff to identify gaps 1 day 1/1/2018 8:00 1/1/2019 17:00 CSI Account Managers document configurations that must be made 1 days 1/1/2019 8:00 1/18/2019 17:00 CSI Account Managers to Code the required configurations 1 da	124		11/5/2018 8:00	1 day	CSI to provide an Excel Questionnaire to aid in initial development	125
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 CSI to provide initiation script for browser settings, PDF viewer, etc. to ensure smooth operation 1 day 1/4/2019 8:00 1/7/2019 17:00 CSI Account Managers schedule on site Gap Analysis Review with End Users 1 day 1/4/2019 8:00 1/4/2019 17:00 Meet with Command Staff & Provide High Level Overview 1 day 1/1/2018 8:00 1/1/2018 17:00 CSI Account Managers schedule on site Gap Analysis Review with End Users 1 day 1/1/2018 8:00 1/1/2019 17:00 Pale Vision			11/2/2018 8:00	1 day	Meet with Sheriff's Admin to discuss Agency Structure & General Workflow	124
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00		1/16/2019 17:00	11/2/2018 8:00	54 days	Sheriff's Office for the City of Richmond	123
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in Initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 Support Files 1 day 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 1 day 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 1 days 1/4/2019 8:00 1/7/2019 17:00 CSI Account Managers schedule on site Gap Analysis Review with End Users 1 day 1/4/2019 8:00 1/4/2019 17:00 Meet with Command Staff & Provide High Level Overview 1 days 1/1/2018 8:00 1/1/2019 17:00 CS	121	2/19/2019 17:00	2/19/2019 8:00	1 day	Final Acceptance	122
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 Descript Fles 1 day 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 CSI Account Managers schedule on site Gap Analysis Review with End Users 1 day 1/4/2019 8:00 1/4/2019 17:00 Meet with Command Staff & Provide High Level Overview 1 day 1/1/2018 8:00 1/1/2018 17:00 Levelop Use Case scenarios to ensure needs are met 2 days 1/1/2019 8:00	120	2/18/2019 17:00	2/14/2019 8:00	3 days	Testing (Testing Plan Pending)	121
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00	119	2/13/2019 17:00	2/13/2019 8:00	1 day	Repeat process as needed	120
Review returned questionnaire with CSJ Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 1/3/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/4/2019 17:00 2 d	118	2/12/2019 17:00	2/12/2019 8:00	1 day	CSI AM review the changes with the End Users/RPD Admin	119
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 Support Files Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 CSI to provide initiation script for browser settings, PDF viewer, etc. to ensure smooth operation 1 day 1/4/2019 8:00 1/4/2019 17:00 Meet with Command Staff & Provide High Level Overview 1 day 1/1/2/2018 8:00 1/1/2/2018 17:00 Develop Use Case scenarios to ensure needs are met 2 days 1/1/2/201	117	2/11/2019 17:00	1/29/2019 8:00	10 days	CSI Engineers code the required configurations	118
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 CSI to provide initiation script for browser settings, PDF viewer, etc. to ensure smooth operation 1 day 1/4/2019 8:00 1/4/2019 17:00 Meet with Command Staff & Provide High Level Overview 1 day 1/1/2/2018 8:00 1/1/2/2018 17:00 Develop Use Case scenarios to ensure needs are met 2 days 1/1/2/2019 8:00 1/1/8	116	1/28/2019 17:00	1/24/2019 8:00	3 days	RPD Admin reviews recommended configuration changes and grant authorization for changes	117
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 2 days 1/4/2019 8:00 1/7/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 CSI to provide initiation script for browser settings, PDF viewer, etc. to ensure smooth operation 1 day 1/4/2019 8:00 1/4/2019 17:00 Meet with Command Staff & Provide High Level Overview 1 day 1/4/2018 8:00 1/18/2019 17:00 Develop Use Case scenarios to ensure needs are met 2 days 1/17/2018 8:00 1/18/2019 17:00	115		1/21/2019 8:00	3 days	CSI Account Managers document configurations that must be made	116
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 2 days 1/4/2019 8:00 1/7/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 CSI to provide initiation script for browser settings, PDF viewer, etc. to ensure smooth operation 1 day 1/4/2019 8:00 1/4/2019 17:00 CSI Account Managers schedule on site Gap Analysis Review with End Users 56 days 11/4/2018 8:00 1/4/2019 17:00 Meet with Command Staff & Provide High Level Overview 1 day 1/1/2/2018 8:00 1/1/2/2018 17:00 Meet with designated Staff to identify gaps 10 days 1/3/2019 8:00 1/1/2/2018 17:00	114		1/17/2019 8:00	2 days	Develop Use Case scenarios to ensure needs are met	115
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 1 day 1/4/2019 8:00 1/7/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 CSI Account Managers schedule on site Gap Analysis Review with End Users 1 day 1/4/2019 8:00 1/4/2019 17:00 Meet with Command Staff & Provide High Level Overview 1 day 1/4/2018 8:00 1/4/2018 17:00	113,101	1/16/2019 17:00	1/3/2019 8:00	10 days	Meet with designated Staff to identify gaps	114
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 1 day 1/4/2019 8:00 1/7/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 2 days 1/4/2019 8:00 1/7/2019 17:00 CSI to provide initiation script for browser settings, PDF viewer, etc. to ensure smooth operation 1 day 1/4/2019 8:00 1/4/2019 17:00 CSI Account Managers schedule on site Gap Analysis Review with End Users 56 days 1/1/2/2018 8:00 1/1/8/2019 17:00		11/2/2018 17:00	11/2/2018 8:00	1 day	Meet with Command Staff & Provide High Level Overview	113
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 1 day 1/4/2019 8:00 1/7/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 1 day 1/4/2019 8:00 1/7/2019 17:00 CSI to provide initiation script for browser settings, PDF viewer, etc. to ensure smooth operation 1 day 1/4/2019 8:00 1/4/2019 17:00		1/18/2019 17:00	11/2/2018 8:00	56 days	CSI Account Managers schedule on site Gap Analysis Review with End Users	112
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 1 day 1/4/2019 8:00 1/7/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00 System Administration functions 1 day 1/4/2019 8:00 1/4/2019 17:00	102	1/4/2019 17:00	1/4/2019 8:00	1 day	CSI to provide initiation script for browser settings, PDF viewer, etc. to ensure smooth operation	111
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 1 day 1/4/2019 8:00 1/4/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00 Document Management Structure 2 days 1/4/2019 8:00 1/7/2019 17:00		1/4/2019 17:00	1/4/2019 8:00	1 day	System Administration functions	110
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 1 day 1/4/2019 8:00 1/4/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00 Event Setup 2 days 1/4/2019 8:00 1/7/2019 17:00			1/4/2019 8:00	2 days	Document Management Structure	109
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 1 day 1/4/2019 8:00 1/4/2019 17:00 Support Files 2 days 1/4/2019 8:00 1/7/2019 17:00			1/4/2019 8:00	2 days	Event Setup	108
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00 ID & Password Administration 1 day 1/4/2019 8:00 1/4/2019 17:00			1/4/2019 8:00	2 days	Support Files	107
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00 Permissions & Security 2 days 1/4/2019 8:00 1/7/2019 17:00			1/4/2019 8:00	1 day	ID & Password Administration	106
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00 Groups/Staff 2 days 1/4/2019 8:00 1/7/2019 17:00			1/4/2019 8:00	2 days	Permissions & Security	105
Review returned questionnaire with CSI Engineers 1 day 1/3/2019 8:00 1/3/2019 17:00 Prototype Configuration - CSI Engineers code in initial information 2 days 1/4/2019 8:00 1/7/2019 17:00	102	1/7/2019 17:00	1/4/2019 8:00	2 days	Groups/Staff	104
Review returned questionnaire with CSI Engineers 1/3/2019 8:00 1/3/2019 17:00	102	1/7/2019 17:00	1/4/2019 8:00	2 days	Prototype Configuration - CSI Engineers code in initial information	103
	101	1/3/2019 17:00	1/3/2019 8:00	1 day	Review returned questionnaire with CSI Engineers	102

400	7/10/2010 17:00	7/18/2019 8:00) Have	installation of DRAC Cofficient on Dichmond Cloud platform	
1	2/15/2019 17:00	2/13/2019 8:00	3 days	Richmond Firewall and Switch configuration	168
1	2/12/2019 17:00	2/8/2019 8:00	3 days	CSI & Richmond SQL Build	167
1	2/7/2019 17:00	2/6/2019 8:00	2 days	VPN Up & Activated	166
1	2/5/2019 17:00	2/5/2019 8:00	1 day	Richmond DNS Config	165
1	2/4/2019 17:00	1/22/2019 8:00	10 days	Network Analysis & Planning	164
1	1/21/2019 17:00	1/8/2019 8:00	10 days	VPN Planning, Forms, Approvals	163
1	1/7/2019 17:00	1/3/2019 8:00	3 days	Richmond AD Prep/Analysis	162
1	1/2/2019 17:00	11/2/2018 8:00	44 days	Amazon Government Cloud platform to be utilized	161
	2/26/2019 17:00	11/2/2018 8:00	83 days	Infrastructure Construction	160
1	11/26/2018 17:00	11/22/2018 8:00	3 days	Testing (Testing Plan Pending)	159
	11/21/2018 17:00	11/21/2018 8:00	1 day	Repeat process as needed	158
	11/20/2018 17:00	11/20/2018 8:00	1 day	CSI AM review the changes with the End Users/Steering Committee	157
	11/19/2018 17:00	11/19/2018 8:00	1 day	CSI to provide initiation script for browser settings, PDF viewer, etc. to ensure smooth operation	156
	11/23/2018 17:00	11/19/2018 8:00	5 days	CSI Engineers code the required configurations	155
	11/16/2018 17:00	11/12/2018 8:00	5 days	Steering Committee reviews recommended configuration changes and grant authorization for change 5 days	154
	11/9/2018 17:00	11/9/2018 8:00	1 day	CSI Account Managers document configurations that must be made	153
	11/8/2018 17:00	11/7/2018 8:00	2 days	Develop Use Case scenarios to ensure needs are met	152
	11/6/2018 17:00	11/5/2018 8:00	2 days	Meet with designated Staff to identify gaps	151
1	11/2/2018 17:00	11/2/2018 8:00	1 day	Meet with Command Staff & Provide High Level Overview	150
	11/8/2018 17:00	11/2/2018 8:00	5 days	CSI Account Managers schedule on site Gap Analysis Review with University PD Designated End Users 5 days	149
1	11/26/2018 17:00	11/2/2018 8:00	17 days	Virginia Commonwealth University Campus Police Dept.	148
	1/16/2019 17:00	1/16/2019 8:00	1 day	Final Acceptance	147
l	1/15/2019 17:00	1/11/2019 8:00	3 days	Testing (Testing Plan Pending)	146
	1/10/2019 17:00	1/10/2019 8:00	1 day	Repeat process as needed	145
1	1/9/2019 17:00	1/9/2019 8:00	1 day	CSI AM review the changes with the End Users/Sheriff's Admin	144
	1/8/2019 17:00	1/2/2019 8:00	5 days		143
	1/1/2019 17:00	1/1/2019 8:00	1 day	Sheriff's Admin reviews recommended configuration changes and grant authorization for changes	142
	12/31/2018 17:00	12/27/2018 8:00	3 days	CSI Account Managers document configurations that must be made	141
	12/26/2018 17:00	12/25/2018 8:00	2 days	s are met	140
	12/24/2018 17:00	12/21/2018 8:00	2 days	Meet with designated Staff to identify gaps	139
	12/20/2018 17:00	12/20/2018 8:00	1 day	Meet with Command Staff & Provide High Level Overview	138
	12/26/2018 17:00	12/20/2018 8:00	5 days		137
l	11/10/10/10/10/10	20/ 20/ 2000	1 64,	The second secon	150

2/27/2010 0:00		Co Live Birbroad BDD
2/27/2019	1 day?	Go Live Phase
2/26/2019 8:00		Ensure that any required documents have been uploaded RMS
2/26/2019 8:00	1 day	Ensure Staff are in correct user groups
2/26/2019 8:00	1 day	Ensure staff tables are up to date
2/2	1 day	Software & Setup Confirmation -
3/6/2019 8:00	1 day	Livescan Interfaces installed at each agency
4/1/2019 8:00	identified and/or replaced 1 day	Confirm that any substanRPDrd hardware has been identified and/or replaced
1/7/2019 8:00	alled / pushed as a group policy 1 day	Confirm the browser configurations have been installed / pushed as a group policy
	61 days	Hardware
2/26/2019 8:00	1 day	Agency Supervisor & User Training Completed
2/25/2019 8:00	1 day	Agency Executive Training Completed
2/26/2019 8:00	1 day	Agency Administrative Training Completed
2/25/2019 8:00	2 days	Confirm Training is completed
1/7/2019 8:00	61 days	Agency Go Live Final Checklist -
2/27/2019 8:00	1 day	Test Modules involved from various locations
2/27/2019 8:00	1 day	Final testing on the Richmond City Cloud
1/7/2019 8:00	61 days	Go Live Planning
2/25/2019 8:00	1 day	Conduct Training
2/22/2019 8:00	entative 1 day	Agency(ies) to provide & identify command representative
2/21/2019 8:00	1 day	Set training schedule
2/20/2019 8:00	bility recommended) 1 day	Obtain & Schedule Training Facility (Hands on capability recommended)
2/20/2019 8:00	4 days	Agency Supervisor & General User Training
2/22/2019 8:00	1 day	Conduct Training
2/21/2019 8:00	1 day	Set training schedule
2/20/2019 8:00	bility recommended) 1 day	Obtain & Schedule Training Facility (Hands on capability recommended)
2/20/2019 8:00	ta via searches & canned reports) 3 days	Agency Executives Training (Focus on extracting Data via searches & canned reports)
2/2	evel - Local Agency Administrator) 1 day	Conduct Training - System Administrators (Lower Level - Local Agency Administrator)
2/22/2019 8:00	/el - Systemwide Admin) 1 day	Conduct Training - System Administrators (High Level - Systemwide Admin)
2/21/2019 8:00	1 day	Set training schedule
2/20/2019 8:00	bility recommended) 1 day	Obtain & Schedule Training Facility (Hands on capability recommended)
2/20/2019 8:00	4 days	Administrative User Training
2/20/2019 8:00	4 days	Training Plan
00:8 6707/07/7	o days	Testing (Testing Plan Pending)

60 days 2/28/2	60 days 2/28/2019 8:00
60 days 2/28/2	60 days 2/28/2019 8:00
1 day? 2/27/2	1 day? 2/27/2019 8:00
1 day? 2/27/2	1 day? 2/27/2019 8:00

nel9 gninierT

CSI has over 22 years of experience in planning installations, performing data conversions from legacy systems, and providing tailored training sessions for all major categories of staff. Our training implementation strategies have been developed and refined and are successful because we focus on how the system integrates with individual work activities and each staff member's expectations. We include tailored training for the agency's designated System Administrator so that the person(s) in this particular role can perform functions that include support file maintenance, templates/forms/letters maintenance, and staff/group/permissions maintenance which are very easy to learn and operate by your designated staff. The following training services will be provided to the RPD:

- A train-the-trainer training program;
- B. An end-user training program;
- C. Online documentation training resources including, but not limited to, all training material, all user
- documentation and manuals; and D. Required Training for all system upgrades or future enhancements to the Records Management
- System as they become available and are installed
- CSI Training Program -Standard

 Planning for system training should begin at the same time as the project inception. In our
- experience, to delay this component often adversely affects the outcome of the project.

 Our training plans include --
- eLearning components
- Manual preparation
- CSI Technology Group strongly recommends hands on training that includes creation of reports, searching, workflow and approval processes, etc. This method ensures uniform use and also that everyone knows their job in the applications.
- Hands on training can be accomplished in half day sessions in most instances.

CSI Training Program - Customization:

- Training support as previously determined and agreed to during the initial planning period. The Go-Live training classes typically occur the week before the system goes into operation within the unit or section, and the Go-Live support commences the following Monday. However, the schedule may be modified for the agency's convenience.
- Customized training for specific groups of users is available according to the agreed upon schedule.

 User training includes detailed documentation and reference materials.
- Trainers/account managers will visit employees at their workstation to monitor performance and to answer questions.
- The agency will receive electronic copies of the Maintenance and Operations Manual, System Administration Guide and User Guides.

Our training and the implementation time are successful because we focus on how the system integrates with individual work activities and what the individual can expect to get out of the system.

Support Program

Support Model for 24/7/365 agency

CSl's InfoShare'm core application is designed to offer unique comprehensive solutions for public safety organizations. Our solutions are paired with essential support services, including 24/7/365 technical assistance, hands-on support resources, and product upgrades. We are staffed with analysts and managers experienced in public safety systems who work together with our application engineers to ensure that the system functions quickly, efficiently, and accurately.

CSI views each customer's business continuity as a priority, responding to calls for customer service the same business day. Clients can reach their CSI Account Manager by phone or email to report problems or request system changes. InfoShare^{1m}'s integrated system design uses the most advanced software technology and is supported by an experienced engineering staff dedicated to each project. This simplifies problem resolution and many issues are resolved the same business day.

Upon installation of InfoShare[™], CSI provides maintenance services for each customer under an annual maintenance agreement. This agreement outlines all services and includes telephone hot-line support, consultations with the customer's systems administrator on the operation and utilization of the software and error correction services.

CSI also provides its users the option to utilize its user-friendly work order request management software (InfoTracker) to monitor requested system changes and enhancements. This software is customized for each client to track system updates and their status as they migrate across development and testing environments to approval and into production. CSI Account Managers consult regularly with their customers to keep channels of communication open and to stay aware of customer needs.

Service and Escalation Procedure


- CSI warrants that the software will be operational every hour of each day.
 Our Service coverage hours are flexible and varied; Some systems are time-sensitive enough to
- warrant round-the-clock support, even on-site support as requested; others may operate on a more regular, scheduled timeframe. And while our systems are designed to be up and available day, night, weekends, a site using our CAD software for live real-time dispatch would certainly have more intensive needs for vendor support than an Office of Attorney Ethics which deals with 95 99% of their workload during M-F, 8am 5pm. CSI recognizes these needs and works closely
- with you in matching your needs with our capabilities.

 CSI will provide a single point of contact for placement of service calls during the service period.

 CSI will respond to service calls by telephone within one (1) hour and give an estimated time for
- the resolution of the reported reproducible problem.

 The Agency will be made aware of conditions that would prevent the normal resolution of the
- problem. ح CSI will notify the Agency if a service problem cannot be resolved within a twenty-four (ک4) hour
- CSI will notify the Agency if a service problem cannot be resolved within a twenty-four (24) hour period of receipt of the initial service call.

The following chart describes the service call escalation process and personnel involved:



▲ InfoShareTM Support Escalation Process

For on-going support, coordination between offices will ensure that reported problems are addressed in a timely matter.

Warranties

CSI warrants that the software will be operational every hour of each day. As stated above under Support, CSI views all issues raised during our warranty period as support issues that must be resolved quickly. The following describes CSI's warranted support offerings (they can be modified in the negotiation process).

Performance Period for Acceptance - Software Application

The Performance Period for Acceptance, supported by CSI, shall begin after:

- Successful completion of all of the User's Acceptance testing.
- ✓ Installation of the proposed application software in the Production Environment.

Operations and Maintenance

The Agency system administrator(s) will provide level 1 (level 1 = initial contact) user support. Issues that cannot be resolved via the Agency system administrator(s) will be forwarded to CSI's account

Maintenance services shall be available to clients who can provide VPN access to CSI engineers. Our service center is on-call between 8:30 AM and 6:00 PM Eastern Standard Time. CSI will respond to service call, immediately if by phone, and within one hour from receipt of email. After hours, CSI will respond to service calls based on separately negotiated service agreement (this will be negotiated for 2A/7/365 support for agencies needing such support).

CSI will comply with the Agency's Change Management Process for testing and implementing system related changes into the Production Environment. This process consists of thorough system testing in the Testing Environment. Following test and acceptance, the system will be uploaded into the

Production Environment by CSI. <u>Level of Support</u>: CSI will provide software support services for remedial maintenance under the proposed maintenance services. The services proposed by CSI include, but are not limited to the

- following:

 *** Response Time: CSI's Customer Support Team (account manager) makes every effort to acknowledge the client's support need in real time during regular business hours. The Client can be sure that voice messages and/or e-mail messages will be handled when retrieved. Actual problem resolution time may vary greatly based upon the complexity of the issue being reported. Simple situations are accounted any problem resolution time may vary greatly based upon the complexity of the issue being reported.
- Simple situations are more often resolved during the initial communication.

 Help Desk Services: CSI's account managers will provide help services by telephone to software
- support technicians and system users.

 Software Defects within 30 days or
- a negotiated time period.

 V Upgrade Support: CSI will offer, for the full term of the maintenance agreement, support of the proposed system to ensure continued operation during and after application upgrades and
- implementation of new releases of all software covered under the maintenance agreement.

 Enhancements: CSI will provide enhancement updates to the software as they become available.

 YPM Connection for diagnostics and system
- WPN Connection: Cal will support remote access via a VPN connection for diagnostics and system maintenance. If VPN connection is not available, CSI shall charge an additional hourly fee of \$50 per hour for modem based support and cannot guarantee service level due to the nature of the
- database application.

 System Support: System support includes new versions and/or updates as required for all
- associated System documentation.

 Error correction, consisting of CSI using all reasonable efforts to design code and implement programming changes to the software and to
- correct reproducible errors therein.

 Periodic Performance Testing: CSI's support team performs periodic testing of the application to identify any maintenance tasks required, to be accomplished either by CSI or the Agency system

Ongoing Maintenance

administrators.

CSI regularly provides the following upgrades, as necessary, as part of the contract. All of these upgrades are fully tested before installation and training is provided, if required:

- 1) Patch (.NET Framework)
- so sw (z
- 3) WS SOT
- 4) Browser

Our maintenance releases are intended to solve minor problems, typically "bugs" or security issues. New releases/upgrades are revisions of existing software to improve its usefulness and often include enhancements which have been requested by our clients. When new releases become available, the enhancements which have been requested by our clients. When new releases become available, the agency project manager is informed and is able to review the changes on the test site before approving

the changes to be applied to the production site.

Modifications as a result of mandated state/federal requirements are handled the same way as a maintenance release, such that when modifications become available, the agency project manager is informed and is able to review the changes on the test site before approving the changes to be applied to the production site.

From time to time, customized templates, data backup, hardware maintenance, user pool management, and other user requests will require the agency system administrator's attention. To that end, CSI recommends that the agency identifies one or more system administrator(s) to be trained by CSI to administer these easy to handle functions. These functions include: maintaining users and system security, generating user specific reports, updating user profiles, customizing templates, performing data backup, hardware maintenance, user pool management, and other user's requests.

330 Mac Lane, Keasbey, NJ 08832 Tel: 732-346-0200 Fax: 732-346-0209



<u>SubContracting</u>

CSI Technology Group will not subcontract this project, other than to contract with Amazon Web Services for cloud-hosting our applications. Our own staff will support this project.

Offeror History

For over twenty years, CSI Technology Group's goal has been to develop tools for government agencies to serve our citizens and keep them safe. Utilizing the most current technology available, we have developed software for public safety, prosecutorial, corrections, judicial and regulatory agencies that promote efficiency and communication both within and across organizations. Our products are effective and cost-saving.

Computer Square, Inc, d/b/a CSI Technology Group was formed in November, 1990. We now have close to two decades of experience in planning installations, conducting data conversions from legacy systems, and providing tailored training sessions for all major categories of staff.

Our extensive experience over the past two decades has provided us with insight and the ability to plan smooth implementations for our clients. Some of our clients, such as the New Jersey State Police, serve millions of citizens state-wide. However, we know that each installation and organization is different and our project planning and implementation practices are designed to handle the different operating procedures and information technology nuances that every agency has.

We support our project team with an augmented support staff during Go-Live to respond to problems immediately and keep the installation to the timeline. We have developed a problem-reporting tool that is available to the CSI implementation team and to our clients. This tool provides constant communication among the implementation team, the supplemental support staff and our technical engineers, and builds a centralized database of issues for tracking and reference. Using tools such as this has allowed us to resolve problems quickly and avoid similar issues in the future.

While we have provided solutions for many types of agencies, our primary focus is on law enforcement, public safety and prosecutorial agencies. Our RMS is installed in many locations throughout New Jersey and in Pennsylvania, both in single, local police department locations and in

regional settings, of all sizes. At some sites we have installed our CAD system as part of the solution, and in others, we have interfaced with an existing CAD. We have the capability and experience to do either. We have also designed many complimentary modules that integrate seamlessly with our CAD and RMS solutions, including Mobile Data Terminal, personnel, fleet management, evidence, e-Ticketing, investigation, intelligence, etc., as well as many tools for operations such as crime mapping and analysis. InfoShareTM is an enterprise class, web-based system solution, accessible via desktop and mobile platforms, hosted locally or on a cloud, and are GJ-XML and NIEM compliant to support all law enforcement activities.

Our management and staff have a wide and deep range of experience. William Yeh, CSI's founder and CEO, has led the operations and strategic direction of the company and has successfully provided fully integrated, multi-jurisdictional information sharing systems for police, homeland security, prosecutors and attorneys general offices, departments of correction, judiciary and other criminal justice organizations. Mr. Yeh has partnered with forensic experts, law enforcement leaders and legal scholars to develop solutions that help these agencies fully utilize and share critical information across horizontal and vertical boundaries at all levels of government. He contributes to law enforcement technology forums and associations and brings the latest advances in technology, data sharing, communication and analysis to his clients.

Our senior and account management staff also possess years of experience in various law enforcement, prosecutorial and legal agencies. All of our senior managers have at least six years' experience with CSI and some have over ten. Prior to joining CSI, they were experts in their respective fields elsewhere. Our technical staff have years of formal training in the technology we use, are certified Microsoft technicians and receive continuous on-going training to be proficient in current technology trends. We keep our software up to date and we are continuously improving our products as technology advances.

CSI has the staff and the organization structure to support the Richmond Department of Police project. We have the knowledge and experience to be successful with your project. We truly build a bond with our clients; we see ourselves as your partners in public safety. We know that you rely on us for the service of your products just as the public relies on

you to protect them. Building relationships with our clients by encouraging feedback is the key to building a long term and beneficial relationship.

Computer Square, Inc. is a privately held New Jersey corporation, formed in November, 1990 and registered in New Jersey.

Our company headquarters is located at: Xeasbey, New Jersey 08832

Our Federal ID number is: 223077430

CSI is not a Subchapter S corporation.

Officers and Directors of the company are:

I. William Yeh, President and CEO199 Pierce StreetSomerset, NJ 0887328 years

2. Richard Norcross, Executive Vice President423 N Exeter StMargate, NJ 0840210 years

Joseph Britt, Senior Vice President
 I 60 Tillotson Road
 Fanwood, NJ 07023
 I 9 years

4. Michael Trahey, Director336 Buttonwood LaneMifflinburg Pa 178446 years

 Joshua Ottenberg, Director Haddonfield, MJ
 γears

www.csitech.com Tel: 732-346-0200 Fax: 732-346-0209 330 Mac Lane, Keasbey, NJ 08832

(I) CSI TECHNOLOGY GROUP

Premier Software Solutions for eGovernment

6 years Randolph New Jersey 07869 120 Quaker Church Road 6. Peter Ugalde, Director

13 years Somerset, NJ 08873 34 Sunflower Road 7. Vernon Spencer, Director

CSI has a staff of 38 employees.

Technology Group. company since inception. We also do business under the name CSI Computer Square, Inc. has been the official name of our

330 Mac Lane, Keasbey, NJ 08832 Tel: 732-346-0200 Fax: 732-346-0209 www.csitech.com

(S) TECHNOLOGY GROUP Premier Software Solutions for eGovernment

By submitting its proposal, Computer Square, Inc., d/b/a CSI Technology Group certifies and represents that the information that the Offeror provides in response to this Request for Proposals is accurate and complete as of the date of such submission. If the Offeror provides no information in response to any of the requirements of this Request for Proposals, then the Offeror, by submitting its proposal, certifies and represents that such requirements do not apply because no information exists that would respond to the requirement. The Offeror further covenants that, during the time between the submission of its proposal and the City's announcement of its decision to award the Contract, the Offeror will furnish the City with any changes or additions to such information necessary to ensure that this information remains accurate, complete and information necessary to ensure that this information remains accurate, complete and up-to-date.

8100 from 1 ct 2018

Area 3 Case Organization Area 4 Case Management Area 5 State Reporting Area 11 Court Order (Warrant) Management
Area 12 Equipment Maintenance Module
Area 13 Expunging Records
Area 14 Field Interview (FI) Area 6 Arrest Management
Area 7 Property and Evidence Module Area 1 Global Requirements Area 2 Master Indices Area 10 Narrative Function Area 8 DMV/Accident Reporting Area 9 Citation

Area 15 Impounded Vehicles Area 17 Juvenile Custody Area 16 Intelligence Cases

Area 18 Images Function
Area 19 Objects Function
Area 20 Officer Activity Module
Area 21 Pawn Module
Area 22 Personnel Administration Module
Area 23 Parking Tickets Module
Area 23 Parking Tickets Module
Area 24 Towed Vehicles
Area 25 Field Reporting
Area 26 Crime Analysis Area 27 Permits and Licensing

Area 28 Mobile Data Solution

Area 29 K-9 Module
Area 30 Jail Management System (JMS)

Required Section 1 The system shall be designed to support public/private cloud environments The system shall support deployment to a hybrid public/private cloud environment The system shall support deployment to a hybrid public/private cloud environment The system shall provide agency-definable code tables that are available throughout the system shall provide agency-definable code tables that are available throughout the system to standardize the data entry process and enable the agency to you have young hours the system to accord to the system to meet its needs. The system shall support the ability to automatically create a scheduled backup without interrupting normal operations. Y The system shall relat nather coords entered for the life of the system, in order to enable comprehensive searching and information access. The system shall relat nather coords entered for the life of the system, in order to enable comprehensive searching and information access. The system shall provide helpful functions to assist the user in system avaigation and use, including pop-up menus, online help, validation of coded entres against user-defined code tables (ensuring accurate data entry); validation of coded entres against user-defined code tables (ensuring accurate data entry); and backup and edit of any field. **The system shall provide helpful functions to assist the user in system navigation and use, including pop-up menus, online help, validation warnings, and navigation and use, including pop-up menus, online help, validation of coded entres against user-defined code tables (ensuring accurate data entry); and backup and edit of any field. **Y **The system shall be designation of coded entres against user-defined code tables (ensuring accurate data entry); and backup and edit of any field. **Y **P **The system shall be designation of coded entres against user-defined code tables (ensuring accurate data entry); and backup and edit of any field.	4	10 The system shall support the record-keeping requirements of multiple agencies.	10
Centeral Section 1 The system shall be designed to support publiciprivate cloud environments The system shall support deployment to a hybrid publiciprivate cloud environment The system shall allow different users, agency information, and configurations for each jurisdiction. The system shall provide agency-definable code tables that are available throughout the system to standardize the data entry process and enable the agency to tailor code table values throughout the system to meet its needs. The system shall support the ability to automatically create a scheduled backup without interrupting normal operations. The system and modules shall be permission-based, allowing the designation of agency-defined roles. The system shall rettain all records entered for the life of the system, in order to enable comprehensive searching and information access. The system shall provide helpful functions to assist the user in system or navigation and use, including pop-up menus, online help, validation warnings, and automatic checks to prevent the user from exiting a data entry screen without saving the record; transfer of data between databases (eliminating redundant or anaccurate data entry); validation of coded entries against user-defined code tables (ensuring accurate data entry); and backup and edit of any field.			No.
General Sections The system shall be designed to support public-private cloud environment The system shall support deployment to a hybrid public-private cloud environment The system shall support deployment to a hybrid public-private cloud environment The system shall support deployment to a hybrid public-private cloud environment The system shall support the system is agency information, and configurations for each jurisdiction. The system shall provide agency-definable code tables that are available throughout the system to standardize the data entry process and enable the agency to tailor code table values throughout the system to meet its needs. The system shall support the ability to automatically create a scheduled backup without interrupting normal operations. Use of the system and modules shall be permission-based, allowing the designation of agency-defined roles. The system shall return all records entered for the life of the system, in order to enable comprehensive searching and information access. The system shall allow print jobs to be directed to various network or local printers. The system shall provide helpful functions to assist the user in system navigation and use, including pop-up menus, online help, validation warmings, and automatic checks to prevent the user from exiting a data entry screen without saving the record; transfer of data between databases (eliminating redundant or inaccurate data entry); validation of coded entres against user-defined code tables (ensuring accurate data entry); and backup and edit of any field.		Requirements	Area 1 Global Requirements
Request General - Section 1 The system shall be designed to support public/private cloud environments The system shall support deployment to a hybrid public/private cloud environment The system shall allow different users, agency information, and configurations for each jurisdiction. The system shall provide agency-definable code tables that are available throughout the system is standardize the data entry process and enable the agency to tailor code tables agency-definable code tables that are available throughout the system is a system shall support the ability to automatically create a scheduled backup without interrupting normal operations. The system shall support the ability to automatically create a scheduled backup without interrupting normal operations. Use of the system shall retain all records entered for the life of the system, in order to enable comprehensive searching and information access. The system shall allow print jobs to be directed to various network or local printers. The system shall allow print jobs to be directed to various network or local printers. The system shall provide helpful functions to assist the user in system navigation and use, including pop-up menus, online help, validation warnings, and automatic checks to prevent the user from exiting a data entry screen without saving the record; transfer of data between databases (eliminating redundant or unaccurate data entry); validation of coded entries against user-defined code tables (ensuring accurate data entry); and backup and edit of any field.			
Request Section 1 General - Section 1 The system shall be designed to support public/private cloud environments The system shall support deployment to a hybrid public/private cloud environment The system shall allow different users, agency information, and configurations for each jurisdiction. The system shall provide agency-definable code tables that are available throughout the system is nationable to automatically create a scheduled backup without interrupting normal operations. The system shall support the ability to automatically create a scheduled backup without interrupting normal operations. Use of the system and modules shall be permission-based, allowing the designation of agency-defined roles. The system shall records entered for the life of the system, in order to enable comprehensive searching and information access. The system shall allow print jobs to be directed to various network or local printers. The system shall provide helpful functions to assist the user in system navigation and use, including pop-up menus, online help, validation warnings, and automatic checks to prevent the user from exiting a data entry screen without saving the record; transfer of data between databases (eliminating redundant or maccurate data entry); validation of coded entries against user-defined code tables (ensuring accurate data entry); and backup and edit of any field.			
Reperal Section 1 General Section 1 The system shall be designed to support public/private cloud environments The system shall support deployment to a hybrid public/private cloud environment The system shall allow different users, agency information, and configurations for each jurisdiction. The system shall provide agency-definable code tables that are available throughout the system to standardize the data entry process and enable the agency to tailor code table values throughout the system to meet its needs. The system shall support the ability to automatically create a scheduled backup without interrupting normal operations. Use of the system and modules shall be permission-based, allowing the designation of agency-defined roles. The system shall retain all records entered for the life of the system, in order to enable comprehensive searching and information access. The system shall allow print jobs to be directed to various network or local printers.	*	The system shall provide helpful functions to assist the user in system navigation and use, including pop-up menus, online help, validation warnings, and automatic checks to prevent the user from exiting a data entry screen without saving the record; transfer of data between databases (eliminating redundant or inaccurate data entry); validation of coded entries against user-defined code tables (ensuring accurate data entry); and backup and edit of any field.	φ
Request General Section: The system shall be designed to support public/private cloud environments The system shall support deployment to a hybrid public/private cloud environment The system shall allow different users, agency information, and configurations for each jurisdiction. The system shall provide agency-definable code tables that are available throughout the system to standardize the data entry process and enable the agency to tailor code table values throughout the system to meet its needs. The system shall support the ability to automatically create a scheduled backup without interrupting normal operations. Use of the system and modules shall be permission-based, allowing the designation of agency-defined roles. The system shall records entered for the life of the system, in order to enable comprehensive searching and information access.	Y	8 The system shall allow print jobs to be directed to various network or local printers.	8
Request General Section: The system shall be designed to support public/private cloud environment The system shall support deployment to a hybrid public/private cloud environment The system shall allow different users, agency information, and configurations for each jurisdiction. The system shall provide agency-definable code tables that are available throughout the system to standardize the data entry process and enable the agency to tailor code table values throughout the system to meet its needs. The system shall support the ability to automatically create a scheduled backup without interrupting normal operations. Use of the system and modules shall be permission-based, allowing the designation of agency-defined roles.	*	7 The system shall retain all records entered for the life of the system, in order to enable comprehensive searching and information access.	7
Request General Seculor 1 The system shall be designed to support public/private cloud environments The system shall support deployment to a hybrid public/private cloud environment The system shall allow different users, agency information, and configurations for each jurisdiction. The system shall provide agency-definable code tables that are available throughout the system to standardize the data entry process and enable the agency to tailor code table values throughout the system to meet its needs. The system shall support the ability to automatically create a scheduled backup without interrupting normal operations.	*	6 Use of the system and modules shall be permission-based, allowing the designation of agency defined roles.	6
Request General Section 1 The system shall be designed to support public/private cloud environments The system shall support deployment to a hybrid public/private cloud environment The system shall allow different users, agency information, and configurations for each jurisdiction. The system shall provide agency-definable code tables that are available throughout the system to standardize the data entry process and enable the agency to tailor code table values throughout the system to meet its needs.	Y	5 The system shall support the ability to automatically create a scheduled backup without interrupting normal operations.	5
Request General - Section 1 The system shall be designed to support publiciprivate cloud environments The system shall support deployment to a hybrid publiciprivate cloud environment The system shall allow different users, agency information, and configurations for each jurisdiction.	*	available throughout the system to standardize the data entry	4
Kerprest General - Section 1 The system shall be designed to support publiciprivate cloud environments The system shall support deployment to a hybrid publiciprivate cloud environment	Y		အ
Request General - Section 1 The system shall be designed to support public private cloud environments	*	2 The system shall support deployment to a hybrid public/private cloud environment	2
Request General - Section 1	Υ	1 The system shall be designed to support public private cloud environments	1
	r Pach Redu	Request General - Section 1	No.
	wide Answer - Explanation (V) or No.(N) (if required)		Area I Cheleal Requirements

The system shall incorporate use of pull-down menus listing the valid values for a particular field.

ble from the record. Y Y Y Y Y Y Y Y Y Y Y Y Y	Reguest The system shall support an open, secure standards-based API to create, read, update and delete records in the system. The system shall enable the System Administrator to set up user permissions based on jurisdiction.	Area I Clinbal Requirements No. 2
	24	Area I Global Requirector Vo.
	J. A.	Area i Global Requirento No
	The system shall ensure content integrity by providing a Central Configuration module that allows the owning jurisdictions to restrict fle/information usage.	1
		Security - Section 2
	The system shall provide the ability to print any of the RMS screens to a printer.	38
	The system shall provide the ability to use standard time or military time.	37
	The system shall provide Master Name Alerts throughout RMS.	36
*	/aila	35
*	The system shall allow the user the option to either view or ignore the visual warning regarding unserved papers or records.	34
	The system shall alert the user of any unserved civil papers or outstanding warrants stored in the system.	33
network location of record	ered and/or edited, and the	32
de to a record, including the date	The system shall provide an Audit Trail function that allows the user to view a detailed record or all changes that have been made to a re and time of the change, who made the change, and the before and after values of the changed field.	31
Y		30
		Ya.
	77	Area I Global Requirements
A A MINITED CAN	The system snai provide a historical Data function that allows the user to import data from the historical information into the production may be absence with the circle of one button.	29
screen.	The system shall provide a Main Menu function that allows the user to exit the current screen without closing it and go to the Main Menu screen.	28
ntion.	The system shall provide a Change Password function that allows the user to change their login password without System Administrator	27
e neid, order, and colors displayed	The system shall provide the ability to configure Browse windows with various fonts and colors and allows the user to change the field, of on the user interface.	26
*	١ă	25
Υ	The system shall provide an Undo function that allows the user to undo any information entered into a form prior to saving it.	24
ying one touch of a button. From	The system shall provide a Synopsis function that allows the user to view information related to a record in outline form by applying one this view, the user shall be able to navigate to all records displayed by simply selecting the record in the Synopsis.	23
4		22
γ	The system shall provide a Modify function that allows the user to make changes to records that have been previously saved.	21
	Request	Xe.
		Area I Global Reguirements
Y	The system shall provide an Add function that allows the user to add a new record.	20
Α	The system shall provide a Save function that allows the user to save information added or modified to the current screen.	19
Α	The system shall provide a Close function that allows the user to exit the current screen and return to the previous screen.	100
Α	The system shall issue a warning when the user attempts to close a form without saving it.	17
nt record_ add a new Y	The system shall provide an easy access toolbar that allows the user perform common functions such as exit current window, save current view audit trail, modify or delete current record, or find a record.	16
Y	The system shall provide common menu options to control window positioning and toggting.	15
γ	The system shall employ scroll bars to further display or narrow the view of information contained within a particular window.	14
nd on-screen buttons.	The system shall allow the user to scroll forward one record at a time or move to the last record on the list using scroll bars, arrow keys, and on-screen buttons.	13
Y	The system shall allow quick searching with the ability to expert results to a Microsoft Excel format with no more than two keystrokes.	12

ம	The system shall allow the System Administrator to define the number of attempts a user can attempt to enter their password before preventing additional attempts.	< ~
7		×
8	The system shall enable the agency to use Case Category security to control access to incident and arrest records involving juveniles and rape victims.	Y
8	The system shall allow the System Administrator to define the number of upper case letters required in a user password.	Y
10	The system shall allow the System Administrator to define the number of lower case letters required in a user password	Y
=	The system shall allow the System Administrator to define the number of special characters required in a user password.	Y
12	The system shall allow the System Administrator to define the minimum number of characters required in a user password.	Y
ī	THE STATE THE STATE TO THE STATE TO STATE THE STATE TH	
Vrisa I Global Requirements		
14	The wistem shall allow the System Administrator to define the maximum number of characters required in a user password.	¥
13	The system shall allow integration with Active Directory or other single sign-on (SSO) mechanism for user authentication.	γ
Narratives - Section 3		
_	The system shall provide a Narrative function that allows the user to add one or more narratives to a record.	×
2	The system shall allow the user to add, edit, or delete narratives in any part of a record.	Y
ω	The system shall enable the user to title narratives and display them in a browse list.	¥
4	The system shall allow any authorized user to view the narrative associated with a record.	Y
5	The system shall allow nich text formatting of narrative text, including font, size, butlets, align left, align regist, align center, underline, bold, and italic.	Y
6		*
7	The system shall allow standard spell checking of narrative.	Y
8	The system shall enable a user to indicate if the narrative includes juvenile information.	*
gency permatic nems - section a	Section 1 system shall provide agency-definable items for each end-user module to enable the creation and use of agency-definable field(s) for additional data	4
2	The system shall allow authorized users to define and change the size, location, or label of the agency-defined fields.	¥
ا	The system shall allow authorized users to hide agency-defined fields that may not be in use and recall them later.	4
c	THE 89 SIGHT SHARE BUILDING ASSESSMENT ASSESSMENT OF THE BUILDING AND THE	
kren i Global Requirements	N. Posturar	
4	The system shall restrict the ability to disable agency-defined fields to authorized users.	4
თ	The system shall support the ability to search the data in an agency- defined field.	۲
6	The system shall support the ability to create ad hoc reports and include agency-defined fields on the report.	4
7	The system shall support the ability to integrate 3rd party data or external data into searches and reports.	4
maging - Section 5		
1	The system shall allow the user to select an image of a suspect then retrieve the suspect's name and pertinent information.	~
2		¥
w	The Browse AI feature shall include information regarding the folder number, case number, jurisdiction, description, first name, middle name, last name, and special security number associated with the image.	≺
4	The system shall display a visual indicator informing the user that an image(s) is attached to the selected record.	¥
Searches - Section 6		
1		~
2	The system shall allow searches or queries for exact matches of specific data or data meeting a range of parameters including greater than, less than, between, sounds like, and contains.	~
သ	The system shall provide a Find option that allows the user to search for record(s) based on the information in one field.	4

Argul Global Requirements

The State of		Y
	The system stall pluving a keyword unicutor unic above un user lo search on a previous modes no acceptant on a system with the search of the system of the s	Y
to U	The system stand deplays a Diowse list of all records meeting the seaton controls. The system shall controls a Seaton afforms the user in fifter the necords distributed in a Browse list.	4
7	The system shall enrivide a Seek function that allows the user to search for items using multiple criteria.	⊸€
CO		*
٥	The system shall provide a View Manager function that allows the user to choose fields, define their sort order, and apply filters for records displayed in a Browse	٧
10	The system shall provide several ways to search for help, including search for specific words, help topics, and the contents of the Help file itself.	A
Reports - Section 7		
-	The system shall provide a Reports function that allows the user to view various predefined statistical/field reports or design a report using the information from the database.	*
Parallel Barrell		
ś	n	
2	The system shall allow the user to send a report to a file so that the data can be imported to a text-based or word processing application (e.g., Microsoft Word) or a spreadsheet (e.g., Microsoft Excel), PDF, XML and JSON formats.	·~
3	The system shall allow the user to create synopsis reports that provide statistics on the number of closed incidents and average number of days to clear cases.	≺
4	The system shall provide a Report Preview window that includes scrotling, printing, exporting, and zooming functions.	۲
5	The system shall provide an ad hoc reporting function that allows the user to create and customize reports using information from the database.	Y
6		4
7	The system shall provide ad hoc reporting functions to add a table, link tables, select fields, edit field properties, format reports, preview reports, save reports, and print reports.	<
80	The system shall provide facilities to create ruports and graphs using data from the agency's records.	4
9	The system shall include the following predefined reports:	*
	a Arrest Report	< -
	D Custony Report	<
		٠
	a Civil Danam Renord	~
	Evidence Report	Υ
	g Incident Media Report	¥
kres (Cintrol Requirements		
No.	Keyles:	~
	Outstanding Parking Tickets	Υ
	Pawn Report	~
	k RMS Monthly Report	4
	I RMS Person History Report	4
	m Warrant Report	~
		~
	o UCR and IBRS state reporting	~
10.00		4

¥	el Flanned report has been viewed or updated
Y	d Vehicle has been contacted
	70 Project
	Area I Global Requirements
Y	c Activity at a specific address
~	b Member of flagged group has been contacted
*	a Flagged individual has been contacted
~	The system shall provide individual and/or group notification functions based on the following conditions
	Notifications - Section 9
Υ	a VENDOR REQUIREMENT: Identify any functions not supported and any data elements not captured.
٧	1 The system shall provide integration with legacy microfilm.
	Microfilm - Section 9
7	11 System must seamlessly integrate ESRI ARCGIS Online and Portal to provide real time Location Analytics.
~	10 System must utilize Esri 10.1 GIS Server or greater as a base mapping component throughout the RMS and Mobile system
~	The system shall provide the ability to pin map a valid address from any event screen.
~	8 The system shall provide a link from the event address record to the master address record.
~	7 The system shall provide a log of the actions taken by the automatic address resolution utility.
<	The system shall provide the ability to schedule the automatic resolution of addresses within the master address file that is based on an agency-defined confidence score and resolution schedule.
~	5 The system shall provide a list of the closest addresses if an invalid address is entered.
~	4 The system shall provide a visual indicator if the address is/is not valid.
~	The system shall provide facilities to retrieve and store additional address data including X/Y coordinates when an address is validated.
~	The system shall provide the ability to pin map valid addresses on a map from within the RMS.
~	1 The system shall provide ESR-based address verification.
	No. Required
	Final Commission of the Commis
	Address Verification and Mapping - Section 9
*	7 The system shall provide a Help Tool menu, which provides shortcuts to any other helpful program to start from within the module.
¥	The system shall provide a Find category that allows the user to search for particular words and phrases in Help topics instead of searching for information by category.
*	5 The system shall provide an Index category containing a comprehensive online Help index.
*	The system shall provide a Contents category grouped under general overview headings.
*	3 The system shall provide examples, reference information about using the software, and links to other related help topics.
-	2 The system shall provide offine network of the solution to does the solution.

	The system shall allow the user to associate multiple digital images, documents, or other objects with each Master Name record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform sizing restrictions.	
	The system shall allow Modus Operandi (MO) information for a person to be recorded within or associated with a Master Name record.	ī
	10 The system shall allow gang affiliations to be recorded within or associated with a Master Name record.	
	The system shall allow an unrestricted number of known associates to be tinked to a Master Name record. Y	
	8 The system shall allow an unrestricted number of alias names to be associated with a Master Name record.	П
	Area 2 Manter Inflies	Area
	Ine system shall allow the user to note scars, marks, lamous, and outer budy identities using intriviality back body wasperies.	Γ
	6 The system shall allow the user to add Name records directly into the Master Name Index without any other associated record V	T
		Γ
	(VENDOR: identify any data elements not deputed. The waters a half accommodate necron panes and histories names in the Master Name Index and distinguish between the two types in queries.	T
		П
		1
	e Primary Address (Street Address, Apartment, PO Box, City, State, Postal Code, Country)	1
	Person Identification (Single Social Security Number, Single Driver's License Number with issuing State and Expiration Date and Multiple Fold Number/State ID number, Local ID Number, Miscellaneous Identification Numbers with ID Type and ID Issuer for each Miscellaneous (Volentification Record)	
	Person Demographics (Place of Birth, Date of Birth, Age/Age Range, Gender, Race, Ethnicity, Height, Weight, Build, Hair Color, Hair Length, Hair V Style, Eye Color, Eyeglasses, Facial Hair, Skin Type, Scars/Marks/Tattoos)	
		4
	Arra 2 Waster Indian	A THE
	U reisonine i ust mude. Cast, John, monisca ;	Γ
	Name type (retson of Chigarization) Deane Name (First Middle Last Suff) Deane Name (First Middle Last Suff)	T
	_	Τ
		Maste
	If the same person or organization is subsequently involved in another event, the newer data shall be added to the single Master Name record and be linked to all of the other associated events so that by querying that name, the system shall produce a synopsis of all the associated y	
	Each name entered into RMS shall be linked to an existing Master Name record or, if no such record exists, the system shall create a new master Y Name record.	
		Г
	Master Name Index (MNI) - Section 2	Masie
	e Organization Index	П
	The same of the sa	
		П
	(П
		T
	1 Unique master indices shall be provided for each major data type, including:	٦
	No. Request Master Index Entitles - Section 1	
Provide Answer Explanation (Arequired)	Area : Master ladices	Area

13	The system shall allow alerts associated with a Master Name record to warn or inform the user of special circumstances whenever the Master Name record is queried.
Name Matching	When a user adds a record or report that contains information on a person or organization to RMS, the system shall initiate a process to assist the user in matching the name with an existing Master Name record.
15	The name matching process shall first present a list of possible matches with existing Master Name records so the user can decide whether the new information should be associated to an existing Master Name record or if a new Master Name record should be created.
Very 2 Master Induces	
No	A query of the Master Name Index produces a synopsis of all known contacts in RMS for the person or organization and allows the user to "drill
17	ailed records to be accessed directly from a response to a Master Name Index query:
A	
	incident report, arrest report, field interview, accident report, etc.)
	c Alias names
	d Known associates
	e Gang affiliations
	perandi
	g Monikers Y
	h Digital images and/or multimedia documents
άΰ	When the user adds or updates a Name record, the system shall automatically notify the user of any active warnings or alerts associated with the
19	When the user adds or updates a Warrant record, the system shall automatically notify the user of any active warnings or alerts associated with the name.
20	When the user adds or updates a Name record, the system shall automatically notify the user of any active warrants associated with the name.
21	When the user adds or updates a Name record, the system shall automatically notify the user of any active civil papers associated with the name.
VCIN Queries	
ventore Activ Moeties	
Area 2 Master Indices	A KARIKA KARIA MARAMATAN M
22	The system shall allow State VCIN, NCIC, and DMV Person queries to be initiated from the Master Name record or at the individual report or record level.
daster Name Maintenance	
23	The system shall provide utilities for authorized users to manipulate Master Name record associations in cases where the normal processes do not meet special requirements, and/or to correct user errors or omissions.
24	ple record.
25	merged.
26	
27	
28	The system shall allow authorized users to perform Master Name Index maintenance functions separate from authorizations for other RMS or name-related transactions.
29	The system provides a Symposis feature to display an individual's history throughout the RMS.
30	
	The Master Name Index shall provide a Person History report that includes a person's image, previous address history, and all involvements trooked in the surface contact date.
31	
31	
31	
31 32 32 Naster bridges	

	The same of the sa	
Y	user the option to link the records or create a new Master Property record.	
	The system shall submatically attenut to match any newty entered property with a corresponding Master Property record and shall provide the	
*		ca .
7	ords directly into the Master Property Index without any other associated re	2
	VENDOR: Identify any data elements not captured.	
*	iValue	
Υ	h Transaction Date	
Υ	g Article Status (stolen, lost, found, etc.)	
~	f Description and Distinguishing Characteristics	
Y		
Y	d Model	
*	c Make or Brand	
	Misses Request	Aren I Master Indices
~		
Y	a Property Category	
*	The system shall allow each Master Property record to contain the most recent data and a chronological history and case history for all RMS interactions with an article of property, including	-
	The Master Property Index (MPt) is the central data point that links all Property records entered into RMS.	
	Master Property Index (MPI) - Section 4	Master Property
*	The system shall allow the user to initiate State, VCIN, NCIC, and DMV quenes from the Master Venide record or at the individual report or record level.	
	Vehicles module, Impounded Vehicles module, and Stolen and Recovered Vehicle information.	7
~	The vision seal provide a second seal to 4 white 8 history throughout the RMS with the ordinated with individual seconds.	D (
*		h
~		4
*		w
	Reject	Area - Marger Leaner
	The system shall allow the user to add Vehicle records directly into the Master Vehicle Index without any other associated record.	2
۲	g/VENDOR: Identify any data elements not captured.	
Υ	I Person Telephone Number	
Υ	e Person Address (Street Address, Apartment, PO Box, City, State, Postal Code, County)	
Y	d Person Name (First, Middle, Last, Suffix, Moniker)	
γ	d Vehicle Description (Vehicle Type, Make, Model, Style, Color)	
Y	b Vehicle License (License Number, State of Issuance, Expiration Date)	
γ	a Vehicle Identification Number (VIN)	
Υ	The system shall allow each Master Vehicle record to contain the most recent data and a chronological history for all RMS interactions with a	+
Υ	The Master Vehicle Index (MVI) is the central data point that links all Vehicle records entered into RMS.	
	Waster Vehicle Index (MVI) - Section 3	Master Vehicle In
Υ		2
	2 THE SAME STATE OF THE ADMINISTRATION OF THE PROPERTY OF THE	

7	The system shall integrate the Master Property Index with the RMS Property and Evidence module, Pawn module, Arrest Property, Incident Property, etc., to identify the status and location of each article that is currently in custody.
Vrva 2 Minster Indises	Rounds
00	The system shall allow the user to initiate State, VCIN, and NCIC property queries from the Master Property record or at the individual report or record level.
9	shall provide a Synopsis feature to display Properly records, history, and links throughout the RMS.
10	The system shall maintain lists of all the names, property, addresses, and vehicles entered into an agency's records from any module. The system shall search the database(s) for matches automatically whenever a new record is added and alert the user whenever a match is found in any Master Index module.
11	The Master Indices shall eliminate redundant data entry by allowing the reuse of previously stored information.
83	VENDOR: In an attachment, describe the included data reuse features and behaviors.
12	If a match is found when entering any master index information, the system shall allow the user to select the matching record and fill in corresponding text entry fields automatically with the same information.
13	The system shall allow the user to add information to the Master Indices directly, independent of other records.
The system agencies/	The system shall allow Master Location records to be captured for any location within the political jurisdiction of the supported agencies/jurisdictions.
4	The system shall allow each Master Location record to include the most recent data and a chronological history for all RMS interactions with a location, including:
	a Primary Address (see below for further definition)
Area 2 Master Indices No.	
2	a Primary Address (see below for further definition) b Apartment, Suite. Building, etc. c City Require Require Require Postal Code Postal Code Postal Code VENDOR: Identify any data elements not captured. The system shall allow the Master Location index to support the following primary address formats:
N	
103	
2	
22	
N	
64	
¢3 N3	
۱۵ س	
υ a. ω	
n on the ca	Primary Address (see below for further definition) Apartment, Suite, Building, etc. City Apartment, Suite, Building, etc. City Postal Code Postal Code Country VENDOR: Identify any data elements not captured. The system shall allow the Master Location index to support the following primary address formats: Street Address Hundreds block range Intersections Limited Access Roadways (freeways, expressways, divided highways, etc.) P.O. Box (only in select instances) XY/IZ coordinates and/or latitude/longitude measurements VENDOR. Identify any location formats not supported. The system shall provide Master Location records for any location within the political jurisdiction of the supported agencies/jurine system shall allow the user to address validation that the System Administrator can turn on or off. The system shall allow the user to add location records firestly into the Master Location respectively. Index of the pages of the limited political images, documents, or other objects what be limited in separately documented specifications for the Images function). The actual number of images, documents, or other objects what be limited in the system shall allow the user to add to location records (lifestly into the Master Location Index without any other associated in inspections). The system shall allow the user to add to location records (lifestly into the Master Location Index without any other associated in the limited politics).

Apro 2 Master Indices

The system shall subject all location information being processed in RNIS to stringent formatting rules. In addition, if the address is within the boundaries of the agency geofile, the system shall validate the actual location. During the geovalidation process, the system shall add key identification information, such as XY/Z coordinates and agency-defined reporting areas, to the location information. The system shall allow the geovalidation process to accept an address, even if a does not appear in the geofile. Unverified addresses shall be flagged for possible review. Optionally, all addresses or only addresses within the jurisdiction shall be made available in the MLI. The system shall subject all location process of in RNIS to stringent formatting rules. In addition, the system shall validate the actual location if the address is within the bundaries of the agency geofile. The geovalidation process shall accept an address, even if the address does not appear in the geofile. Optionally, all addresses or only addresses within the jurisdiction shall be available in the MLI and the system shall automatically update the master indices upon entry of report information. Y The system shall provide a synopsis feature to display address history throughout the RMIS.	13 The system shall provide a synopsis feature to display address history throughout the RMS.	The geovalidation process shall accept an address, even if the within the jurisdiction shall be available in the MLI and the syst	The system shall subject all location information processed in RMS i location if the address is within the boundaries of the agency geofile.	10 The MLI shall provide a means to aggregate information throughout RMS based on a specific address.	The system shall allow the geovalidation process to accept an flagged for possible review. Optionally, all addresses or only a	The system shall subject all location information being processed in RMS to stringent formatting rules. In addition, if the system shall validate the actual location. During the geovalidation process, the identification information, such as XY/Z coordinates and agency-defined reporting areas, to the location information.	No. Request
	history throughout the RMS.	address does not appear in the geofile. Optionally, all addresses or only addresses n shall automatically update the master indices upon entry of report information.	MS to stringent formatting rules. In addition, the system shall validate the actual Y	rout RMS based on a specific address.	ddress, even if it does not appear in the geofile. Unverified addresses shall be resses within the jurisdiction shall be made available in the MLI.	d in RMS to stringent formatting rules. In addition, if the address is within the ictual location. During the geovalidation process, the system shall add key defined reporting areas, to the location information.	

-	The system shall allow the user to place each case in a "confidential tolder mattrinks access to the case and all associated records to only the person(s) specifically authorized. Y
neident Processing - Section 5	The system shall allow the user to view add, modify delete, print validate, and approve incident records from the Case module. Y
N	The system shall allow the user to enter information related to a crime or non-criminal event in an incident record.
w	The system shall support all functionality described in the separately documented specifications for the incident function from the Case module.
	When the incident record in the Case module is created from data originally captured on a field incident report or combination of field incident and supplement(s) reports, the system shall add a facsimile of the original report in Portable Document Format (.pdf) or similar to the incident record and is unchanged by any additions or updates to the case or subordinate records.
Vrys 3 Cose Organization	
on S	The system shall use an existing Incident record as the basis for initializing a new Case record, or create a new Incident record directly from the
o	The system shall directly link an incident record to other records related exclusively to the incident, including:
	a Associated Offense Record(s)
	enile Detention Record(s)
	ord(s)
	Associated Property Record(s)
	d(s)
7	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline incident form.
Ġ0	The system shall allow the user to associate multiple narratives with each incident record.
9	The system shall allow the user to associate multiple digital images, documents, or other objects with each incident record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform sizing restrictions.
tres 3 Case Organization	No. Request
	The system shall execute a validation process from within the Case module to verify that the incident data from a reportable case conforms to the V validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards.
	11 The system shall allow uniquely authorized users to approve an incident record from within the Case module in order to "lock" the incident record Y and prevent any direct changes to the associated data.
	12 The system shall allow the user to only modify or delete incident records from within the Case module prior to approval.
	modified or deleted in g a Supplement process on
	14 The system shall allow the original approver to temporarily "unlock" a Case record to allow the author to modify the data.
	The system shall use authorization records to define which users can view, add, modify, delete, approve, and print incident records for each
Supplement Processing - Section 6	g - Section 6
-	The system shall allow the user to view, add, modify, delete, validate, approve, and print Supplement records from within the Case module for an active case.

7		
	The system shall allow the user to associate multiple digital images, documents, or other objects with each Offense record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform sizing restrictions.	ø
Y	The system shall allow the user to associate multiple narratives with each Offense record.	άο
4	The system shall include facilities that enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Offense form.	7
		tra 3 Case Organization No.
*	requirements necessary to satisfy mandated statistical reporting functions.	a
	The system shall allow Offense codes to can be defined as unique to an individual agency/jurisdiction.	en
7	The system shall validate data captured with an Offense record against a table of state reporting rules defined by NIBRS/UCK reporting standards.	4
7		
Y	g Associated Evidence Record(s)	
4	Associated Drug Record(s)	
*	A Associated Property Records) A Associated Property Records)	
Y .	d Associated Uniteritation Records)	
۲ -	b Associated Adult Arrest or Juvenile Detention Records)	
<	a Associated Person Record(s)	
4	The system shall allow an Offense record to be directly linked to other records related to the case, including:	ω
~	The system shall allow each case to contain distinct Offense records and/or Offense records that are subordinate to the incident Adult Arrestee and/or Juvenile Detention record(s).	2
*		1
	Offense Processing - Section 7	Ne.
		Area 5 Case Organization
	nas peer approved.	
≺	The system shall provide a function within the Case module to view all changes that have been made to any incident data after an incident record	9
~	The system shall allow uniquely authorized users to approve a Supplement record from within the Case module in order to "lock" the Supplement record and prevent any direct changes to the associated data.	8
4		7
4	The system shall display the before and after values for each Supplement record for any added and/or modified data, along with the ID and name of the user entering the supplement.	6
Y		ა
4	The system shall allow the user to associate multiple narratives with each Supplement record.	4
~	Data changed or added to an incident record is entered directly into the existing approved incident form and saved to generate a Supplement record.	3
Y	tem shall use a Supplement record to add or modify data in an approved incident record from within the Case module.	2
	The Company of the Co	

The system shall as authorization records to define which usest can view, add, modely, debels, or print Offense months for each percentification. Was A Constituted in Control of the Case of the Cas		for any active case.	
system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the Incident. Offense Adult system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the Incident. Offense, Adult system shall allow a Person record by eachly linked to other records related to the case, including. Sociated Characterion Record(s) Incident Preparety Record(s) Incident Organization Record(s) Incident Organizatio		- 60	Adult Arrest Processing
system shall allow each case to contain distinct Person records added, modify, delete, or print Offense records for each noylurisdiction. system shall allow each case to contain distinct Person records added, modified, deleted, or printed from within the Case module for any active case. steel addor/ Juvenille Deletion records). system shall allow each case to contain distinct Person records adding Person records to the factority. system shall allow a Person necord to be directly inheal to other records related to the case, including. sociated Organization Record(s). sociat	for each	The system shall use authorization records to define which users can view, add, modify, delete, agency/jurisdiction.	14
system shall allow each case to contain distinct Person records and/ed, modify, delete, or print Offense records for each noy/furisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case, system shall allow each case to contain distinct Person records and other records related to the case, including: system shall allow a Person record to be directly initied to other records related to the case, including: system shall allow a Person record to be directly initied to other records related to the case, including: sociated Chapter Record(s) sociated Prejectly Record(s) sociated State (sociated to the state captured with a Person record with the data included in the Massier Name Industry (MNI) or equivalent. The system shall allow the user to appure with the Case module in the Massier Name Industry (MNI) or equivalent. The system shall allow the user to associate milities of the system shall inform the user of any existing outstanding warrants, active civil ere, or earlier of the SNI or equivalent to the Case records and the state of the SNI or equivalent to the Case records and sociate milities (applied images, documents, or other objects with each Person record. system shall allow the user to associate milities from Amministrator to expose additional fields for data collection beyond those provided with the terrore capture of the SNI or each person record. system shall allow the user to associate milities and the state of the sociate shall be imitte			Agra 3 Case Organization / No.
system shall allow each case to contain distinct Person records and or print Offense records for each noyl/ulrisdiction. System shall allow each case to contain distinct Person records and/or Person records that are subordinate to the Incident, Offense, Adult assessments above each case to contain distinct Person records and/or Person records that are subordinate to the Incident, Offense, Adult assessments above each case to contain distinct Person records and/or Person records that are subordinate to the Incident, Offense, Adult assessments above each case to contain distinct Person records and/or Person records that are subordinate to the Incident, Offense, Adult assessments and allow each case to contain distinct Person records and or records that are subordinate to the Incident, Offense, Adult Offense, Record(s) Docisied Property Record(s) Docisied Prop	dicity	The system shall allow specially authorized users to expunge a reason record from within the Code documented specifications for the Expunge function.	13
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each noy/furisdiction. Son records associated with a case can be viewed, added, modified, detelled, or printed from within the Case module for any active case, system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult responsible Detention record(s). System shall allow a Person record to be directly linked to other records related to the case, including: Sociated Ordense Record(s). Sociated Organization Recor		The system, shall allow the user to associate multiple Person records with a single case.	12
system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense records for each system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult aske and/or Juvenile Delention records). System shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult aske and/or Juvenile Delention records). System shall allow a Person record to be directly inked to other records related to the case, including: Socialed Origanization Record(s). Socialed Origanization Record(The system shall allow the user to associate multiple digital images, documents, or other objects separately documented specifications for the images function). The actual number of images, due to hardware, operating system, and/or database platform sizing restrictions.	=
system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the Incident. Offense case, solid records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the Incident. Offense, Adult system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the Incident. Offense, Adult Ariest of Juvenile Delenition Record(s). system shall allow the Record(s). sociated Originate Record(s). sociated Originate Record(s). sociated Originate Record(s). sociated Originate Record(s). sociated Person record to the delate appured with a Person record with the data included in the Master Name Index (MAII) or equivalent. The system shall allow the user for query the IAII or equivalent and appured with a Person record without reentering the same additional data from a known person to the Case module, the system shall inform the user of any existing outstanding warrants, active civil interest than a least of the IAII or equivalent. The system shall include the case in the RAIS for that person to the Case module, the system shall inform the user of any existing outstanding warrants, active civil engagement System shall include the case in the RAIS for that person to the Case module, the system shall inform the user of any existing outstanding warrants, active civil engagement System shall include the case in the RAIS for that person to the Case module, the system shall inform the user of any existing outstanding warrants, active civil engagement System shall include the person to the Lail Interest of the IAII or equivalent. Septem shall allow the case module with a Person record without reentering the same additional data collection beyond those provided with the collection beyond those provided with the collection beyond those provided with the collectio	or hod to	The system, shall allow the user to associate multiple narratives with each Person record.	10
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each scapulurisdiction. Son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. son records associated with a case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult seges and/or, Juvenile Detention Record(s) System shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult seges and/or, Juvenile Detention Record(s) System shall allow the second second to be directly linked to other records related to the case, including: Sociated Offense Record(s) Sociated Offense Record(s) Sociated Offense Record(s) Sociated Drug Record(s) Sociated Interview Record(s) Soci	provided with the	The system shall include facilities to enable the System Administrator to expose additional fields vendor's baseline Person form.	8
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each nodification. Incomplyinstiction. System shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult estee and/or Juvenile Delention record(s). System shall allow a Person record to be directly linked to other records and/or Person records that are subordinate to the incident. Offense, Adult estee and/or Juvenile Delention Record(s). System shall allow the Delention Record(s). Sociated Originarization Record(s). Sociated Originariza		Subsequent queries of the MNI or equivalent shall identify any matching Case records.	8
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each noyllurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case, so records associated with a case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult sets and/or Juvenile Delention record(s). system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult sets and/or Juvenile Delention Record(s). system shall allow a Person record to be directly linked to other records related to the case, including: localed Organization Record(s). sociated Organization Record(s). sociated Evidence Record(s) sociated Interview Record(s)		The system shall add each person entered as an element of a case to the MNI or equivalent.	7
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each noyllurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident, Offense, Adult assee and/or, Juvenile Detention record(s). system shall allow a Person record to be directly inked to other records related to the case, including: sociated Organization Record(s). sociated Property Record(s). sociated Property Record(s). sociated Property Record(s). sociated Evidence Record(s). sociated Evidence Record(s). sociated Interview Record(s). sociated Evidence Recor	ctive civil to the Jail	Vithen entering or editing a name within the Case module, the system shall inform the user of an papers, or alerts in the RMS for that person. The system shall also notify the user if the person it Management System.	on.
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each neyfurisdiction. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the Incident, Offense, Adult system shall allow a Person record to be directly linked to other records related to the case, including: system shall allow a Person record to be directly linked to other records related to the case, including: sociated Offense Record(s) sociated Offense Record(s) sociated Property Record(s) sociated Property Record(s) sociated Property Record(s) sociated Drug Record(Area 3 Case Organization No.
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each neyflurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case, son records associated with a case to contain distinct Person records and/or Person records that are subordinate to the incident, Offense, Adult system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident, Offense, Adult system shall allow a Person record to be directly linked to other records related to the case, including: lociated Offense Record(s) lociated Offense Record(s) lociated Organization Record(s) lociated Property Record(s) lociated Evidence Record(s) l	ntering names and apply or import any	The system shall allow the user to query the MNI or equivalent from within the Case module who additional data from a known person to the Case record without reentening the same additional of the Case record without reentening the same additional of the Case record without reentening the same additional of the Case record without reentening the case record without reentening the Case module who additional of the Case record without reentening the Case record without reentening the Case module who additional of the Case record without reentening the Case record without record with record with record without record without re	J.
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each incyllurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult astee and/or Juvenile Detention record(s) isociated Offense Record(s) isociated Organization Record(s) isociated Property Record(s) isociated Property Record(s) isociated Evidence Record(s) isociated Evidence Record(s) isociated Evidence Record(s)	quivalent. The system	The system shall align the data captured with a Person record with the data included in the Mass shall also map the data captured with a Person record to the data included in the Master Name	4
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each incyllurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident, Offense, Adult assee and/or Juvenile Detention record(s). system shall allow a Person record(s) incided to other records related to the case, including: sociated Organization Record(s) sociated Organization Record(s) sociated Property Record(s) sociated Property Record(s) sociated Property Record(s) sociated Property Record(s)	*	h Associated Interview Record(s)	
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each newfunisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the Incident, Offense, Adult assets of Juvenile Detention record(s) incided Offense Record(s) pociated Organization Record(s) pociated Property Record(s) sociated Property Record(s) pociated Property Record(s) pociated Drug Record(s)		g Associated Evidence Record(s)	
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each now/jurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult astee and/or Juvenile Detention record(s). system shall allow a Person record to be directly linked to other records related to the case, including: sociated Offense Record(s) sociated Organization Record(s) sociated Organization Record(s) sociated Property Record(s)		f Associated Orug Record(s)	in the second
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each now/jurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult assets and/or Juvenile Detention record(s). system shall allow a Person record to be directly linked to other records related to the case, including: sociated Offense Record(s) sociated Offense Record(s).	Y		
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each incyllurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult asseed Offense Record(s). system shall allow a Person record to be directly linked to other records related to the case, including: pociated Offense Record(s) and Organization Record(s).	Υ.		
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each incyllurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult system shall allow a Person record to be directly linked to other records related to the case, including: system shall allow a Person record to be directly linked to other records related to the case, including: sociated Offense Record(s)	٧	DASSOCIATED AGUIT ATTEST OF SUPERIOR RECORDS (*)	
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each incyllurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case, son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case. system shall allow each case to contain distinct Person records and/or Person records that are subordinate to the incident. Offense, Adult estee and/or Juvenile Detention record to be directly linked to other records related to the case, including:	V	a Associated Offense Record(s)	
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each incyllurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case, son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case.		The system shall allow a Person record to be directly linked to other records related to the case,	ى
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each ncylurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case.	dinate to the incident, Offense, Adult	The system shall allow each case to contain distinct Person records and/or Person records that Arrestee and/or Juvenile Detention record(s).	2
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each incivilurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case.			Area & Case Organization No.
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each incyllurisdiction. son records associated with a case can be viewed, added, modified, deleted, or printed from within the Case module for any active case.			
system shall use authorization records to define which users can view, add, modify, delete, or print Offense records for each incyllurisdiction.		Person records associated with a case can be viewed, added, modified, deleted, or printed from	1
se authorization records to define which users can view, add, modify, delete, or print Offense records for each		etency Jursucaer.	Person Processing - Sec
		The system shall use authorization records to define which users can view, add, modify, delete,	=

Y	f Associated Property Record(s)
4	e Associated Vehicle Records(s)
	d Associated Organization Record(s)
Υ.	
Y	
Ą	a Delaned Person Record
*	The system shall allow the user to directly link a Juvenile Detention record to other child records related exclusively to the detained juvenile, including:
1	Case module.
	The system shall support all functionality described in separately documented specifications for the Juvenile Detention function from within the
Y	2 [uvenile identification data.
~	The system shall allow Juvenile Detention records to be viewed, added, modified, deleted, expunged, or printed from within the Case module for
Y	
	The sustain shall allow in bridged users to view add modify delete or print charges to any existing Adult Arrest record from within the
	Arvid 3 Cary (Department)
Υ	The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print Adult Arrest records for each agency/jurisdiction.
Y	11 documented apecifications for the Expunge function.
	10 Each Arrest record allows for the recording of an airest disposition.
*	
7	the hardware, operating system, and/or database platform sizing restrictions
	The system shall allow the user to associate multiple digital images, documents, or other objects with each Arrest record (as described in separately documents, or other objects shall be limited only by
Y	6 The system shall allow the user to associate multiple narratives with each Adult Arrest record.
٧	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	h Associated Interview Record(s)
	g Associated Evidence Record(s)
~	f Associated Drug Record(s)
Y	e Associated Property Record(s)
Y	d Associated Vehicle Record(s)
γ	
Y	
Y	a Associated Offense Record(s)
¥	4 The system shall allow an Adult Arrestee record to be directly linked to other records related to the case, including:
*	The system shall also allow the user to initiate an Arrest record from the Incident record by simply selecting a named suspect as an arrestee and the associated person and charge data will be imported into the Arrest record without reentening the available data.

.

	The second secon	Sven 3 Cast Organization	Request	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those	THE CHARLES CHARLES AND	COIDS AS TEIAIREO (O JUVETINE ORIA, IT WITKIT CASE UTE NATIAUVE I BUCIO CAITTIAVE A SEPARACIO.	ate multiple digital images, documents, or other objects with each Juvenite Detention re	es function). The actual number of images, documents, or other objects shall be limited only by	No. Rejuset	The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	each agency/unsdiction.	uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention	Dissolution Bronzella Serling (1	shall allow Ornanization records associated with a case to be viewed, added, modified, deleted, or printed from within	_	The system shall allow the user to directly tink Organization records to other records related exclusively to the organization, including:		D. Language and the AIOI or continuous and identificant materials of age reported	4 Subsequent queries of the MOI or equivalent shall identify any matching Case records.			The system shall allow the user to query the MOI or equivalent from within the Case module when entening names and apply or import any Y additional data from a known rearrant to the Case record without reentering the same additional data.	rea V (see Organization No. 5 6 6 7 7 7 10 11 11 12 12 12 12 12 12 12 12 12 12 12	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the sealed Juvenide Detention form. Stand above the User to associate multiple narratives with each Juvenide Detention record. In particularly occurrented specifications for the Images, documents, or other objects with each Juvenide Detention record (as 1 separately occurrented specifications for the Images, documents, or other objects with each Juvenide Detention record (as 1 separately occurrented specifications for the Images, documents, or other objects with each Juvenide Detention record (as 1 separately occurrented specifications for the Images function). The actual number of images documents, or other objects and Isa Images gates, next of the second process from which the Case module to overly the single case. In particular occurrent of Secondary and Secondary and Secondary and Secondary and Secondary Secondary and Secondary Seco
Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those vendor's baseline Juvenile Detention form.	Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those vendor's baseline Juvenile Detention form.	Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those yendor's baseline Juvenile Detention form.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those vendor's baseline Juvenite Detention form.	vendor's baseline Juvenile Detention form.		The audit with the property of	The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative.	The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as	The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperative system, and/or database platform string restrictions. The system shall ellow the user to associate multiple Juvenite Detention records with a single case. The system shall ellow the user to associate multiple Juvenite Detention records with a single case. The system shall ellow the user to associate multiple Juvenite Detention records with a single case. Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, petrating system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specifically documented specifications to the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specifically allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the function shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately uniquely authorized users to expunge a Juvenile Detention record from within the Case module as described users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case module.	shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separate) documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by eserging system, ander datases a platform string restrictions. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. The Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall use authorized users to expunge a Juvenile Detention record from within the Case module as described in separately a shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from tase module.	The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be imited only by the hardware, eparately documented specifications for the Images function). The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. The system shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for each agencylurisdiction. The system shall allow Occasion for the Expunge function, accords to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention records for within the Case module.	shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by shall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall imposed by state and federal agencies responsible for setting crime statistic reporting standards It Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module to spurale function. Ishall use authorization records to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention record from stall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the Images function). The actual number of mages, documents, or other objects shall be limited only by generally documented specifications for the Images function). The actual number of mages, documents, or other objects shall be limited only by shall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow specially authorized users to expunge a Juvenile Detention factor of the detention data from a reportable case conforms to not rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Ishall use authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Ishall allow uniquely authorized users to view, add, modify, defete, or print charges to any existing Juvenile Detention records for within the Case any active case. Ishall allow Organization records associated with a case to be viewed, added, modified, defeted, or printed from within the Case any active case.	shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorced to view the Narrative. Incred to view the Narrative. Is hald allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as spearately documented specifications for the Images function). The actual number of images, documents, or other objects with oach Juvenile Detention record (as spearately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by graphic price in the price of the case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal algencies resignostible for setting crime statistic reporting standards. It is not stated to the state of the recording of a detention record with a single case. It is not allow specially authorized users to expunge a Juvenile Detention record from within the Case module to the Expunge function. It is not allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. It is not directly included users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. It is not directly included in the Case to be viewed, added, modified, deleted, or printed from within the Case any active case. It is not record to directly ink Organization records to other records related exclusively to the organization, including. Organization Index (MOI) or equivalent. The shall allow of the Master Organization Index (MOI) or equivalent. The it shall allow of the condition of the Master Organization Index (MOI) or equivalent.	shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorced to view the Narrative. Incred to view the Narrative. Incred to view the Narrative to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow specially suithorized users to expunge a Juvenile Detention record from within the Case module to verify that the detention are portable case conforms to no rules impossition that uses codes separate from the adult arrest disposition in the latest property of the recording of a detention disposition that uses codes separate from the adult arrest disposition in the latest property of the case in the latest property of the organization record from a shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Drug Record(s) Intervew Record(s) Intervew Record(s) Intervew Record(s) Intervew Record(s) In the late of the latest property of the property of the latest of the latest of the latest of the property of the property latest of the latest of th	shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Intorized to view the Narrative. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as satisfacture) and the Narrative record (as satisfacture) and the narrative process from which the Case module to verify that the detention data from a reportable case conforms to be rules imposed by state and deserbal agencies responsible for setting crime statistic reporting standards. Isabel active the user to associate multiple, Luvenile Detention records with a single case. Isabel allow the user with the case module to verify that the detention data from a reportable case conforms to be rules imposed by state and deserbal agencies responsible for setting crime statistic reporting standards. Isabel allow state and the state of the recording of a detention disposition that uses codes separate from the adult arrest disposition as a shall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispositions for the Expunge function. Isabel allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) Properly Record(s) Interview Recor	shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Intorized to view the Narrative to conform to the Narrative to view addition. Intorized to view the Narrative to the Narrative to expunge to provide the narrative records from the Addit arrest disposition to the Expunge function. Intorized to view the Narrative to view add, modify, delete, expunge, or print juvenile detention records for pythological to the Expunge function. Intorized to view the Narrative to view add, modify, delete, or print charges to any existing Juvenile Detention record from the Narrative to the Narrative to view addition to view, add, modify, delete, or print charges to any existing Juvenile Detention record from seal allow the user to directly ink Organization records to the viewed, added, modified, deleted, or printed from within the Case any active case. Interior Record(s) Interior Narrative difference of the Notor equivalent. The Person Record(s) Interior Record(s) Interior Narrative to the Narrative to the Narrative to the Narrative to the Notor equivalent. The Person Record(s) Interior Narrative to the Notor and Narrative to the Narrative to the Notor of the Notor of the Notor of the Notor of the Notor o	shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list (brotzed to view the Narrative. Introduct to view the Narrative record (as separate) and to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as separate) documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenite Detention records with a single case. Interpretation process from within the Case module to verify that he detention data from a reportable case conforms to nuls in the case of the recording of a detention record series and selected agencies responsible for esting crime statistic reporting standards. Interpretation record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module or percentage function. Interpretation records in the Engunge function. Interpretation records to define which users can view, add, modify, detete, expunge, or print juvenite detention records for shall allow uniquely authorized users to view, add, modify, detete, or print charges to any existing Juvenite Detention record from ages module Interpretation from the Engunge function records to their records related exclusively to the organization, including: Offense Record(s) Interpretation (as associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, Interpretation (as associated with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The false models and one organization record with data included in the Master Organization Index (MOI) or equivalent. Interpretation (as the MOI) or equivalent of the process of th	6	The system shall allow the user to associate multiple narratives with each Juvenile Detention record.
Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record.	Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record.	Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record.	vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record.		I The sustem shall distinguish national as fewering data, it writes each the industriated acting and industrial actions and industrial actions and industrial actions.	of users authorized to view the Narrative.	of users authorized to year hear and the control of users authorized to year hear and the control of users authorized to year hear associate multiple digital images, documents, or other objects with each Juvenile Detention record (as	of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specification process from string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, petralicy system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sparately documented specifications for the Images function). The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sparately documented specifications for the Images function). The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow specially authorized agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agencyl)urisdiction.	Of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sparately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware sparately documents or other objects shall be limited only by the hardware sparately documents or other objects shall be limited only by the hardware sparately documents, or other objects shall be limited only by the hardware sparately documents or other objects shall be limited only by the hardware sparately documents or other objects shall be limited only by the hardware sparately documents to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. The system shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case module.	thorized to view the Narrative. Shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by gerrains ayeline, and/or database platform string restrictions, shall allow the user to associate multiple Juvenile Detention records with a single case. I shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is because the conformation of the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. I shall use authorization records to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view.	thorized to view the Narrative. Shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by reprairie gystem, and/or database platform stoing restrictions. In shall allow the user to associate multiple Juvenile Detention records with a single case. In shall allow a validation process from within the Case module to verify that the detention data from a reportable case conforms to no nules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately as pecifications for the Expunge function. In the Constraint of the Expunge function of the expunge and modify, delete, or print charges to any existing Juvenile Detention records from assemblue. Or print played from within the Case in the classe to the viewed added modified deleted or printed from within the Case.	thorized to view the Narrative. Introduction to the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images function). The actual number of images, documents, or other objects shall be limited only by gerrating system, and/or database platform string restrictions. I shall allow the user to associate multiple Juvenile Detention records with a single case. I shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. I shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. I shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from within the Case module. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	thorized to view the Narrative. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as a separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by reperating system, andor database plainton storing restrictions. Ishall allow the user to associate multiple Juvenite Detention records with a single case. Ishall allow the user to associate multiple Juvenite Detention records with a single case. Ishall allow the user to associate multiple Juvenite Detention records with a single case. Ishall allow specially state and federal agencies responsible for setting crime statistic reporting standards. Ishall use authorized users to expunge a Juvenile Detention fecord from within the Case module as described in separately dispecifications for the Expunge function. Ishall allow organization records to define which users can view, add, modify, delete, expunge, or print juvenile detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	thorized to view the Mariative. In shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall be limited by perializing system, and/or datasase failfrom sixing restriction. In shall allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In a securite a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It better to record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is better to see authorize allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow the user to directly standards to define which users can view, add, modify, delete, expunge, or print juvenile detention record from age module. In a shall allow the user to directly link Organization records to evewed, added, modify, deleted, modified, deleted, or print juvenile Detention record from age module. In a shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Evidence Record(s) Evidence Record(s) Evidence Record(s) Evidence Record(s) In all property Record(s) Evidence Record(s)	thorized to view the targetone. In shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images function). The actual number of images, documents, or other objects with each Juvenile Detention records with a single case. In shall allow the user to associate multiple Juvenile Detention records with a single case. In shall allow the user to associate multiple Juvenile Detention records with a single case. In the simposed by state and federal agencies responsible for setting crime statistic reporting standards. In Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition in the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately disperifications for the Expunge function. In shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for shall lake uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from as an advice case. In allow the user to directly link Organization records to be viewed, added, modified, deleted, or print pluvenile detention record from within the Case any active case. Offense Record(s) Property Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) In a some position and organization record with data included in the Master Organization Index (MOI) or equivalent.	Incident to view the startaive. In shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images function). The actual number of images, documents, or other objects with a scholar process. The start is a start of the images function. The actual number of images, documents, or other objects shall be leftened as pacifications for the images function. The actual number of images, documents, or other objects shall be leftened as validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the process from a start of the recording of a detention disposition that uses codes separate from the adult arrest disposition had use a code separate from the adult arrest disposition in the case application. In the process from the case conforms to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In the process from the expunge function and the process from within the Case module as described in separately despective process. In all allow Organization records associated with a case to be viewed, added, modified, deleted, or print juvenile Detention record from shall allow Organization records to other records related exclusively to the organization, including: Ordense Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) In the Master Organization Index (MOI) or equivalent. The it also on the state of the MoI or equivalent. The it also or the food of the state of the MoI or equivalent. The state of the MoI or equivalent in the Master Organization Index (MOI) or equivalent.	thorized to view the variative. In shall allow the user to associate multiple digital images, documents, or other objects with each Juvernite Detention record (as a shall allow the user to associate multiple digital images, documents, or other objects with each Juvernite Detention record (as a shall be limited only by generality documents of the images function). In a sparately document of second control of the process from within the Clase module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the process from within the Clase module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the process from within the Clase module to verify that the detention data from a reportable case conforms to no rules imposed by state and the detention of the statistic reporting standards. In the process of the state of the second from within the Clase module as described in separately as shall allow uniquely authorized users to expunge a Juvenile Detention record from within the Clase module as described in separately shall use authorization records to view, add, modify, delete, or print charges to any existing Juvenile Detention records from the Expunge function. In the second of the control of the Expunge function. In the second of the control of the Clase modify in the Clase module as above the user to directly link Organization records to the records related exclusively to the organization, including: Offense Record(s) Ferson Record(s) Forting the second of the Module of the Master Organization Index (MOD) or equivalent. The shall also may delive delive the additional case records.	Indirect to view the Jurianto. Internation of the Jurianto. In apparatoly documented specifications for the images, documents, or other objects with each Juvenile Detention record (as spatial griplen, analystic specifications for the images (documents, or other objects with each Juvenile Detention record (as shall be land) by specifications of the images for the limited sony by specification are processed by state and federal appendies responsible for setting crime statistic reporting standards. In Detention record standards and standards are standards. In Detention record standards are standards and standards are standards. In Detention record standards are standards and standards are standards. In Detention records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow inquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for shall allow inquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records form shall allow inquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case any active case. In Detention records in the Case in the standard of the print of the condition and the case of the condition index (MOI) or equivalent, the case and allow detention application record with deal included in the Master Organization Index (MOI) or equivalent, it queries of the MOI or equivalent, the shall dentify any matching Case records.		The restorm shall distinguish Narrative records as related to literatile data, in which case the Narrative record can have a separate and distinct list
The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by	Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by	described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by		The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Required The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	The system shall allow the user to associate multiple Juvenite Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module as described in separately documented specifications for the Expunge function. The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenite detention records for each agency/jurisdiction.	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. The system shall use authorization records to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case module uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case module.	shall allow the user to associate multiple Juvenile Detention records with a single case. I shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is betention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In the case module as described in separately dispecifications for the Expunge function. In the case module as described in separately dispecifications for the Expunge function. In the case module as described in separately detention records for pulping function records to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly the case module.	shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. The Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is hall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assemblue. Or print the Case within the Case in the Case in the viewed added modified deleted or printed from within the Case.	shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. The Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. The Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed, or printed from within the Case any active case. Is hall allow the user to directly link Organization records to other records related exclusively to the organization, including:	shall allow the user to associate multiple Juvenite Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to in rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is betention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specification. It is a substant to expunge function. It is a shall allow Organization records associated with a case to be viewed. added, modified, deleted, or print juvenite Detention record from its shall allow Organization records associated with a case to be viewed. added, modified, deleted, or printed from within the Case any active case. It is a like the cord(s) Offense Record(s) Property Record(s) Endernce Record(s) Endernce Record(s) Endernce Record(s) Endernce Record(s) It is no map data captured with an Organization record with data included in the Master Organization index (MOI) or equivalent. The is all allow on a polarization record to data included in the Master Organization index (MOI) or equivalent.	shall allow the user to associate multiple Juvenite Detention records with a single case. In this imposed by state and federal agencies responsible for setting crime statistic reporting standards. In Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications. In all lates authorization records to define which users can view, add, modify, detete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, detete, or print charges to any existing Juvenile detention records from assembly active case. In all lates are condisted in the Master Organization records from within the Case any active case. Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Interview Record(s)	shall allow the user to associate multiple Juvenite Detention records with a single case. Ishall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Ishall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Ishall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module. Ishall allow Organization records to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Ishall allow Organization records associated with a case to be viewed, added, modified, deleted, or print juvenile Detention record from shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Index (MOI) or equivalent. The shall identify any matching Case records.	Is had allow the user to associate multiple Juvenite Detention records with a single case. Is had allow the user to associate multiple and federal agencies responsible for setting crime statistic reporting standards is Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition had uses codes separate from the adult arrest disposition as hall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is shall allow uniquely authorized users to view, add, modify, detelete, expunge, or print juvenile detention records for shall allow Organization records to view, add, modify, detelete, expunge, or print juvenile detention records for shall allow Organization records to view, add, modify, detelete, expunge, or print juvenile detention records for shall allow Organization records to view, add, modify, detelete, expunge, or print juvenile detention records for shall allow Organization records to view, add, modify, detelete, expunge, or print juvenile detention records for shall allow Organization records to view, add, modify, detelete, expunge, or print juvenile detention record from assembly an additional allow Organization records with a case to be viewed, added, modified, deteleted, or printed from within the Case any active case. Organization industrial potential organization records to other records related exclusively to the organization, including: Property Record(s) Drug Record(s) Evidence Record(s) Evidence Record(s) Index (MO) or equivalent. The lates of the Master Organization Index (MO) or equivalent. The lates of the MOI or equivalent and organization record to data included in the Master Organization Index (MO) or equivalent.	Is stall allow the user to associate multiple Juvenile Detention records with a single case. In case module a reliable on process from within the Clase module to verify that the detention data from a reportable case conforms to nulse imposed by state and federal agencies responsible for setting crime statistic regioning standards. Its Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition standards. It is not allow up specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. It is all allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile detention records for any active case. It is not allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. It also on the second(s) and/or involvement (by any existing Juvenile Detention records to other records related exclusively to the organization, including: Organization records to other records related exclusively to the organization, including: Organization (including) (by the property Record(s)) (including) (including		
The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images, function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database planform string restrictions.	Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, clearly system, and/or database platform string restrictions.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be imited only by the hardware, operating system, and/or database planform string restrictions.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database planform string restrictions.	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple namatives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative records as related to juvenile described in space as a specification record (as The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sparsing system, and/or database planform string restrictions.	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperifing system, and/or database planform string restrictions.	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform string restrictions.	described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or detabase planform string restrictions.		The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Natural The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention record from each agencyljurisdiction. The system shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case module.	Ishail execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. It is authorized users to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from taste module.	Is shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. The Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is hall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a second to the classe to the viewed added modified deleted or printed from within the Case.	Is shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. It is allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from its shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	Ishall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. It is a shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. It is a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. It is a low the user to directly link Organization records to other records related exclusively to the organization, including:	shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to an rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is possible to setting crime statistic reporting standards in the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is hall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispectifications for the Expunge function. Is hall allow specially authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assertion records associated with a case to be viewed, added, modified, deleted, or print juvenile Detention record from shall allow Organization records with a case to be viewed, added, modified, deleted, or print juvenile Detention record from shall allow Organization frecords to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Drug Record(s) Interview Record(s)	Is shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to normals imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is possed by state and federal agencies responsible for setting crime statistic reporting standards. It is possed by state and federal agencies responsible for setting crime statistic reporting standards. It is possed by state and federal agencies responsible for setting crime statistic reporting standards. It is possed by state and federal agencies responsible for setting crime statistic reporting standards. It is possed by state and federal agencies responsible for setting crime statistic reporting standards. It is possed by state and federal agencies responsible for setting crime statistic reporting standards. It is not statistic records a statistic reporting to a detention record from within the Case module as described in separately despited to the print juvenile detention records for reporting active case. It is not statistic records and for involvement of the property Record(s). It is not statistic record from the data included in the Master Organization Index (MOI) or equivalent. The statistic reporting with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The statistic reporting the property Record(s).	shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to an rules imposed by state and federal agencies responsible for setting crime statistic regoriting standards. It is Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. It is shall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for a shall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for a shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile detention record from shall allow organization records associated with a case to be viewed, added, modified, deleted, or print juvenile Detention record from shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) In a case module of the Master Organization Index (MOI) or equivalent. The shall allow the Master Organization Index (MOI) or equivalent. The it gueres of the MOI or equivalent, shall identify any matching Case records.	shall asculte a validation process from within the Case module to verify that the detention data from a reportable case conforms to an rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. The Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Shall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for shall allow Organization records to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembdule. Shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Interview Record(s)	shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies: responsible for setting crime stabistic reporting standards. Iso Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition state allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is hall allow grantzation records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembodie. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembodie. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Interview Record(s) Criterias Record(s) Drug Record(s)	9	The system shall allow the user to associate multiple Juvenile Detention records with a single case.
Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, persisting system, and/or database platform storing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the tardware, separately document associate multiple Juvenile Detention records with a single case.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specification storing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenide Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, speritive system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specification, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specifician under database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, appraising system, and/or database planform sizing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, elevating system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	the hardware, operating system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Required The system shall use authorization records to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case module.	In rules imposed by state and federal agencies responsible for setting crime statistic reporting standards ille Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module.	In rules imposed by state and federal agencies responsible for setting crime statistic reporting standards ille Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a second with a case to be viewed added modified deleted or printed from within the Case.	n rules imposed by state and federal agencies responsible for setting crime statistic reporting standards ille Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	n rules imposed by state and federal agencies responsible for setting crime statistic reporting standards ille Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	n rules imposed by state and federal agencies responsible for setting crime statistic reporting standards like Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In a shall allow uniquely authorized users to view, add, modify, delete, or print play authorized users to view, add, modify, delete, or print charges to any existing Juvenile detention records from asse module. In a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printition printled from within the Case any active case. In a shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Drug Record(s) Drug Record(s) Drug Record(s) Drug Record(s) Interview Record(s)	n rules imposed by state and federal agencies responsible for setting crime statistic reporting standards like Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In a shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for all times authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. In a shall allow organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. In a shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Interview Record(s)	n rules imposed by state and federal agencies responsible for setting crime statistic reporting standards like Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In the shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. In the shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. In the Record(s) and/or involvement Person Record(s) Property Record(s) Property Record(s) Property Record(s) Drug Record(s) Drug Record(s) Drug Record(s) Drug Record(s) Interview Record(s) Interview Record(s) Index (MO) or equivalent, the shall identify any matching Case records.	In rules imposed by state and federal agencies responsible for setting crime statistic reporting standards like Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for age module shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, shall allow organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Index (MOI) or equivalent. The It also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. It queries of the MOI or equivalent, shall identify any maltching Case records.	In rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Its Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. It is a shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. In allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Intervew Record(s) Intervew Record(s) Intervew Record(s) Intervew Record(s) Intervew Record(s) Intervery Record(s)		The excise chall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to
The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specific system, and/or database platform stong restrictions.	Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documents pedifications for the images function). The actual number of mages, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specified system, and/or database platform stong restrictions.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform story restrictions. The system shall allow the user to associate multiple divenite Detention records with a single case.	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, eparating system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, eparating system, and/or database planform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, speciality system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	described in separately documents income in ages function). The system shall allow the user to associate multiple divente described in addates to associate multiple divente described in a stage and a separately stage.	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case.	Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Required The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	ile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall use authorization records to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention record from sale module.	ile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a second to the classe to be viewed added modified deleted or printed from within the Case.	ile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	ile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	like Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately ashall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylurisdiction. I shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Drug Record(s) Drug Record(s) Interview Record(s)	the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In the Expunge function are pulpristication records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for all uses authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from the shall allow organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. In the shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Interview Record(s)	like Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printit juvenile Detention record from state any active case. shall allow Organization records in the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Interview Record(s	Ite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assermodule. Is also with a case to be viewed, added, modified, deleted, or print pavenile Detention record from assermodule. In also with a case to be viewed, added, modified, deleted, or print pavenile Detention record from assermodule. If also with a case to be viewed, added, modified, deleted, or print pavenile Detention record from assermodule. If also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The state and the Mol or equivalent shall identify any matching Case records.	Is Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition strain allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from sase module. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sase module. Is hall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Interview Record(s) Person Record(s) Property Record(s) Property Record(s) Property Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Is all allow organization record with data included in the Master Organization Index (MOI) or equivalent. The ill also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The ill also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	10	operation case contents to
The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall encourse a validation process from withing the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform stong restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, reparting system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall encourse a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The advantages, documents, or other objects shall be limited only by the hardware, speriting system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenite Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic resporting standards	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specifical system, and/or distance platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic resporting standards	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, speritive system, and/or database platform sping restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specifical system, and/or database platform storp restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic resporting standards	described in separately documented specifications for the images function. The actual number of images, documents, or other objects shall be imited only by the hardware, sperately document specifications for the images functions. The system shall allow the user to associate multiple Juvenité Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic resporting standards	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards	codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	Codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Requisit The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction. The system shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from which the force module.	a shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sase module.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. It is a shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, and an acceptance assembly to the classe to be viewed added modified deleted or printed from within the Case.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for ishall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module.	a shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. It is a shall allow uniquely authorized users to view, add, modify, delete, or print, delete, or print juvenile detention records for is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. It is a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow the user to directly link Organization records to be viewed, added, modified, deleted, or printled from within the Case any active case, and/or involvement Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Property Record(s) Property Record(s) Interview Record(s)	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylprisdiction. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is that allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Person Record(s) Property Record(s) Property Record(s) Evidence Record(s) Interview Record(s) or equivalent. The lates are property records with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The lates may data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for syllurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Interview Record(s)	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print delete, or print juvenile Detention records from asse module. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or print deleted from within the Case any active case. I shall allow Organization records in Corganization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Intervew Record(shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately shall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Returned Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Index (MO1) or equivalent. The life is no map data captured with an Organization record to data included in the Master Organization Index (MO1) or equivalent. The life is no map data captured with an Organization record to data included in the Master Organization Index (MO1) or equivalent. The life is no map data captured with an Organization record to data included in the Master Organization Index (MO1) or equivalent.		adult arrest
Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system shall allow the user to associate multiple Juvenite Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in a separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the sarroware related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the user to associate multiple digital images function). The actual number of images, documents, or other objects shall be limited only by the hardware sparately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware sparately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware sparately documents patients are sizing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and dependent agencies responsible for setting crime statistic reporting standards.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform stoing restrictions. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, certainly system, and/or database planform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from whith the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperific system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, speriting system, and/or database platform storp restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition	described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be imited only by the hardware, sperating system, and/or database platform stong restrictions. The system shall allow the user to associate multiple Juvenite Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition.	The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as descrit documented *pecifications for the Expunge function.	The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as descrit documented specifications for the Expunge function. **Notice: The System shall allow specifications for the Expunge function.** **Notice: The System shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as descrit documented specifications for the Expunge function.	The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function. Natural The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for leach agency/jurisdiction. The system shall use authorization records to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case module.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately d specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from save module.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. If you have the expunge function is shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a lower than the Case is the viewed added modified deleted or printed from within the Case.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately d specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately depecifications for the Expunge function. In the Expunge function is shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. In the user to directly fink Organization records to other records related exclusively to the organization, including:	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement Person Record(s) Property Record(s) Property Record(s) Drug Record(s) Endernce Record(s) Interview Re	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately of specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylprisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printled from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Person Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Inter	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembdule. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printled from within the Case any active case, shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printled from within the Case any active case, shall allow Organization records with a case to be viewed, added, modified, deleted, or printled from within the Case any active case, offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Property Record(s) Property Record(s) Intervew Record(s) Intervew Record(s) Intervew Record(s) Interved with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The later of the MOI or equivalent, shall identify any matching Case records.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Norganization record with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The it also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The it also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is shall use authorization records to define which users can view, add, modify, debete, expunge, or print juvenile detention records for pullurisdiction. Is shall allow uniquely authorized users to view, add, modify, debete, or print charges to any existing Juvenile Detention record from asse module. Is shall allow Organization records associated with a case to be viewed, added, modified, debeted, or printed from within the Case any active case. Is shall allow Organization records associated with a case to be viewed, added, modified, debeted, or printed from within the Case any active case. Is shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Person Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) It due a captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The Islaid acquired with an Organization record to data included in the Master Organization Index (MOI) or equivalent. It due a solution is the MOI or equivalent shall identify any matching Case records.	11	
Request The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, peterities gateign, and/or database platform sting restrictions. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specifically specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specifically specifications storing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the bardware, peteriting splatem, and/or database petitions string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperative system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenite Detention records with a single case. The system shall allow the user to associate multiple Juvenite Detention records with a single case. The system shall accurate a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specificary system, and/or database planform stoing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperative system, and/or database plainform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall each user to associate multiple Juvenile Detention records with a single case. The system shall each user to associate multiple Juvenile Detention records with a single case. The system shall each user to associate multiple Juvenile Detention records with a single case. The system shall each user to associate multiple Juvenile Detention records with a single case. The system shall each user to associate multiple Juvenile Detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, speriting system, and/or database plaintorm string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.	described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be imited only by the hardware, sperating system, and/or database planform string restrictions. The system shall allow the user to associate multiple Juvenite Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.			documented specifications for the Expunge function. Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	documented specifications for the Expunge function. Request Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	documented specifications for the Expunge function. Kinguret	d specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module.	d specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module.	d specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	d specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	d specifications for the Expunge function. I shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for pulprissicion. I shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Orfense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Intervew Record(s) Intervew Record(s) Intervew Record(s) Intervery Resord (s) Intervery	d specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for xylurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from lase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow Criganization records to other records related exclusively to the organization, including: Offense Record(s) Person Record(s) Property Record(s) Property Record(s) Drug Record(s) Drug Record(s) Interview Record(s)	d specifications for the Expunge function. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Rec	d specifications for the Expunge function. shall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for pyllurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Adult Arrest or Juvenile Detention Record(s) Nong Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Inte	d specifications for the Expunge function. Is hall allow uniquely authorized users to view, add, modify, delete, or print print presents detention records for sylphisticition. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Is hall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, Is hall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Person Record(s) Vehicle Record(s) Property Record(s) Doug Record(s) Doug Record(s) Interview	3	stem shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as descri
The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenite Detention record (as the hardware, pettrifice glystem, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenite Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module as described in separately	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as the system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, reparative system, and/or database limitors string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple digital images, documents, or other objects with a single case. The system shall allow the user to associate multiple of the images functions.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as the system shall allow the user to associate multiple digital images function). The actual number of images, documents, or other objects shall be limited only by the hardware, peteriting system, and/or database platform stoing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform string restrictions. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module as described in separately	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, certains system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention are reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperative system, and/or database plantom string restrictions. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperating system, and/or database platform storp restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately	described in separately documents specificallors for the images function). The actual number of images, documents, or other objects shall be imited only by the hardware, operating system, and/or database platform stoing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately	Area A Case The gastization	1	Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	Requisit The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction. The system shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case module.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for yljurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for younsoliction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Interview Record(s) Intervie	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Interview case, any active case to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Is all align data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylprisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for assemodule. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Drug Record(s) Drug Record(s) Evidence Record(s) Evidence Record(s) Interview Record	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow Organization records associated with a case to the viewed, added, modified, deleted, or printed from within the Case any active case. Shall allow Organization records to other records related exclusively to the organization, including: Offense Record(s) Offense Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Evidence Record(s) Interview Record(s)	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from as a module. Is hall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is hall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. In the standard of the condition of the case. It describes the condition of	i	documented specifications for the Expunge function.
The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, petriting system, and/or database limited only by the hardware, spetrified system, and/or database limited only by the hardware and secure a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as the system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention for setting crime statistic reporting standards to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. The system shall allow specially authorized users to expunde a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunde function.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall allow the user to associate multiple data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized in separately documented specifications for the Images, documents, or other objects with each Juvenile Detention record (as described in separately documents, or other objects shall be limited only by the hardware, repetiting system, and/or database platform string restrictors. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall ellow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention that uses codes separate from the adult arrest disposition codes. The system shall allow the case module to verify that the detention data from a reportable case conforms to the validation record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specifications for the Expurity for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenite Detention form. The system shall allow the user to associate multiple narratives with each Juvenite Detention record. The system shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as described in separately documented specifications for the Images function). The advantance of images, documents, or other objects shall be limited only by the hardware, speriting system, and/or dashase platform string restrictions. The system shall allow the user to associate multiple Juvenite Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenite Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module as described in separately documented specifications for the Expunge function.	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, certaining system, and/or database planform string restrictions. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic regording standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specific system, and/or database planform string restrictions. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, specifically allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be imited only by the hardware, sperately documents specifications for the images functions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	A real of the Original Landon		Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	Request The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction. The system shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Jace module.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for pyljurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for yljurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. **Table allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. **asse module** **asse module**	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Interview Record(s) In	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Interview Case, any active case, any active case to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Is a shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The alian map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Drug Record(s) Drug Record(s) Drug Record(s) Interview Record(s) Inter	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylprisdiction. Is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) Offense Record(s) Person Record(s) Property Record(s) Drug Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Is also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The lation map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The lation map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The lation map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylprisidiction. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Is hall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is hall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Evidence Record(s) Interview Record(s) Inte		
The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sparately documented specifications for the Images function. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline. Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware specification process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sparately documented specifications for the Images function). The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall allow the user to associate multiple narratives with each Juvenile Detention record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperifically statem, and/or database platform sing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	vendor's baseline Juvenile Detention form. The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the tandware, sentiling system, and/or database platform sting restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall allow the user to associate multiple narratives with each Juvenile Detention record. The system shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list of users authorized to view the Narrative. The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the transvers, generative system, and/or database platform string restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperified system, and/or database plainform storing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	described in separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by the hardware, sperifying system, and/or database platform sizing restrictions. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.	The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall allow the user to associate multiple Juvenile Detention records with a single case. The system shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards the validation rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Each Juvenile Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition codes. The system shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately documented specifications for the Expunge function.		1	The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for	The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction.	The system shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for each agency/jurisdiction. The system shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case modify.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for priorisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for yljurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for y//jurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly fink Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Adult Record(s) Property Record(s) Property Record(s) Evidence Record(s) Evidence Record(s) Interview	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for pyllurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Record(s)	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for pyllprisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Is also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The ill also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. It queries of the MOI or equivalent shall identify any matching Case records.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylpinsdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. offense Record(s) and/or involvement Person Record(s) and/or involvement Person Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Inter	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for syllurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is all allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Interview Record(s) Inter	ren ³ Casa Overanization	
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the steller luvenile Detention form. In all allow the user to associate multiple narratives with each Juvenile Detention record. In shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple Juvenile Detention, the actual number of images, documents, or other objects shall be limited only by shall allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to availation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and telegral agencies responsible for setting crime statistic reporting standards. It is that allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dependent and allow uniquely authorized users to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow Organization records to view, add, modify, delete, or print deleted, or print gluvenile Detention record from within the Case any active case. In all allow the user to directly link Organization records to other records related exclusively to the organization, including: shall allow the user to directly link Organization records to other records related exclusively to the organization, including:	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stellar Luvenile Detention form. Ishall allow the user to associate multiple narratives with each Juvenile Detention record. Ishall show the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images, function). The actual number of images, documents, or other objects with each Juvenile Detention record (as shall be limited only by shall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to avalidation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime stalktic reporting standards. It is believed to be avalidation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime stalktic reporting standards. It is believed to be adult arrest disposition as the detention record from within the Case module as described in separately dependently authorized users to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly and the case. Ishall allow of printing from the Case and the uniquely authorized users to define which users can view, add, modified, deleted, or print defined from within the Case any active case.	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stelle Livenile Detention form. I shall allow the user to associate multiple narratives with each Juvenile Detention record. I shall show the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as separately) documented specifications to the images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as separately) documented specifications to the images function). The actual number of images, documents, or other objects with each Juvenile Detention record sets to establish the case module to verify that the detention data from a reportable case conforms to not shall each or validation process from within the Case module to verify that the detention data from a reportable case conforms to not proceed by state and federal agencies responsible for setting crime statistic reporting standards. I shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately despectifications for the Expunge function. I shall allow specially authorized users to define which users can view, add, modify, delete, expunge, or print juvenile detention records for specifications for the Expunge function. I shall allow Organization records to define which users can view, add, modify, delete, expunge, or print juvenile Detention record from assertion and the detention record from view, add, modify, delete, or print deleted, or print deleted from within the Case any active case.	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the seeline Juvenile Detention form. In all distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Marrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Marrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Marrative records as related to juvenile Detention, the actual number of images. Journal of the record (as shall allow the user to associate multiple Juvenile Detention records with a single case. In all distinguish and/or database platform sizing restrictions. In all allow the user to associate multiple Juvenile Detention records with a single case. In all distinguish the user to associate multiple Juvenile Detention records with a single case. In all distinguish the user to determine the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime stalistic reporting standards In all allow the user to associate multiple Juvenile Detention record from within the Case module as described in separately dependent and the case in the case module as described in separately dependent and the case module as a stall allow original authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sale module. In all distinguish the case to directly link Organization records to other records related exclusively to the organization, including: shall allow the user to directly link Organization records to other records related exclusively to the organization, including:	shall allow the user to associate multiple narratives with each Juvenile Detention record. shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record as shall be limited only by shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow specially state and federal agencies responsible for setting crime statistic reporting standards. The Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition list Detention record allows for the Expunge function. shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as authorized users to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records second with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to twiew the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to twiew the Narrative records as related to juvenile digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record states as parated and record and the case module. The actual number of images, documents, or other objects shall be imited only by equitive judien, andor database platform stong restrictions. Is all allow the user to associate multiple Juvenile Detention records with a single case. Is allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to add the recording of a detention disposition that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is allow the user to authorized users to expunge a Juvenile Detention record from within the Case module. Is allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for stall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as a separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by generally aytiem, and/or database platform sizing restrictions. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall allow the user to directly tink to expunge a Juvenite Detention factor of the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards I shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module as described in separately appearance of the Expunge function. I shall allow authorization records to define which users can view, add, modify, delete, expunge, or print juvenite detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenite Detention record from ase module. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, including: including:	n separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by operating system, and/or database platform string restrictions. Is shall allow the user to associate multiple Juvenile Detention records with a single case. Is shall assecute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is beten to record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. It is a shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. It is allow the user to directly link Organization records to other records related exclusively to the organization, including:	shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to a rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is hall allow specially authorized users to expunge a Juvenile Detention from that uses codes separate from the adult arrest disposition ashall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from asse module. Is hall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is hall allow the user to directly link Organization records to other records related exclusively to the organization, including:	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for yljurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including:	pyljurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case as shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. The print of the organization including:	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is allow the user to directly link Organization records to other records related exclusively to the organization, including:	shall allow Organization records associated with a case to be viewed. added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including:	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including:	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including:	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including:			b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Drug Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall aliso map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Evidence Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Evidence Record(s) the System shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) f Associated Drug Record(s) Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.		Associated Offense Record(s) and/or involvement
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the istall allow the user to associate multiple narratives with each Juvenile Detention record. Is hall allow the user to associate multiple inarges, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as 1 separately documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as 1 shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is all allow specification record allows for the recording of a detention record swith a single case. Is all allow specification record sets to expunge a Juvenile Detention record from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is all allow the user to accord set on the recording of a detention record with a uses codes separate from the adult arrest disposition shall allow specification for the Expunge function. Is all allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module. Is all allow of ganization records sesociated with a case to be viewed, added, modified, deleted, or print juvenile detention records from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from within the Case any active case. Offense Record(s) and/or involvement	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the istall allow the user to associate multiple narratives with each Juvenile Detention record. Istall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Is hall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as shall be user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a single case. Is all allow specially authorized users to expunge a Juvenile Detention fraction that uses codes separate from the adult arrest disposition is shall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module as described in separately disposition for the Expunge function. Is all allow of the user to directly link Organization records to the viewed added, modified, delete, or print juvenile Detention records from within the Case any active case. Is all allow of the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the steller. In all allow the user to associate multiple narratives with each Juvenile Detention record. In all allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative record can have a separate and distinct list shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documents or other objects with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention record with a single case. In all allow the user to associate multiple Juvenile Detention record with a single case. In all allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately described in separately authorized users to expunge a Juvenile Detention record from within the Case module. In all allow pecially authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for print juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from a shall allow or print juvenile Detention records to the viewed, added, modified, deleted, or print defending from within the Case any active case.	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stellar Livenile Detention form. shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list incred to yiew the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention record from within the Case module case conforms to no rules imposed by state and federal agencies responsible for setting crime stalistic reporting standards its Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is the Detention record allows for the recording of a detention disposition from within the Case module as described in separately disposition from the Expuringe function. shall allow function records to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention records from separately defended, modified, deleted, or print juvenile Detention record from separately of the organization, including: Officers Record(s) and/or involvement	Ishall allow the user to associate multiple narratives with each Juvenile Detention record. Ishall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the images function). The actual number of mages, documents, or other objects with each Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow specially authorized users to expunge a Juvenile Detention fracting crime statistic reporting standards. Ishall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for specifications for the Expunge function. Ishall allow Organization records to define which users can view, add, modify, delete, expunge, or print juvenile Detention records for shall allow Organization records to the viewed, added, modified, deleted, or print playenile detention record from within the Case any active case, and or records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to the wife Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to the wife Narrative records as related to juvenile digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple Juvenile Detention records with a single case. I shall allow the user to associate multiple Juvenile Detention records with a single case. I shall show the user to associate multiple Juvenile Detention records with a single case. I shall show the user to associate multiple Juvenile Detention records with a single case. I shall show the user to associate multiple Juvenile Detention records with a single case. I shall show the user to associate multiple Juvenile Detention records with a single case. I shall show the user to detect a determine the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. I shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dependent and uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to discount agencies responsible for setting crime statistic reporting standards. In rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is that allow specially authorized users to expunge a Juvenile Detention frecord from within the Case module as described in separately appearance of the Expunge function. Is that allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is that allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	repetating youthnessed specifications for the images function). The actual number of images, documents, or other objects shall be limited only by gestating system, and/or database laintom storing restrictions. Is half allow the user to associate multiple Juvenile Detention records with a single case. Is half execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to in rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is half allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is half use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shalf allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sale module. Is half allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement.	shall allow the user to associate multiple Juvenile Detention records with a single case. I shall allow the user to associate multiple Juvenile Detention records with a single case. I shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is ball use authorized users to expunge a Juvenile Detention from within the Case module as described in separately dispecifications for the Expunge function. It is a pecification for the Expunge function. It is a pecification for the Expunge function and the set of the records for the expunge function. It is a pecification for the Expunge function for the Expunge function of the expunge function for the expunge function for the expunge function. It is a pecification for the expunge function for the expundent function for the expun	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. Ishall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Ishall allow the user to directly fink Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	Is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement	a Associated Offense Record(s) and/or involvement	Associated Offense Record(s) and/or involvement	d Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Evidence Record(s) The system shall align data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. System shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	d Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	d Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	d Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Evidence Record(s) h Associated Interview Record(s) system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	d Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) el Associated Property Record(s) f Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.		Associated Person Record(s)
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the isseline Juvenile Detention form. In associate multiple narratives with each Juvenile Detention record. In shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. In separated to view the Narrative associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separate) document of the Images function). The acual number of images, documents, or other objects shall be limited only by gerating system, and or datases a plainem strong resortions. In shall allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention of the detention data from a reportable case conforms to no rules impossible that uses codes separate from the adult arrest disposition and according to the Expunge of the Expunge a Juvenile Detention record from within the Case module as authorization records to define which users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow or printed from within the Case any active case, In all allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement.	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stabile Juvenile Detention form. Is hall allow the user to associate multiple narratives with each Juvenile Detention record. Is hall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to defend algencies responsible for setting crime statistic reporting standards. In the case module as the recording of a detention detention fraction that uses codes separate from the adult arrest disposition in the Detention record allows for the recording of a detention detention fraction within the Case module as described in separately desented and the validation records to reporting authorization records to define which users can view, add, modify, delete, expunge, or print juvenile Detention record from shall allow organization records to define which users to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stellar Juvenile Detention record. I shall allow the user to associate multiple narratives with each Juvenile Detention record. I shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative record sas related to juvenile data, in which case the Narrative record can have a separate and distinct list shall allow the user to associate multiple digital images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by gearing system, and critical state in the case indicated the control of the state of the st	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stellar Livenile Detention form. Ishall allow the user to associate multiple narratives with each Juvenile Detention record. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as specified yetter, and/or database platform string restrictions. Ishall allow the user to associate multiple. Divenile Detention records with a single case. Ishall allow the user to associate multiple approaches responsible for setting crime statistic reporting standards. Ishall allow the user to associate multiple approaches responsible for setting crime statistic reporting standards. Ishall allow the user to associate multiple approaches responsible for setting crime statistic reporting standards. Ishall allow the user to associate multiple of a detention disposition that uses codes separate from the adult arrest disposition number of the case module as the coording of a detention of specification from within the Case module as a particular and the record to define which users can view, add, modify, delete, expunge, or print juvenile Detention record from shall allow Uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sand multiple detention record from within the Case any active case.	Ishall allow the user to associate multiple narratives with each Juvenile Detention record. Ishall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as separately document despecifications from the Images function). The actual number of images, documents, or other objects shall be limited only by gearing system, and/or data fast periodic staticulars. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately described by state and federal agencies responsible for setting crime statistic reporting standards. Ishall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately described by state and setting crime statistic reporting standards. Ishall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assemble modified, deleted, or print played from within the Case any active case. Ishall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case.	Ishall allow the user to associate multiple narratives with each Juvenile Detention record. Ishall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to yield the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the images function). The actual number of images, documents, or other objects hall be limited only by state and include multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records from within the Case module as described in separately of the Expunsion of the Expunsion of a detention disposition that uses codes separate from the adult arrest disposition in the Case module as authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from view shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from view and the user to defend with a case to be viewed, added, modified, deleted, or printed from within the Case	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to nrules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall use authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement Offense Record(s) and/or involvement Person Record(s)	name along documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by gestable yetter, and/or database platform storing restrictions. Is half allow the user to associate multiple Juvenile Detention records with a single case. Is half less imposed by state and federal agencies responsible for setting crime statistic reporting standards Is pecially authorized users to expunge a Juvenile Detention record from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Is half allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately appropriately authorized users to expunge a Juvenile Detention record from within the Case module as described in separately shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Is half allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Offense Record(s) and/or involvement Offense Record(s)	shall allow the user to associate multiple Juvenile Detention records with a single case. I shall allow the user to associate multiple Juvenile Detention records with a single case. I shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is better the case and federal agencies responsible for setting crime statistic reporting standards. It is better the case and federal agencies responsible for setting crime statistic reporting standards. It is better the case and federal agencies responsible for setting crime statistic reporting standards. It is better the case and the record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition as shall allow specially authorized users to define which users can view, add, modify, delete, or print charges to any existing Juvenile detention record from asse module. It is allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s)	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for syllurisdiction. I shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assemodule. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement	Is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is hall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s)	shall allow Organization records associated with a case to be viewed. added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly fink Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s)	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s)	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s)	a Associated Offense Record(s) and/or involvement b Associated Person Record(s)	Associated Offense Record(s) and/or involvement Associated Person Record(s)	d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Evidence Record(s) h Associated Interview Record(s) s Hassociated Interview Record(s) s System shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Drug Record(s) h Associated Evidence Record(s) h Associated Interview Record(s) system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.	d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Property Record(s) f Associated Evidence Record(s) g Associated Evidence Record(s) h Associated interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.		/enile Detention Record(s)
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Istall allow the user to associate multiple narratives with each Juvenile Detention record. Istall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative record as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative record can have a separate and distinct list thorized to view the Narrative record can have a separate and distinct list thorized to view the Narrative record can have a separate and distinct list shall allow the user to associate multiple distinctions. Is all allow the user to associate multiple distinctions. Is all allow specially auditorized users to expunge a Juvenile Detention records with a single case. Is all allow specially auditorized users to expunge a Juvenile Detention record from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is all allow specification record allows for the recording of a detention disposition final uses codes separate from the adult arrest disposition as shall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module. Is all allow of the user to directly link Organization records to other records related exclusively to the organization, including: shall allow of directly link Organization records to other records related exclusively to the organization, including: shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Including the case and the provided provided the case of the provided exclusively to the organization, including:	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stellar Lovenite Detention form. Ishall allow the user to associate multiple narratives with each Juvenite Detention record. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as sparities) guitem, and/or distates eliation story restrictions. Ishall allow the user to associate multiple Juvenite Detention records with a single case. Ishall allow the user to associate multiple Juvenite Detention records with a single case. Ishall allow the user to associate multiple Juvenite Detention records with a single case. Ishall allow the user to associate multiple Juvenite Detention records with a single case. Ishall allow the user to associate multiple Juvenite Detention records with a single case. Ishall allow the user to associate multiple Juvenite Detention records to welfly that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic regording attendants Ishall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately despected by state and federal agencies responsible for setting crime statistic regording Juvenile detention records for the Expunge function. In the Detention record allows for the Expunge a Juvenile Detention record from within the Case module as described in separately despected and provide and provide as sociated with a case to be viewed, adde, modify, debete, expunge, or print juvenile detention records from a specification. In the Case module and the case is a specific and the provided and provided a	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the steller Juvenile Detention record. In all allow the user to associate multiple narratives with each Juvenile Detention record. In shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the Images function). The equal number of images, documents, or other objects with each Juvenile Detention record (as a separately document ages in the lamber of process from the second process from the second process from within the Case module to verify that the detention data from a reportable case conforms to shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is better that the detention record allows for the recording of a detention record with a tuses codes separate from the adult arrest disposition shall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module to verify that the detention separate from the adult arrest disposition shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from shall allow or print process associated with a case to be viewed, added, modified, deleted, or print print process on including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s)	shall inducte facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stall allow the user to associate multiple nerratives with each Juvenile Detention record. In shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile Detention record stall the provided of the Images, documents, or other objects with each Juvenile Detention record stall the provided provided the Narrative records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records from within the Case module as described in separately described in separately described in separately as a pacific ation record so the case, and allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention record from assembly active case, and active case in the Case and active case. In all allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Adult Arrest or Juvenile Detention Record(s)	Ishall allow the user to associate multiple narratives with each Juvenile Detention record. Ishall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the images function). The acual number of images, documents, or other objects with each Juvenile Detention record (as separately documents or other objects shall be limited only by generally gates, and cardenate pattern scale patterns are standards. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Ishall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dependent on records to define which users to view, add, modify, delete, or print charges to any existing Juvenile detention records from asse module Ishall allow organization records in Augustical multiple Juvenile Detention records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s)	shall allow the user to associate multiple narratives with each Juvenile Detention record. shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by separately documented specifications from the images function. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention records with a single case. shall allow the user to associate multiple Juvenile Detention record with a single case. shall allow specially state and federal agencies responsible for setting crime statistic reporting standards its Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module. shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile Detention record from sea module. shall allow Organization records to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sea module. Offense Record(s) and/or involvement Offense Record(s) and/or involvement Adult Arrest or Juvenile Detention Record(s)	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by generally system, and/or database gelifitrom sizing restrictions, is hall ellow the user to associate multiple Juvenite Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to not rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is believe the case authorized allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is hall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecification. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from as another case. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from any active case. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from any active case. Offense Record(s) Adult Arrest or Juvenile Detention Record(s)	a separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by gestaling system, and/or database platform steing restrictions. In a line execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In the detention record from the adult arrest disposition in the case authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asset module. In the line of the Expunge function is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement Adult Arrest or Juvenile Detention Record(s)	shall allow the user to associate multiple Juvenile Detention records with a single case. I shall allow the user to associate multiple Juvenile Detention records with a single case. I shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is not better the case and the case to expunge a Juvenile Detention that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for specifications for the Expunge function. I shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including; shall allow the user to directly link Organization records to other records related exclusively to the organization, including; office of the provided from the case any active case.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assemodule. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) and/or involvement Adult Arrest or Juvenile Detention Record(s)	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sale module. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s). Adult Arrest or Juvenile Detention Record(s)	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: shall allow the user to directly ink Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s)	shall allow Organization records associated with a case to be viewed. added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s). Adult Arrest or Juvenile Detention Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s). Adult Arrest or Juvenile Detention Record(s)	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) C Associated Adult Arrest or Juvenile Detention Record(s)	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s)	a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s)	Associated Offense Record(s) and/or involvement Associated Person Record(s) Associated Adult Arrest or Juvenile Detention Record(s)	e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.	e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records. Required		Associated Vehicle Record(s)
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stable above the user to associate multiple narratives with each Juvernile Detention record. Is hall allow the user to associate multiple narratives with each Juvernile Detention record can have a separate and distinct list thorized to view the Narrative proceeds as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative process for the images function). The actual number of largest, documents, or other objects with each Juvernite Detention record (as spatially system, and/or database platform storing estinctions. Is half allow the user to associate multiple Juvernite Detention records with a single case. Is half execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime stabistic reporting standards standards and federal agencies responsible for setting crime stabistic reporting standards are standards. Is half allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately of specifications for the Expunge function. Is shalf allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention record from shalf allow of ganization records associated with a case to be viewed, added, modified, deleted, or print juvenile Detention record from shalf allow the user to directly link Organization records to other records to other records; Offense Record(s) and/or involvement Person Record(s) and/or involvement Person Record(s)	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Ishall allow the user to associate multiple narratives with each Juvenile Detention record. Ishall allow the user to associate multiple narratives with each Juvenile Detention record can have a separate and distinct list thorzed to yiew the Narrative records as related to Juvenile data, in which case the Narrative record can have a separate and distinct list thorzed to yiew the Narrative records as related to Juvenile data, in which case the Narrative record can have a separate and distinct list thorzed to yiew the Narrative process from the Images, documents, or other objects with each Juvenile Detention record (as stable place) and the service of the process from which the Case module to verify that the detending data from a reportable case conforms to nulse imposed by state and federal agencies responsible for setting crime statistic reporting standards. In all luse authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention record from within the Case module to shall allow dry user to directly link Organization records to view, add, modify, delete, or print charges to any existing Juvenile Detention records from within the Case any active case, as hall allow Organization records associated with a case to be viewed, added, modify, deleted, or print juvenile Detention record from within the Case any active case; and the case to the viewed added, modify, deleted, or print defined, or printed from within the Case any active case; and or including: Offense Record(s) and/or involvement Person Record(s) and/or involvement Person Record(s) and/or involvement	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stellar Livenite Detention form. I shall allow the user to associate multiple narratives with each Juvenite Detention record. I shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the images function). The squal number of images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the images function). The squal number of images, documents, or other objects what be limited only by generally system, and/or database platform string persistances. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall allow the user to associate multiple Juvenite Detention records with a single function. I shall allow the user to appropriate from which the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal appendies responsible for setting crime statistic reporting standards I shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module as described in separately dispersions for the Expunge function. I shall allow of the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) and/or involvement Person Record(s) and/or involvement Person Record(s)	shall induced facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Ishall allow the user to associate multiple narratives with each Juvenile Detention record. Ishall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list shall establish the record that it is not to the Images function). The actual number of images, documents, or other objects shall be limited only by generally grades of the state of the	Isabil above the user to associate multiple narratives with each Juvenile Detention record. Ishall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative associate multiple digital images, documents, or other objects with each Juvenile Detention record (as 1 separately documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as 1 separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be imitted only by shall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow the user to associate multiple Juvenile Detention records with a single case. Ishall allow unforted users to expunge a Juvenile Detention record from within the Case module as described in separately described in separately described in separately authorization records to view, add, modify, delete, or print charges to any existing Juvenile Detention records from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from shall allow of the case. Offense Record(s) and/or involvement Person Record(s) and/or involvement Person Record(s) and/or involvement Offense Record(s) and/or involvement personal search and a search and	Is shall allow the user to associate multiple narratives with each Juvenile Detention record. Is shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Is shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the Images function). The actual number of images, documents, or other objects with each Juvenile Detention record sets as particularly to the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is that allow the user to associate multiple Juvenile Detention records with a single case. Is that allow the user to associate multiple Juvenile Detention records with a single case. Is that allow the user to associate multiple Juvenile Detention records with a single case. Is that allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately despectifications for the Expunge function. Is hall allow specially authorized users to view, add, modify, delete, or print havenile Detention records from within the Case any active case. Is hall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) and/or involvement Person Record(s) and/or involvement	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as exparately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by separately documents or other objects shall be limited only by shall elseving patients. In a shall allow the user to associate multiple Juvenile Detention records with a single case. In a shall elseving a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition in the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition in the Detention record allows for the Expunge a Juvenile Detention record from within the Case module as described in separately disposition. In the Detention record state of the Expunge function. In the Detention records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from as shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. In the detention record is other records related exclusively to the organization, including: Offense Record(s) Vehicle Record(s)	In separately documents, or other objects shall be limited only by separately documents, or other objects shall be limited only by separately documents, or other objects shall be limited only by separately documents, or other objects shall be limited only by separately documents, or other objects shall be limited only by shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is believed to set imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is believed to set imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is believed to set imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is believed to set imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is all allow specially authorized users to expunge a Juvenile Detention record from within the Case any active case. Is all allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from state any active case. Is all allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement. Person Record(s) Offense Record(s)	shall allow the user to associate multiple Juvenike Detention records with a single case. I shall allow the user to associate multiple Juvenike Detention records with a single case. I shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to an rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. If the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately appecifications for the Expunge function. If the detention records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asset module. If the shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement Person Record(s) Vehicle Record(s) Vehicle Record(s)	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for y/[urisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s)	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sale indicated and allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s)	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s)	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s)	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s)	a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s)	Associated Offense Record(s) and/or involvement Associated Person Record(s) Associated Adult Arrest or Juvenile Detention Record(s) Associated Adult Arrest or Juvenile Detention Record(s) Associated Vehicle Record(s)	f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.	f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.	f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.		Associated Property Record(s)
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Isala allow five user to associate multiple narratives with each Juvenile Detention record. Isala allow the user to associate multiple narratives with each Juvenile Detention record. Is hall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as 1 separately documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as 1 separately documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record so that has limited only by gearable for a storage and the strength of the case module to verify that the detention data from a reportable case conforms to an Italy allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention disposition that uses codes separate from the adult arrest disposition rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition related uniquely authorized users to expunge a Juvenile Detention record from within the Case module. Is hall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile Detention record from state module. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records for print officed and print of including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Adult Arrest or Juvenile Detention Record(s)	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Istail allow the user to associate multiple narratives with each Juvenile Detention record. Is hall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documents) documents or other objects shall be imited only by permiting spate, and/or database platform stop parately. Is that allow the user to associate multiple Juvenile Detention records with a single case. Is that allow the user to associate multiple Juvenile Detention records with a single case. Is that allow the user to associate multiple Juvenile Detention records with a single case. Is that allow the user to associate multiple Juvenile Detention record single the case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is that allow specially authorized users to expunge a Juvenile Detention record from within the Case module as authorized users to view, add, modify, delete, or print charges to any existing Juvenile detention records from a shall allow the user to directly link Organization records to the viewed, added, modify, deleted, modified, deleted, or printed from within the Case any active case. Oftense Record(s) Adult Arest or Juvenile Detention Record(s) Adult Arest or Juvenile Detention Record(s)	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the istall distinguish larative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the larative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the images function). The actual number of mages, documents, or other objects shall be imited only by shall allow the user to associate multiple Juvenile Detention records with a single case. In a shall allow the user to associate multiple digital images, documents, or other objects shall be imited only by shall allow specifications for the recording of a detention data from a reportable case conforms to nules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In a shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately disperifications for the Expunge function. In a shall allow Organization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records from shall allow the user to directly link Organization records to be viewed, added, modify, deleted, or print puvenile detention record from sale module. Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Adult Arrest or Juvenile Detention Record(s)	shall induced facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Issall allow the user to associate multiple narratives with each Juvenite Detention record. I shall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records the financian state of the images, documents, or other objects with each Juvenite Detention record (as a separately documented specifications for the images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the images, documents, or other objects with each Juvenite Detention record (as supplied to the property of the property of the state of	Isabil allow the user to associate multiple narratives with each Juvenile Detention record. Ishall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall ashow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall be included only by static and selectifications for the Case module to verify that the detention data from a reportable case conforms to shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards Is hall allow specially authorized users to expunge a Juvenile Detention record from within the Case module to verify that the detention from the adult arrest disposition shall expunse a uthorized users to expunge a Juvenile Detention record from within the Case module. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from a shall allow disposition frecords associated with a case to be viewed, added, modified, deleted, or printled from within the Case any active case. Offense Record(s) and/or involvement Person Record(s) Person Record(s)	Is shall allow the user to associate multiple narratives with each Juvenile Detention record. Is shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative record sas related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Is shall allow the user to associate multiple digital images (unclion). The actual number of images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be imited only by gearing splies, market gates, and the interestions of the property of the case of images from within the Case module to verify that the detention data from a reportable case conforms to shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case imposed by state and deternal agencies responsible for setting crime statistic regording standards. Is hall allow specially authorized users to expunge a Juvenile Detention record from within the Case module of the Expunge function. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly active case, is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow the user to directly link Organization records to other records related exclusively to the organization, including: offices any Juvenile Detention involvement Person Record(s). Person Record(s)	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by getting system, and/or database platform sign practiculors. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall enter a validation process from within the Case module to verify that the detention are reportable case conforms to make the process from within the Case module to verify that the detention are reportable case conforms to make the process from within the Case module to verify that the detention as sparately from a reportable case conforms to the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. I shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembly and the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Offense Record(s) Offense Record(s) Person Record(s)	In separately documents, or other objects shall be limited only by separately documents, or other objects shall be limited only by gettering system, and/or database platform string restrictions. Is hall allow the user to associate multiply extractions and the determination of the wild of the string restrictions. Is hall allow the user to associate multiply users to be permitted by verify that the determination data from a reportable case conforms to make proceed by state and federal agencies responsible for setting crime statistic reporting standards. It is be betterminated by state and federal agencies responsible for setting crime statistic reporting standards. It is be betterminated by state and federal agencies responsible for setting crime statistic reporting standards. It is better the case module as described in separately disposition that uses codes separate from the adult arrest disposition. It is all allow the user to directly fink Organization records to their records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Offense Record(s) Offense Record(s) Offense Record(s) Person Record(s)	shall allow the user to associate multiple Juvenile Detention records with a single case. I shall allow the user to associate multiple Juvenile Detention records with a single case. I shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to non rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In the Expunge function is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assemblude. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Offense Record(s) Person Record(s) Person Record(s) Person Record(s)	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for pyllurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Vehicle Record(s) Property Record(s)	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: shall allow record(s) and/or involvement Person Record(s) Vehicle Record(s) Property Record(s)	Is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. It is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. It is allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s)	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Vehicle Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) e Associated Property Record(s)	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s)	a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s)	Associated Offense Record(s) and/or involvement Associated Person Record(s) Associated Adult Arrest or Juvenile Detention Record(s) Associated Vehicle Record(s) Associated Property Record(s)	g Associated Evidence Record(s) h Associated Interview Record(s) The system shall also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	g Associated Evidence Record(s) h Associated Interview Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	g Associated Evidence Record(s) h Associated Interview Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	g Associated Evidence Record(s) h Associated Interview Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.	g Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.		Associated Drug Record(s)
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stall allow the user to associate multiple narratives with each Juvenile Detention record. Is hall allow the user to associate multiple narratives with each Juvenile Detention record. Is shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as sall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as sall allow the user to associate multiple Juvenile Detention records with a single case. Is that allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records multiple Juvenile Detention records to nulse imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is all allow the user to directly into the recording of a detention disposition that uses codes separate from the adult arrest disposition. Is all allow uniquely authorized users to view, add, modify, delete, or print promite adult arrest disposition records to define which users can view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is all allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. In all allow the user to directly link Organization records to other records related exclusively to the organization, in	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Istala abow the user to associate multiple narratives with each Juvenite Detention record. Is all distinguish Narrative in associate multiple narratives with each Juvenite Detention record can have a separate and distinct list thorized to view the Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative process from the Narrative record can have a separate and distinct list shall allow the user to associate multiple divided images documents, or other objects with each Juvenite Detention record (as resembled by state) and expecifications for the images function). The actual number of images, documents, or other objects shall be limited only by resembled by state and the state of the process from within the Case module to verify that the detention are portable case conforms to shall allow the user usitication process from within the Case module to verify that the detention and the state and	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the issale above the user to associate multiple narratives with each Juvenile Detention record. In the provided with the standard of the manages function). The actual number of images contents, or other objects with each Juvenile Detention record (as shall distinguish Narrative associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple Juvenile Detention records with a stingle case. In all allow the user to associate multiple Juvenile Detention records with a stingle case. In all allow the user to associate multiple Juvenile Detention records with a stingle case. In all allow the user to associate multiple Juvenile Detention records with a stingle case. In all allow the user to associate multiple Juvenile Detention records with a stingle case. In all allow the user to associate multiple Juvenile Detention records with a stingle case. In all allow the user to associate multiple Juvenile Detention records with a stingle case. In all allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately of the record allows for the Expunge function. In all allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from standard standards. In all allow Organization records associated with a case to be viewed added, modify, delete, or print charges to any existing Juvenile Detention record from standards. In all allow of the user to directly link Organization records to other records related exclusively to the organization, including: In all allow the user to directly link Organization records to other recor	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stadio Detention form. Ishall allow the user to associate multiple narratives with each Juvenite Detention record. Ishall distinguish Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenite data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenite pages function). The actual number of images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by Ishall actual number of images. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention records with a single case. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention records with a single case. Ishall allow the user to associate multiple digital images, documents, or other objects shall be imited only by Ishall each or view, state and federal agencies responsible for setting crime statistic regoriting standards. Ishall allow specially state and federal agencies responsible for setting crime statistic regoriting standards. Ishall allow up the user to associate multiple digital mages, documents, or other objects and any active case any active case, and allow the user to directly link Organization records to other records related exclusively to the organization, including: Including the user to directly link Organization records to other records related exclusively to the organization, including: Including the user to associate multiple and the property of the case of the property of the property of the case of the property of the property o	Isabil abluvenib Detention form. Ishall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as Ishall allow the user to associate multiple divenile Detention. Ishall allow the user to associate multiple divenile Detention records with a single case. Ishall allow the user to associate multiple divenile Detention records with a single case. Ishall allow specially a validation process from whin the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Ishall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately disposition from the adult arrest disposition as shall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module as the Expunge function. Ishall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module. Ishall allow Organization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for plurisciction. In the Case module. Ishall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s). Vehicle Record(s). Vehicle Record(s). Property Record(s).	Is shall allow the user to associate multiple narratives with each Juvenile Detention record. Is shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative natural process. Is shall allow the user to associate multiple digital images function). The actual number of images, documents, or other objects shall be limited only by generally gatter, and/or clatates a blairom sizing restrictions. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case imposed by state and federal agencies responsible for setting orime statistic regioning standards. It is not to state and federal agencies responsible for setting orime statistic regioning standards. It is not state and federal agencies responsible for setting orime statistic regioning standards. It is not state and the recording of a detention disposition that uses codes separate from the adult arrest disposition is a shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dependently authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records to view, add, modify, delete, or print charges to any existing Juvenile Detention record from within the Case any active case. Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Control Record(s) Adult Arrest or Juvenile Detention Record(s)	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by specifications from statistications. Is hall allow the user to associate multiple Juvenite Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to nules imposed by state and federal agencies responsible for setting crime statistic reporting standards number of the recording of a detention record statistic reporting standards are possible of the conformation of the conformation of the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispositions for the Expunge function. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembled in separately as hall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, Is hall allow organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, Offense Record(s) and/or involvement Person Record(s) Property Record(s) Property Record(s) Property Record(s)	In separately documents, or other objects shall be limited only by spearately documents, or other objects shall be limited only by spearately documents, or other objects shall be limited only by spearately documents, or other objects shall be limited only by spearately documents, or other objects shall be limited only by shall allow the user to associate multiple. Juvenille Detention records with a single case, shall allow the user to associate multiple. Juvenille Detention records with a single case. Is hall allow the process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic regording standards. Be Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition as shall allow specially authorized users to expunge a Juvenille Detention record from within the Case module as described in separately of specifications for the Expunge function. Is hall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenille detention records for shall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenille Detention record from as another according authorized users to view, add, modify, delete, or print charges to any existing Juvenille Detention record from as another case. Shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenille Detention record from as another case. Shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenille Detention record from within the Case any active case. Offense Record(s) Adult Arrest or Juvenille Detention Record(s) Vehicle Record (s) Property According to the case of the case to be viewed, added, modified, deleted, or printed from within the Case any active case.	shall allow the user to associate multiple Juvenite Detention records with a single case. Is hall allow the user to associate multiple Juvenite Detention records with a single case. Is hall be viecute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is hall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print deletention records from a shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. In all allow Grganization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement Person Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s)	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for pyllprisoliction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s)	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. In shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. In shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Property Record(s)	Is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Oriflense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Property Record(s)	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Vehicle Record(s) e Associated Drun Record(s)	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) e Associated Drun Record(s)	a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drun Record(s)	Associated Offense Record(s) and/or involvement Associated Person Record(s) Associated Adult Arrest or Juvenile Detention Record(s) Associated Adult Arrest or Juvenile Detention Record(s) Associated Property Record(s) Associated Property Record(s) Associated Drug Record(s)	h Associated Interview Record(s) The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall aliso map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent, system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	h Associated Interview Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.		
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the shall allow the user to associate multiple narratives with each Juvenile Detention record. Is hall allow the user to associate multiple in narratives with each Juvenile Detention record. Is hall allow the user to associate multiple harratives with each Juvenile Detention record can have a separate and distinct list thorized to view the Narrative. In the parately documented specifications for the images documents, or other objects with each Juvenile Detention record (as starting plane, and/or data from a reportable case the major variation). The actual number of images, documents, or other objects with each Juvenile Detention record (as starting plane, and/or data from a reportable case conforms to particulate the particulation of the images function). The actual number of images, documents, or other objects shall be imited only by shall allow the united the particulation of the images function. In the particulation of the images function is a starting that the detention data from a reportable case conforms to no rules imposed by state and describ algorities resigned that the detention data from a reportable case conforms to no rules imposed by state and telestral agencies resigned that the statistic reporting standards. In the particulation record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is hall use authorization record to define which users can view, add, modify, delete, expunge, or print juvenile detention record from shall allow the user to directly link Organization records to their records related exclusively to the organization, including: Offense any active case. In the particulation of the Expunge function acase to be viewed, added, modified, deleted, or printed from within the Case any active case. In the particulation of the case of the particulation records to other records related exclus	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Israel allow the user to associate multiple narratives with each Juvenile Detention record. I shall distinguish Narrative between the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separate) documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as separate) documents, or other objects with each Juvenile Detention record (as separate) documents, or other objects and the limited only by separate grades, and the large of the factor of the conformation of the images function). The actual number of images, documents, or other objects and be limited only by separate grades are supposed by the detention of the comments of the conformation records with a single case. I shall allow the user to associate multiple Juvenile Detention records with a single case. I shall allow the user to directly state and feederal agencies responsible for setting crime statistic reporting standards. I shall allow specially authorized users to define which users can view, add, modify, debete, expunge, or print juvenile detention records for shall allow or the Expunge function. I shall allow the user to directly link Organization records to view, add, modify, debete, or print charges to any existing Juvenile Detention record from within the Case any active case, or print of records associated with a case to be viewed, added, modified, debeted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: I shall allow the user to directly link organization records to other records relate	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the tissine Juvenile Detention form. In all distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Marrative. In all distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Marrative records as related to juvenile Detention record. In a state of the Narrative conditions for the Images, documents, or other objects with each Juvenile Detention record (as separate and distinct list thorized to view the Marrative record can have a separate and distinct list shall allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple Juvenile Detention records with a single case. In all allow the user to associate multiple distinction. The actual number of images, documents, or other objects shall be lamined only by resident the service of the state of the service from which the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In Determine the Administration records to defense to expunge a Juvenile Detention record from within the Case module as described in separately and active case. In allow specifications for the Expunge function. In allow specifications for the Expunge function. In allow of the user to directly link Organization records to be viewed, added, modified, deleted, or print juvenile Detention records from within the Case any active case. In allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Offense Record(s) Offense Record(s) Offense Record(s)	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Isaal allow the user to associate multiple narratives with each Juvenile Detention record. Is hall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative methods specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects shall be imited only by separate yaters, marked retains a plantiment story generalized yater. In the case is the state of the images function in the state of the case. Is hall allow the user to associate multiple Juvenile Detention record with a single grade of the record of the state of the state of the reporting standards. Is all allow the user to associate multiple Juvenile Detention record from a reportable case conforms to on rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is all allow specification record allows for the recording of a detention disposition from within the Case module as authorized users to expunge a Juvenile Detention record from within the Case any active case. Is all allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Offense Record(s) Properly Record(s) Properly Record(s) The cord of the case of the case of the records of the records related exclusively to the organization, including: Offense Record(s)	Isabil allow the user to associate multiple narratives with each Juvenile Detention record. Is hall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as Isabilistinguish Natrative records as reparate and distinct list thorized to view the Narrative associate multiple digital images, documents, or other objects with each Juvenile Detention record (as Isabilistic Islandian) or the Images function). The actual number of images, documents, or other objects with each Juvenile Detention record (as Islandian) and the Islandian process from within the Case module to verify that the detention data from a reportable case, Islandian should be user to associate multiple Juvenile Detention records with a single case. Islandian the user to associate multiple diplement the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards nor rules imposed by state and federal agencies responsible for setting crime statistic reporting astendards nor rules imposed by state and federal agencies responsible for setting crime statistic reporting astendards nor rules imposed by state and federal agencies responsible for setting crime statistic reporting attendands are standards are standards. Islandian the user to associate multiple distribution and the case module as described in separately detendand and the case and the case and the case of the c	Is shall allow the user to associate multiple narratives with each Juvenile Detention record. Is hall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Marrative and distinct list thorized to view the Marrative and distinct list shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited by by shall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow a validation process from within the Case module to verify that the detention data from a reportable case conforms to bin rules imposed by state and decent agenciate responsible for setting crime statistic reporting standards. It is the process to provide a validation process to make the provide of setting crime statistic reporting standards. It is the provided provided to the recording of a detention disposition that uses codes separate from the adult arrest disposition shall use authorized users to expunge a Juvenile Detention record from within the Case module authorized users to view, add, modify, delete, expunge, or print juvenile detention records from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from within the Case module. Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s)	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects shall be limited only by gearining system, and/or data facilities statictions. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall allow the user to associate multiple Juvenite Detention records with a single case. I shall use authorized users from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It is believed to be supported to the recording of a detention disposition that uses codes separate from the adult arrest disposition shall use authorization records to expunge a Juvenite Detention record from within the Case module as described in separately a shall allow specially authorized users to expunge a Juvenite Detention record from within the Case module. I shall allow Organization records to define which users can view, add, modify, delete, expunge, or print juvenite detention record from assembly active case. I shall allow Organization records to view, add, modify, delete, or print charges to any existing Juvenite Detention record from assembly active case, and or records in separately in the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Offense Record(s)	Is separately documental special countries for the Images of the actual number of images, documents, or other objects shall be limited only by getering system, and/or database platform sking restrictions. Is hall allow the user to associate multiple. Uvernile Detention records with a single case. Is hall allow the user to associate multiple uvernile Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately disposition. Is hall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention record from a shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Is hall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s)	shall allow the user to associate multiple. Liversitie Detention records with a single case. shall allow the user to associate multiple. Liversitie Detention records with a single case. shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Shall allow the case authorized users to expunge a Juvenile Detention fraction that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Shall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. Shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Full Record(s) Property Record(s) Property Record(s)	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Doug Record(s) Doug Record(s) Doug Record(s)	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assemodule. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is shall allow the user to directly fink Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Drug Record(s) Drug Record(s) Drug Record(s)	ashall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. Is shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Is shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Drug Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly fink Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Drug Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Person Record(s) Adult Arrest or Juvenille Detention Record(s) Vehiche Record(s) Property Record(s) Drug Record(s) Drug Record(s)	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Drug Record(s) f Associated Drug Record(s) f Associated Environce Record(s)	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Property Record(s) e Associated Property Record(s) f Associated Drug Record(s) f Associated Drug Record(s)	a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s)	Associated Offense Record(s) and/or involvement Associated Person Record(s) Associated Adult Arrest or Juvenile Detention Record(s) Associated Vehicle Record(s) Associated Vehicle Record(s) Associated Property Record(s) Associated Drug Record(s) Associated Drug Record(s) Associated Drug Record(s)	The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall aliso map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.	The system shall also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.		
shall include facilities to enable the System Administration to expose additional fields for data collection beyond those provided with the stealer buverals Detention from: shall distinguish Narrative records as related to juveralse data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Intorized to view the Narrative. Intorized to view the Narrative. Intorized to view the Narrative records as related to juveralse data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative. Intorized to view the Narrative records as related to juveralse data, in which case the Narrative record can have a separate and distinct list thorized view and the narrative records to other records to other records of the records and the narrative records and the narrative records to other records to other records related exclusively to the organization, including: Offense Record(s) Person Record(s) Fundance Record(s) Fundance Record(s)	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Istall distinguish Narrative records as related to juvenile Detention record. Istall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list shall extend the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as separately documents) dependently developed the Narrative records to stall extendent the control of the secual number of mages, documents, or other objects shall be laterally developed the Narrative records from which the Case module to verify the secual number of mages, documents, or other objects shall be laterally as the process from which the Case module to verify the secual number of mages, documents, or other objects shall be laterally as the process from a shall extendent the detention data from a reportable case conforms to number of mages, documents, or other other security as a single state and federal agencies responsible for setting crime statistic reporting standards. Is all allow specially authorized users to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow specifications for the Expunge function record from disposition from within the Case any active case. Is all allow of ganization records associated with a case to be viewed, added, modified, deleted, or print deleted, or print denable printed from within the Case any active case. Is all allow of ganization, including: Criteria Record(s) Criteria Record(s) Criteria Record(s) Criteria Record of the criteria set of the criteria	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the sisting Juvenile Detention form. Is hall alstinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Marrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Marrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Marrative associate multiple digital mages, documents, or other objects with each Juvenile Detention record (as stall allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a single case. In the detention record allow for the recording of a detention disposition that uses codes separate from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition as the stall use authorization records to expunge a Juvenile Detention record from within the Case module. In the case module as described in separated with a case to be viewed, added, modify, deleted, or print juvenile Detention record from shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Properly Record(s) Offense Record(s) Offense Record(s)	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Isaal ablow the user to associate multiple narratives with each Juvenile Detention record. Is hall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as sparately documented specifications for the images function). The actual number of images, documents are parately documented specifications for the images function). The actual number of images, documents or other objects with each Juvenile Detention record (as separately documented specifications for the images function). The actual number of images, documents, or other objects with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall allow a validation process from within the Case module to verify that the dependent on a reportable case conforms to no rules imposed by the user to associate multiple Juvenile Detention records with a single case. Is hall allow a validation process from within the Case module to verify that the destribution and the process from the actual number of images, documents, or other objects shall be limited only by state and defendent specification of the state of the	Israll allow the user to associate multiple narratives with each Juvenile Detention record. Is hall allow the user to associate multiple digital images, documents, or other objects with each Juvenite petention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as shall allow the user to associate multiple Juvenite Detention, I'm actual number of images, documents, or other objects with each Juvenite Detention record (as shall allow the user to associate multiple Juvenite Detention records with a single case. Is hall allow the user to associate apencies responsible for setting crime statistic reporting standards Is the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow upon the standards of the Expunge users to expunge a Juvenile Detention record from within the Case module as described in separately as shall allow upon the standards to define which users can view, add, modify, delete, expunge, or print juvenile detention records for the Expunge function. Is all allow the user to directly link Organization records to other records related exclusively to the organization, including: Shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, and or involvement. Person Record(s) Organization records so other records related exclusively to the organization, including: Shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Evidence Record(s) Organization and the case of the proper of the control of the proper of the control of the control of	I shall allow the user to associate multiple narratives with each Juvenile Detention record. I shall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to yiely the Narrative record service of the images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the images function). The acusi number of images, documents, or other objects with each Juvenile Detention record (as a separately yield, multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately yield, multiple digital images, documents, or other objects what each Juvenile Detention record images, documents, or other objects shall be inclied to see. I shall allow the user to associate multiple Juvenile Detention records the statistic reporting attendances, shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to not rules imposed by state and federal apencies responsible for setting crime statistic reporting standards I shall allow get the case of the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Origanization records associated with a case to be viewed, added, modify, deleted, or print juvenile Detention record from assembly active case. I consider the second of the detention records to other records related exclusively to the organization, including: Ordense Record (s) Ordense Record	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by gearining system, and/or distance self-inchinom sizing restrictions. In the state of the user to associate multiple Juvenite Detention records with a single case. In the state and determine the detention data from a reportable case conforms to no rules imposed by state and determine the property of the detention data from a reportable case conforms to no rules imposed by state and determine the detention data from a reportable case conforms to shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module of the Expunge function. In the state of the Expunge function. In the state of the Expunge function of the Expunge and function. In the state of the Expunge function records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow forganization records to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow the user to directly link Organization records to other records related exclusively to the organization, including. Offense Record(s) Person Record(s) Property Record(s) Evidence Record(s) Evidence Record(s) Evidence Record(s) Evidence Record(s)	Is separately documents, or other objects shall be limited only by egerately gytem, and/or database platform string restrictions. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Is hall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from view as allow from the Expunge function. Is hall allow Organization records associated with a case to be viewed, added, modified, deleted, or print playenile Detention record from view ashall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, Is hall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, Is hall allow Organization Record(s) Offense Record(s) Person Record(s) Evidence Record(s) Evidence Record(s) Evidence Record(s) Evidence Record(s)	shall allow the user to associate multiple. Juvenité Detention records with a single case. shall allow the user to associate multiple. Juvenité Detention records with a single case. shall allow the user to associate multiple. Juvenité Detention records that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. It Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispectications for the Expunge function. Shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assemblue. Shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, shall allow Organization records of other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Evidence Record(s) Evidence Record(s) Evidence Record(s)	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for a shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from assembdule. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Drug Record(s) Evidence Record(s) Evidence Record(s)	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Drug Record(s) Drug Record(s) Evidence Record(s)	ashall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Evidence Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Evidence Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Evidence Record(s)	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) and/or involvement c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) g Associated Drug Record(s) g Associated Evidence Record(s)	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s)	a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s)	Associated Offense Record(s) and/or involvement Associated Person Record(s) Associated Adult Arrest or Juvenile Detention Record(s) Associated Vehicle Record(s) Associated Property Record(s) Associated Property Record(s) Associated Drug Record(s) Associated Drug Record(s)							
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the seline Juveride Detention form. Ishall allow the user to associate multiple narratives with each Juverille Detention record. Ishall allow the user to associate multiple in provided to juverille data, in which case the Narrative record can have a separate and distinct list thorized to yielw the Narrative. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juverille Detention record (as a statistic gripms, and/or dataset planform story particulors. Ishall allow the user to associate multiple digital images, documents, or other objects with each Juverille Detention record (as a statistic gripms, and/or dataset planform story particulors. Ishall allow the user to associate multiple digital images, documents, or other objects with a single case. Ishall allow the user to associate multiple digital images, documents or images, documents, or other objects shall be limited only by dataset and the detention process from multiple digital mages. In the statistic region data from a reportable case conforms to include to writing the case. Ishall allow the user to associate magencies to exponsible for esting crime at late detention data from a reportable case conforms to no rubas imposed to a detention of sposition that uses codes separate from the adult arrest disposition is late of the case module to writing disposition in the case module to writing any active case. Ishall allow specially authorized users to vew, add, modify, delete, expunge, or print juverille detention records for mages module. Ishall allow the user to directly link Organization records to be viewed, added, modify, delete, or print deleted, or printed from within the Case any active case. In property Record(s) Property Record(s) Indexes Record(s) Indexes Record(s)	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stable unwerlied betention form. Isnall allow the user to associate multiple negratives with each Juvenile Detention record. Is apparately documented specifications for the Images, documents, or other objects with each Juvenile Detention record (as a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as apparate given, malor database allows the precinculations for the Images function). The actual number of images, documents, or other objects abait as functions and stable precinculations for the Images function. Is apparately documented specifications for the Images function, the actual number of images, documents, or other objects shall be limited only by stable given, and the detention as the precinculation of the stable precinculations are provided as a stable case conforms to shall each of the user to associate multiple Juvenile Detention records with a stagle case. Is that allow the user to define which users to appropriate the detention record from within the Case module. Is that allow inquely authorized users to view, add, modify, delete, expunge, or print juvenile adtention records for shall allow the user to define the intendent of the viewed added, modify, deleted, or print plantation records from within the Case any active case. Is all allow the user to define which users can view, add, modify, delete, or print plantation, including: Offense Record(s) Property Record(s) Property Record(s) The property Record(s) The property Record(s) The property Record(s) The property Record(s)	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stall allow the user to associate multiple narratives with each Juvenile Detention record. Is hall allow the user to associate multiple narratives documents, or other objects with each Juvenile Detention record (as sparately documented specifications for the Images function). The setual number of images. Juvenile Detention record (as searched) documented specifications for the Images function). The setual number of images. Juvenile Detention record (as participation) to associate multiple Juvenile Detention records with a single case. Is hall allow the user to associate multiple Juvenile Detention records with a single case. Is hall execute a validation process from within the Case module to verify that the detention detention as process and the lands only by generated by state and federal agencies responsible for setting drine statistic reporting standards. Is that allow specially authorized users to expunge a Juvenile Detention record from within the Case module to verify that the detention and the adult arrest disposition hall uses codes separate from the adult arrest disposition shall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module as described in separately disperifications for the Expunge function. Is hall allow the user to directly link Organization records to view, add, modify, delete, or print charges to any existing Juvenile Detention record from sale module. Independent Record(s) Property Record(s) Property Record(s) Intervery Record(s) Intervery Record(s) Intervery Record(s)	shall include lacilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Isaal allow five user to associate multiple narratives with each Juvenile Detention record. Is hall allow five user to associate multiple narratives with each Juvenile Detention record can have a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative records as related to juvenile Detention record (as shall execute a validation associate multiple digital images, documents, or other objects with each Juvenile Detention record (as a separately documented specifications for the images function). The actual number of images, documents, or other objects with each Juvenile Detention records with a single case. Is shall allow the user to associate multiple Juvenile Detention records with a single case. Is shall execute a validation spociate multiple Juvenile Detention records with a single case. Is shall execute a validation spociate multiple Juvenile Detention records with a single case. Is shall execute a validation process from which the Case module to verify that the detention data from a reportable case conforms to not rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is all allow the user to associate multiple Juvenile Detention record from within the Case module authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow organization records associated with a case to be viewed, added, modified, deleted, or print divenile Detention including: Offense Record(s) Offense Record(s) The period offense incords to defense to other records related exclusively to the organization, including: Offense Record(s) The period offense incords associated with a case to other records related exclusively to the organization, i	Isali allow the user to associate multiple narratives with each Juvenile Detention record. Ishal allow the user to associate multiple digital mages, documents, or other objects with execute a separate and distinct list thorized to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative and including digital mages. Occuments, or other objects with each Juvenile Detention record (as searing system, multip digital mages function). The actual number of images documents, or other objects with each Juvenile Detention record as sociate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple diversite Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a single case. Is all allow the user to associate multiple Juvenile Detention records with a case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition and the Detention record from within the Case module as unthorized users to expunge a Juvenile Detention record from within the Case any active case. Is all allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from seamodule. Is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from seamodule. In the property Record(s) and/or involvement. Property Record(s) The property Record(s)	I shall allow the user to associate multiple narratives with each Juvenile Detention record. Is tall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorzed to view the Narrative and Strative record (as a separate view of the Images function). The sequence of images, documents, or other objects shall be bridged to view the Narrative. Is exparately documented specifications for the Images function). The sequence of images, documents, or other objects shall be imited only by desiring system, and/or stables planted misting the function). The sequence of images, documents, or other objects shall be imited only by shall allow the user to associate multiple Juvenile Detention records with a single case. Is the secretary and the second of the recording of a detention disposition that uses codes separate from the adult arrest disposition is shall allow uniquely authorized users to expunge a Juvenile Detention record from within the Case module. Is hall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention record from shall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention record from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow dispanzation records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case, Including the record(s) and/or involvement Property Record(s) Property Record(s) Including the record of the record of the records to other records related exclusively to the organization, including: Offense Record(s) Including the record of the record of the records other records related exclusively to the organization, including the record of the	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by separating system, and/or database allows from within the Case module to verify that the detention data from a reportable case conforms to insall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to include its possibility state and detention data from a reportable case conforms to no rules imposed by state and detention detention data from a reportable case conforms to shall allow specifications for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specification record allows for the Expunge function. In all allows specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In all allows of the Expunge function. In all allows of the Expunge function of the property active case. In all allows of the Expunge function records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Interview Record(s) Interview Record(s) Interview Record(s)	I separately documented specifications for the images function). The squal number of images, documents, or other objects shall be limited only by elegating yttlem, and/or database failing in string restochers. In a shall allow the user to associate multiple Juvenite Detention records with a single case. In a shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. In the Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is that late we specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. In the statistic records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for specifications for the Expunge function. In the statistic records to define which users can view, add, modify, delete, expunge, or print juvenile detention records from a specifications for the Expunge function. In the statistic records associated with a case to be viewed, add, modify, delete, expunge, or print juvenile Detention record from a shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Interview Record(s) Interview Record(s) Interview Record(s)	shall allow the user to associate multiple uvernite Detention records with a single case. shall allow the user to associate multiple uvernite Detention records with a single case. shall allow the user to associate multiple uvernite Detention records to shall execute a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Its Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from ase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Person Record(s) Property Record(s) Evidence Record(s) Interview Record(s) Interview Record(s)	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for y/lurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Interview Record(s)	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Evidence Record(s) Interview Record(s)	Is shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. It is a shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. It is a shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Properly Record(s) Drug Record(s) Drug Record(s) Evidence Record(s) Interview Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Record(s)	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Evidence Record(s)	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Associated Offense Record(s) and/or involvement Associated Person Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) Associated Drug Record(s) Associated Evidence Record(s) Associated Interview Record(s)	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Vehicle Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) f Associated Drug Record(s) Associated Evidence Record(s) h Associated Interview Record(s)	a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Vehicle Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Evidence Record(s) h Associated Interview Record(s)	Associated Offense Record(s) and/or involvement Associated Person Record(s) Associated Adult Arrest or Juvenile Detention Record(s) Associated Vehicle Record(s) Associated Properly Record(s) Associated Drug Record(s) Associated Drug Record(s) Associated Drug Record(s) Associated Evidence Record(s)						ω	The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall align data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.
shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the tester local provided in the user to associate multiple narratives with each Juvenite Detention record can have a separate and distinct list thicract to sign the huser to associate multiple folial images, documents, or other objects with each Juvenite Detention export (as shall allow the user to associate multiple folial images, function). The actual number of magus, documents, or other objects with each Juvenite Detention export (as shall allow the user to associate multiple Juvenite Detention records with a single case. In all allow the user to associate multiple Juvenite Detention records with a single case. In all allow the user to associate multiple Juvenite Detention records with a single case. In all allow the user to associate multiple Juvenite Detention records with a single case. In all allow the user to associate multiple Juvenite Detention records with a single case. In all allow the user to associate multiple Juvenite Detention records with a single case. In the second single provided to well the detention records and well as a described in the single case. In the provided single provided in the single case in the single case in the single case in the single case conforms to make more single case. In all allow specially allorated users to expunge a Juvenite Detention record from within the Case module as described in separately of specifications for the Expunge function. In all allow injurity authorized users to view, add, modify, delete, or print charges to any existing Juvenite Detention records from a stand allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenite Detention record from stand allow or prantization, including: Detention of the Expunge function in ecords to other records related exclusively to the organization, including: Detention of the case in the single provided in the Master Organizat	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the scalar Juvenite Detention form. Istal distinguish Natrative records as related to juvenite data, in which case the Natrative record can have a separate and distinct list florized to view the Natrative records see related to juvenite data, in which case the Natrative record can have a separate and distinct list florized to view the Natrative records see related to juvenite data, in which case the Natrative execute and provided specifications for the images function). The scula number of maps, documents, or other objects with each Juvenite Detention record (as it is parative) and state and address process from which the Case module to verify that the detention data from a reportable case conforms to native the case of the process from which the Case module to verify that the detention data from a reportable case conforms to native the case of the process of the Native for the records of the process of the	Islad allow the tacillies to enable the System Administrator to expose additional fields for data collection form. Islad allow the user to associate multiple narratives with each Juvenile Detention record. Islad distinguish Narrative records as reliable to juvenile data, in which case the Narrative record can have a separate and distinct list incread to view the Narrative records are reliable to juvenile data, in which case the Narrative record can have a separate and distinct list florided to view the Narrative records are reliable to juvenile days, in which case the Narrative record can have a separate and distinct list florided to view the Narrative record (as sparately documented specifications for the images function). The acuta number of images, documents, or other objects with each Juvenile Detention record allow stores and be imited only by shall sevenue a visit can provide the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record such a signal allow data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime stalistic reporting standards. The Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition flat uses codes separate from the adult arrest disposition flat uses codes separate from the adult arrest disposition flat uses codes separate from the adult arrest disposition flat uses codes separate from the adult arrest disposition flat uses codes separate from the adult arrest disposition for the Expunge to expunge a Juvenile Detention record from within the Case module as athorization records to expunge a Juvenile Detention record from within the Case any adult arrest or print purpose the property and provided in the Master Organization Index (MOI) or equivalent. The property Record(s) Property Record(s) The Case records and details of the property and the property and property and the property and the property and the	shall allow the user to associate multiple narratives with each Juvenite Detention record. Is hall allow the user to associate multiple narratives with each Juvenite Detention record. Is hall allow the user to associate multiple narratives with each Juvenite Detention record. Is hall allow the user to associate multiple replantages, documents, or other objects with each Juvenite Detention record (as spatially documented specifications for the images, documents, or other objects with each Juvenite Detention record (as spatially documented specifications for the images, documents, or other objects with each Juvenite Detention record (as spatially documented specifications for the images, documents, or other objects with each Juvenite Detention record (as spatially documented specifications for the images, documents, or other objects with each Juvenite Detention record (as spatially documented specifications for the flag specifications for the spatial process from within the Clase module to verify that the detention a reportable clase conforms to a rules imposed by state and federal agencies responsible for setting crime statistic reporting standards. Is all allow specially authorized users to expunge a Juvenite Detention record from within the Clase module as described in separately despectications for the Expunge function. Is all allow inquery authorized users to view, add, modify, delete, expunge, or print juvenite Detention record from shall allow the user to dready ink Organization records to other records related, modified, delete, or print juvenite Detention record from within the Clase any active case. Is all allow organization records associated with a clase to be viewed, added, modified, delete, or print juvenite Detention record from within the Clase any existing Juvenite Detention record from within the Clase any active case. Is all allow organization records to other records related exclusively to the organization, including: Detention from the Maller organization index (MOI) or equivalent. The	Isolal allow the user to associate multiple narratives with each Juvenite Detention record. Isolal allow the user to associate multiple narratives with each Juvenite Detention record. Isolal allow the user to associate multiple digital mages, documents, or other objects with each Juvenite Detention record (as separate) documents of present process from within the Case module to verify that the detention at reportable case conforms to its raise such process from within the Case module to verify that the detention at reportable case conforms to its raise imposed by state and federal agencies reportable for the process from within the Case module to verify that the detention at reportable case conforms to no rules imposed by state and federal agencies reportable from the case module to verify that the detention at reportable case conforms to no rules imposed by state and federal agencies responsible for state gring crime statistic reporting standards. It allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately of aspecifications for the Expunge function. It allow impure the Expunge function. It allow impure the Expunge function records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for print deleted in the Case module as described in separately dependent on the Expunge function record from the Expunge function record from the Expunge function records for print charges to any existing Juvenile Detention record from shall allow unquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow Organization records with a case to be viewed, added, modified, deleted, or printed from within the Case module. Interview Record(s) Interview Record(s	shall allow the user to associate multiple narratives with each Juvenile Detention record. Incided to view the Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative record sa related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative record set of the Narrative records with each Juvenile Detention record set of the Narrative records records records a related specifical set of the Images documents, or other orders and the Images to the Narrative reporting standards. In rules imposed by static and federal agencies resignable for setting crime statistic reporting standards. In rules imposed by static and federal agencies resignable for setting crime statistic reporting standards. In the Narrative record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition in standards. In the Narrative records a standard records to define which users can view, add, modify, detele, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, detele, or print charges to print juvenile detention records to view, add, modify, detele, or print charges to any existing Juvenile detention record from within the Case module. In the Narrative records is and/or involvement. Property Record(s) Interview	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as esparately documented specifications for the images (function). The actual number of images, documents, or other objects with a single case. In superactive a validation process from which the Case module to verify that the detention reacure as sufficient or protective to the detention records with a single case. In the security of the user to associate multiple Juvenite Detention records with a single case. In the security of the security of a detention disposition that uses codes separate from the adult arrest disposition is to a perficusion record allows for the Expunge a Juvenite Detention record from within the Case module as described in separately disperifications for the Expunge function. In the security of the Expunge function. In the security of the Expunge function of the security of the Expunge function records from within the Case module as described in separately disperifications for the Expunge function. In the security of the Expunge function of the security of the Expunge function records from the security of the case module as described in separately of the security of the Expunge function records from the security of the expunge from within the Case any active case. In the second of the security of the Expunge function records to other records related exclusively to the organization, including: Security of the Record of the security of th	Is sparallely documented specifications for the images function). The acutal number of images, documents, or other objects shall be imited only by fastilistic griden, and/or designed periodic discovered to associate middle in middle by the interference of the specifications of the patients of the pati	shall allow the user to associate multiple Juvenile Detention records with a single case. Ishall execute a validation process from within the Case module to verify that the detendend data from a reportable case conforms to shall allow and process from within the Case module to verify that the detendendant are provided to see the process from within the Case module to verify that the detendendend as a supportable case conforms to an user proceed by state and federal agencies responsible for setting crime statistic reporting standards. It is better that the process from the adult arrest disposition had uses codes separate from the adult arrest disposition shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately a shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from stall allow Organization records to view, add, modify, delete, or print charges to any existing Juvenile Detention record from stall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. In all allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Evidence Record(s) Evidence Record(s) Evidence Record(s) Interview Record(s) Interview Record(s) In all allow offense with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The it also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The it also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for yillurisdiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Property Record(s) Property Record(s) Drug Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Index (MOI) or equivalent. The all allow any matching Case records.	shall allow uniquely authorized users to view, add, modify, defete, or print charges to any existing Juvenile Detention record from asse module. I shall allow Organization records associated with a case to be viewed, added, modified, defeted, or printed from within the Case any active case. Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Property Record(s) Property Record(s) Evidence Record(s) Evidence Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The ill also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The ill also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The ill also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The	ase module. ase m	Ishall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Ishall allow the user to directly fink Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Property Record(s) Property Record(s) Evidence Record(s) Evidence Record(s) Interview	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) In	module for any active case. The system shall allow the user to directly fink Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) b Associated Person Record(s) c Associated Person Record(s) e Associated Property Record(s) f Associated Property Record(s) g Associated Drug Record(s) h Associated Evidence Record(s) h Associated Evidence Record(s) h Associated Interview Record(s) Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) d Associated Person Record(s) d Associated Property Record(s) e Associated Property Record(s) f Associated Drug Record(s) g Associated Drug Record(s) h Associated Evidence Record(s) h Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	a Associated Offense Record(s) Associated Person Record(s) Associated Adult Arrest or Juvenile Detention Record(s) Associated Vehicle Record(s) Associated Property Record(s) Passociated Drug Record(s) Associated Drug Record(s) Associated Interview Record(s) Associated Interview Record(s) The system shall also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	a Associated Offense Record(s) b Associated Person Record(s) c Associated Person Record(s) d Associated Vehicle Record(s) e Associated Vehicle Record(s) f Associated Property Record(s) e Associated Drug Record(s) f Associated Drug Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	4 Subsequent queies of the MOLO equivarii, shat inensity any majoring class records:						
shall include tacilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Island above the user to associate multiple narratives with each Juvenile Detention record. Shall allow the user to associate multiple narratives with each Juvenile Detention record can have a separate and distinct list thorized to Jeff the Island appearance of the Images, documents, or other objects with each Juvenile Detention record can have a separate and distinct list thorized to Jeff the Island specifications for the Images function). The sum and a separate and additional set the Island secret to associate multiple distinctions are promoted to Jeff the Island and determine for the Images function in records that has determine the Island from a reportable case conforms to not list interposed by state and determine plant plants. The Island secret a validation process from which the Case module to verify that the determine data from a reportable case conforms to not list interposed by state and determine plants. The Island secret is a separate from the adult arrest disposition in the Island secret is a separate from the adult arrest disposition in the Island secret is a separate from the adult arrest disposition in the Island secret is a separate from the adult arrest disposition in the Island secret island in the Island secret island in the Island secret island island secret island in the Island secret island island secret island in the Island secret island island secret to from the Island secret island secret island island secret island secret island island secret island island secret island secret island island secret island	shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the stall distinguish Narrative encords as related to juvenite Detention record. In this shall allow the user to associate multiple narratives with each Juvenite Detention record can have a separate and distinct list thicked to view the Harrative. In this shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as shall exceed a validation process from which the Case module to verify that single case. In color of the stall of the stall process from which the Case module to verify that single case. In color of the stall allow the user to associate multiple appendix stall allow the user to disclaim and defent appendix stall allow appendix and federal appendix stall and stall allow appendix and the stall appendix stall allow appendix and the stall appendix stall allow specially authorized users to expurige a Juvenile Detention record from within the Case module. In shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention records from stall and or the user to directly link Organization records to other records, deleted, modified, deleted, modified, deleted, or print charges to any existing Juvenile Detention records from within the Case any active case. In the stall allow the user to directly link Organization records to other records related exclusively to the organization, including. Detention records with a case to be viewed added, modified, deleted, or print played the organization, including. Person Record(s) Properly Record(s) Properly Record(s) Properly Record (s) Properly Record (s) Prop	solal include facilities to enable the System Administrator to expose additional fields for data collection beyond those provided with the Isafal distinguish Narraive records are related to juvernite Detention record. Isafal distor the user to associate multiple narrailives with each Juvernite Detention record (as Isafal distinguish Narraive records are related to juvernite data, in which case the Narrailive ecord can have a separate and distinct list florized to view the Narrailive. Isafa allow the user to associate multiple digital images, documents, or other objects with each Juvernite Detention record (as Isafa allow the user to associate multiple digital images, documents, or other objects with each Juvernite Detention records graph and the process from which in Case module to very the state data from a reportable case conforms to hard execute a validation process from which the Case module to very the state of the state	shall abov the user to associate multiple narratives with each Juvenile Detention record. shall abov the user to associate multiple narratives with each Juvenile Detention record. shall abov the user to associate multiple narratives with each Juvenile Detention record an have a separate and distinct list thicred to view the Marrative records so related to juvenile data, in which case the Narrative record can have a separate and distinct list thicred to view the Marrative record specification for the images, documents, or other objects with each Juvenile Detention record (as a sparate) document dependent specification for the images (nocuments, or other objects with each Juvenile Detention record (as shall allow the user to associate multiple digital images, documents, or other objects with each Juvenile Detention record (as shall exceed a validation process from whitin the Case module to verify that the detention after a separate and selected as exceeding the state and federal agencies responsible for setting crime statistic regording standards. It is parative to the separate form the recording of a detention disposition that uses codes separate from the adult arrest disposition and allow specially authorized users to expunge a Juvenile Detention record from within the Case module. It is shall allow the user to directly lank Organization records to other records from within the Case any active case. Vehicle Record(s) Vehicle Record(s) Findence Record(s)	Isolal allow the User to associate multiple narratives with each Juvenite Detention record. Isolal distinguish Narrative records as related to juvenite data, in which case the Narrative elected can have a separate and distinct isst istal distinguish Narrative records as related to juvenite data, in which case the Narrative elected can have a separate and distinct isst istal allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as searing gates, which catesase allerine many servicions, the acuta number of mayer, documents, or other objects and be limited only by searing gates, many categories and several experiments of the search of the control allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition file Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition file Detention record allows for the recording of a detention disposition file that the separate of the control allows for the recording of a detention disposition file that the detention record separately disposition file that the search of the control allows for the control of	shall allow the user to associate multiple narratives with each Juvenile Detention record. Is hall distinguish Narrative records as related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative record says related to juvenile data, in which case the Narrative record can have a separate and distinct list thorized to view the Narrative record specifications for the langages, occuments, or other objects with each Juvenile Detention record (as specified, purposed by state and federal agencies responsible for setting crime statistic reporting standards and sederal agencies responsible for setting crime statistic reporting standards. In the imposed by state and federal agencies responsible for setting crime statistic reporting standards in the property standard in the property standard in the property standard in the setting crime statistic reporting standards. In the standard standard in the setting crime statistic reporting standards are reportable case conforms to an interest of standard standard standards. In the standard standard standard standard standard standards in the standard standard standard standard standards. It depends authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention record for standards as authorized users to view, add, modify, delete, expunge, or print juvenile detention record for standards uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record formate any active case. In all allow the user to directly link Organization records to other records related exclusively to the organization, including: Stallard arest or Juvenile Detention Record(s) Note Record(s) Property Record(s) Intervent Record(s) Industrial control of the Modify any matching Case records.	shall allow the user to associate multiple digital images, documents, or other objects with each Juvenite Detention record (as expanally documented specifications for the images (function). The actual number of images, documents, or other objects and he lented only by said allow the user to associate multiple Juvenite Detention records with a single case. In a secure a validation process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by said and federal agencies responsible for setting crime stalistic regioning standards. In a shall use authorized users to expunge a Juvenile Detention record from within the Case module as shall allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dependent of the Expunge function. In a shall allow uniquely authorized users to view, add, modify, detelle, expunge, or print juvenile detention records for pythristications for the Expunge function. In a shall allow onganization records to define which users can view, add, modify, detelle, expunge, or print juvenile detention record from age module. In a shall allow onganization records to view, add, modify, detelle, expunge, or print juvenile detention record from age module. In a shall allow onganization records to view, add, modify, detelle, expunge, or print juvenile detention record from age module. In a shall allow onganization records to view, add, modify, detelle, expunge, or print juvenile detention record from age module. In a shall allow onganization records to view, add, modify, detelle, expunge to any existing Juvenile Detention record from agent modified, modified, modified, detelle, or print detention record from within the Case as hall allow the user to directly link Organization records to other records related exclusively to the organization, including: In a shall allow on the first print of the first print of the Master Organization Index (MOI) or equivalent, it also	It separately document to associate middle images function). The actual number of images, documents, or other objects shall be limited only by regarder, guiden, motior designate process from within the Case module to verify that the detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for serting crime statistic reporting standards. It is Detention record allows for the recording of a detention disposition that uses codes separate from the adult arrest disposition is standard to the recording of a detention disposition that uses codes separate from the adult arrest disposition is standard. It is allow specially authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispectications for the Expunge function. It is allow specially authorized users to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylurisdiction. It is all allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for shall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for mass module. It is a allow the user to define which users can view, add, modify, delete, expunge, or print juvenile detention record from asse module. It is a low the user to define the cords associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. It is a low the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) It is also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The last on the process of the MOI or equivalent and the process of the Moi or equivalent and the process of the moi organization and	shall allow the user to associate midiple Juvenile Detention records with a single case. Ishall allow the user to associate midiple Juvenile Detention records with a single case. Ishall allow the user to associate midiple Juvenile Detention record that he detention data from a reportable case conforms to no rules imposed by state and federal agencies responsible for setting crime statistic regording standards. Ishallow specially suthorized user is covering of a detention disposition that uses codes suparate from the adult arrest disposition shall use authorized users to expunge a Juvenile Detention record from within the Case module as described in separately dispecifications for the Expunge function. Ishall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records for state module. Ishall allow uniquely authorized users to view, add, modify, delete, expunge, or print juvenile detention records from age module. Ishall allow the user to directly link Organization records to be viewed, added, modified, deleted, or print potential Detention record from within the Case any active case. Ishall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Property Record(s) Property Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Interview Record(s) and captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The Island and the Moster Organization Index (MOI) or equivalent. It guenes of the MOI or equivalent shall dentify any matching Case records.	shall use authorization records to define which users can view, add, modify, delete, expunge, or print juvenile detention records for sylpristiction. shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from is shall allow Organization records with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement Person Record(s) Property Record(s) Property Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) Interview Record(s) Interview Record(s) Is also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The Islands and the Mol or equivalent shall identify any matching Case records.	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from asse module. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. I shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Offense Record(s) and/or involvement Person Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Property Record(s) Property Record(s) Property Record(s) Interview Record(s) Interview Record(s) Interview Record(s) I also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The It also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. The It also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent.	shall allow uniquely authorized users to view, add, modify, delete, or print charges to any existing Juvenile Detention record from lase module. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Property Record(s) Property Record(s) Property Record(s) Evidence Record(s) Evidence Record(s) Interview Re	Ishall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. Ishall allow the user to directly fink Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Property Record(s) Property Record(s) Evidence Record(s) Interview	shall allow Organization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case any active case. shall allow the user to directly link Organization records to other records related exclusively to the organization, including: Offense Record(s) Adult Arrest or Juvenile Detention Record(s) Vehicle Record(s) Property Record(s) Drug Record(s) Drug Record(s) Evidence Record(s) Interview Record(s) In	module for any active case. The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) Associated Arest or Juvenile Detention Record(s) d Associated Person Record(s) e Associated Property Record(s) e Associated Drug Record(s) f Associated Evidence Record(s) g Associated Evidence Record(s) h Associated Interview Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	The system shall allow the user to directly link Organization records to other records related exclusively to the organization, including: a Associated Offense Record(s) and/or involvement b Associated Person Record(s) c Associated Person Record(s) e Associated Person Record(s) e Associated Property Record(s) e Associated Drug Record(s) f Associated Evidence Record(s) f Associated Evidence Record(s) h Associated Evidence Record(s) h Associated Interview Record(s) h Associated Interview Record(s) Subsequent quenes of the MOI or equivalent shall identify any matching Case records.	a Associated Offense Record(s) b Associated Person Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) c Associated Adult Arrest or Juvenile Detention Record(s) d Associated Property Record(s) e Associated Property Record(s) f Associated Drug Record(s) f Associated Evidence Record(s) h Associated Evidence Record(s) h Associated Evidence Record(s) h Associated Interview Record(s) Subsequent also map data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. Subsequent queries of the MOI or equivalent shall identify any matching Case records.	al Associated Offense Record(s) blassociated Person Record(s) classociated Actual Arrest or Juvenile Detention Record(s) dlassociated Adult Arrest or Juvenile Detention Record(s) el Associated Property Record(s) el Associated Property Record(s) glassociated Drug Record(s) flassociated Evidence Record(s) h Associated Evidence Record(s) h Associated Interview Record(s) The system shall align data captured with an Organization record with data included in the Master Organization Index (MOI) or equivalent. The system shall also map data captured with an Organization record to data included in the Master Organization Index (MOI) or equivalent. Subsequent quenes of the MOI or equivalent shall identify any matching Case records.					The section when the section with MOI or consider from within the Cope modified when extends and apply of important	read Case Organization	Request. Request allow the uses to supplied the MOI or equipplest from within the Case modifie when entering names and anniv or import any

Ą	Associated Adult Arrest or Inventile Detention Record(s)
Y	b Associated Person Record(s)
Y	a Associated Offense Record(s)
records related to the case, including:	The system shall allow the user to directly link a Property record to other records related to the case, including:
nt, Adult Arrestee	The system shall allow each case to contain distinct Property records and/or Property records that are subordinate to the incide and/or Juvenile Detention record(s).
	The system shall allow Property records associated with a case to be viewed, added, modified, deleted, or printed from willin unlarge any active case.
	Property Processing - Section 13
h a single case.	11 The system shall allow the user to associate multiple Vehicle records with a single case.
r objects with each Vehicle record (as described in documents, or other objects shall be limited only by the hardware.	The system shall allow the user to associate multiple digital images, documents, or other objects with each Vehicle record (as described in separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by the hardware, operating system, and/or database justform sizing restrictions.
	The system shall allow the user to associate multiple narratives with each Vehicle record.
Il fields for data coffection beyond those provided with the	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those vendor's baseline Vehicle form.
	Area 3 Case Deganization No. Request
Case records.	7 Subsequent quenes of the MVI or equivalent shall identify any matching Case records.
ne MVI or equivalent.	6 The system shall add each vehicle entered as an element of a case to the MVI or equivalent.
ascally query the Master Vehicle Index (MAV) or equivalent from whith the last of the safety apply or import any additional data from a known vehicle to	When the user enters or edits a Vehicle records, the system shall automatically query the master vehicle intex (wor) or equivers. Case module and provide a warning of any active records, enabling the user to easily apply or import any additional data from a the Case record without reentering the same additional data.
	shall also map data captured with a Vehicle record to the data included in the Master Vehicle Index (MVI) or equivalent.
	h Associated Interview Record(s)
~	g Associated Evidence Record(s)
Y	f Associated Drug Record(s)
γ	e Associated Property Record(s)
Y	d Associated Organization Record(s)
γ	
Y	b Associated Person Record(s)
	a Associated Offense Record(s)
	Area 3.6 say (Peganizatian An Repuest
for Vehicle records that are subordinate to the incident, Offense, Adult	The system shall allow each case to contain distinct Vehicle records and/or Vehicle records that are subordinate to the incident, 2 Amestee and/or Juvenile Detention record(s).
	any active case.
Case module for	Vehicle Processing - Section 12 The system shall allow Vehicle records associated with a case to be viewed, added, modified, deleted, or printed from within the
	10 agency/junsdiction.
and modify delate or pool Organization records for each	9 The system shall allow the user to associate a multiple Organization records with a single case. The system shall allow the user to associate a multiple Organization records for the system shall allow the user to associate a multiple Organization records for the system shall allow the user to associate a multiple Organization records for the system shall allow the user to associate a multiple Organization records for the system shall allow the user to associate a multiple Organization records with a single case.
as described in y by the hardware,	The system shall allow the user to associate multiple digital images, documents, or other objects with each Organization record (separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited only operating system, and/or database platform string restrictions.
	7 The system shall allow the user to associate multiple narratives with each Cirganization record
vendor's baseline Organization form.	vendor's baseline Organization form.

red, or printed from within the Case module for y ubordinate to the Incident, Adult Arrestee and/or y including: The including: Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	case including:	
h ase module for It Arrestee and/or		٨
h ase module for t Arrestee and/or	entention Reducet	Area 3 Cuse Organization No.
h ase module for it Arrestee and/or	g Associated Interview Record(s)	
h ase module for t Arrestee and/or	f Associated Evidence Record(s)	
h ase module for It Arrestee and/or	e Associated Property Record(s)	
h ase module for it Arrestee and/or	d Associated Vehicle Record(s)	
h ase module for it Arrestee and/or		
h ase module for It Arrestee and/or		
h ase module for t Arrestee and/or	a Associated Offense Record's)	6
th ase module for	The system shall allow each case to contain distinct Drug records and/or Drug records that are subordinate to the incident, Aduly Juvenile Detention record(s). The system shall allow the user to diseate, thick a Drug record to other people selected to the case, including:	۸ د
5	The system shall allow Drug records associated with a case to be viewed, added, modified, deleted, or printed from within the Cany active case.	_
	Orug Processing : Section 14	rocessing - S
	The system shall use authorization records to define which users can view, add, modify, delete, or print Property records for each agency/jurisdiction.	13
, , , , , , , , , , , , , , , , , , , ,	The system shall allow the user to associate multiple Property records with a single case.	12
each Property record (as described in	The system shall allow the user to associate multiple digital images, documents, or other objects with each Property record (as a separately documented specifications for the Images function). The actual number of images, documents, or other objects shall be limited on operating system, and/or database platform sizing restrictions.	11
	onization.	Area 3 Case Organization
, T	The system shall allow the user to associate multiple narratives with each Property record.	10
	vendor's baseline Property form.	«c
provided with the	The system shall include facilities to enable the System Administrator to expose additional fields for data collection beyond those	- α
UL.	The system shall add each article of property entered as an element of a case to the MPI or equivalent	7
ing articles of property and apply or import	The system shall allow the user to query the MPI or equivalent from within the Case module when entering articles of property and apply or import any additional data from a known article to the Case record without reentering the same additional data.	6
ivalent from within the Case module and a from a known property to the Case record Y	When the user enters or edits a Property record, the system shall automatically query the MPI or equivalent from within the Case module and provide a warning of any active records, enabling the user to easily apply or import any additional data from a known property to the Case recovered without reentering the same additional data.	5
perty Index (MPI) or equivalent. The system dex (MPI) or equivalent.	The system shall align the data captured with a Property record to the data included in the Master property Index (MPI) or equivalent. shall also map the data captured with a Property record to the data included in the Master property Index (MPI) or equivalent.	4
	univation.	Area 3 Case Organization No.
Y	h Associated Interview Record(s)	
Y	g Associated Evidence Record(s)	
A		
Α	e Associated Vehicle Record's	

ince records associated with a case to be viewed, added, modify, delete, or print Drug records for each a zation records to define which users can view, add, modify, delete, or print Drug records for each a scoolated multiple Drug records with a single case. In confiscated or recovered that do not fit into any of the other physical case entity categories (e.g., turctionality described in separately documented specifications for the Evidence module from within the coords; in the actual number of images, documents or the case, including and/or involvement. (a) and/or, involvement: (b) and/or, involvement: (c) (a) and/or database platform sizing restrictions. (a) and/or database platform sizing restrictions. (a) associate multiple digital images, documents, or other objects with each Evidence record (as are to associate multiple narratives with each Evidence record. (a) and/or database platform sizing restrictions. (a) are to associate multiple Evidence records with a single case. (a) across associate multiple Evidence records with a single case. (a) across associate multiple Evidence records with a single case. (a) across Management record to contain interview records. (a) across Management record to contain interview records. (a) across Management module to document each Evidence means the case Management module to document each each each each each each each each	The system shall allow the us The system shall allow interview Processing - Section 15 The system shall allow interviewed a system shall allow each the system shall allow each the system shall allow each the system shall allow an investigation of the system shall allow the system shall allow the system shall allow in the system shall allow the use of the system shall allow and the system shall allow and the system shall allow an investigation of the system shall allow an investigation of the system shall allow and the system shall allow and the system shall allow and the system shall allow the
in, and/or database platform sizing restrictions, Into associate multiple Drug records with a single case. Existin records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. Existin records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. Evidence records associated with a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. Evidence records and/or Evidence records that are subordinate to the Evidence module from within the Case Evidence records and/or Evidence records that are subordinate to the Incident, Adult Arrestee and/or Juvenile Evidence records and/or Evidence record to other records for the case, including (s) (s) (s) (s) (s) (s) (s) (s	Interview Processing - Section 15 The system sh. All Management n The system sh. All The system sh. Conducted duri
in, and/or database platform sizin restrictions. In and/or platform sizin restrictions. In a single case. In a single case. In the first platform sizin restrictions. In the first platform sizin restrictions. In the first platform sizing resords with a single case. In the first platform sizing resords and/or Evidence records the other physical case entity categories (e.g., vehicles, nortionally described in separately documented specifications for the Evidence module from within the Case and to decay, inclinally described in separately documented specifications for the Evidence module from within the Case inclonally described in separately documented specifications for the findence module from within the Case inclonally described in separately documented specifications for the case, including. In the first platform sizing restrictions. In and/or, Involvement In a associate multiple digital images, documents, or other objects with each Evidence record with a single case, including the provided with the platform sizing particions. In and/or the images function). The actual number of images, documents, or other objects with each Evidence record with a single case, including the provided with the provided multiple function of the case of the provided described in the case of the case, including the case of the case of the case, including the case of the c	Interview Processing - Section 16 The system sh The system sh Management n 2 The system sh
inclations for the images function). The actual number of images, occuments, or other objects shall be limited only by m, and/or dalabase platform sizing restrictions. To associate multiple Drug records with a single case. astern records associated with a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. astern records associated with a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. S confiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionally described in separately documented specifications for the Evidence module from within the Case entity categories (e.g., vehicles, unctionally described in separately documents that are subordinate to the incident. Adult Arrestee and/or Juvenile at Evidence records and/or Evidence records that are subordinate to the incident. Adult Arrestee and/or Juvenile at Evidence records in the Evidence record to other records related to the case, including. S Jandor, Involvement I be the Images function). The actual number of images, documents, or other objects with each Evidence record (as described in prior database platform sizing restrictions. For to associate multiple digital images, documents, or other objects with each Evidence record (as described only by m, and/or database platform sizing restrictions. For to associate multiple Evidence records with a single case, and or other objects with each Evidence record (as described only by m, and/or database platform sizing restrictions. For to associate multiple Evidence records with a single case, and or other objects with each Evidence record to contain interview records.	Interview Processing - Section 15 The system shape of the system s
incations for the images function). The actual number of images, documents, or other objects shall be limited only by m, and/or database platform sizing restrictions. For to associate multiple Drug records with a single case. sconfiscated or records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. sconfiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionally described in separately documented specifications for the Evidence module from within the Case Evidence records and/or Evidence records that are subordinate to the incident, Adult Arrestee and/or Juvenile er to directly link an Evidence records that one subordinate to the incident, Adult Arrestee and/or Juvenile venile Detention Record(s) and/or, involvement strip associate multiple digital images, documents, or other related to the case, including roll associate multiple organizatives with each Evidence record. er to associate multiple digital images, documents, or other objects with each Evidence record (as described in mile, and/or database platform sizing restrictions. er to associate multiple organizatives with each Evidence records with a single case, or other objects with each Evidence records with the organizative case to be viewed, added, modified, dekeled, or printed from within the Case extrecords associated with a case to be viewed, added, modified, dekeled, or printed from within the Case extremes associated with a case to be viewed, added, modified, dekeled, or printed from within the Case extremes associated with a case to be viewed, added, modified, dekeled, or printed from within the Case	Interview Processing - Section 15 The system sh
incations for the Images function). The actual number of Images, documents, or other objects shall be limited only by m, and/or database plaintom sizing restrictions. In and/or database plaintom sizing restrictions. In a single case. In a sasociate multiple Drug records with a single case. In a source of the Images function in the Case module case in the Case module scords to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. In a source of the case of the Case of the other physical case entity categories (e.g., vehicles, unctionally described in separately documented specifications for the Evidence module from within the Case or to directly link an Evidence records that are subordinate to the Incident. Adult Arrestee and/or Juvenile and/or, involvement System Detention Record(s). In a second to other records related to the case, including and/or function, The actual number of images, documents, or other objects with each Evidence record (as described in manufact or the mages function). The actual number of images, documents, or other objects with each Evidence record (as described in manufact or the images function). The actual number of images, documents, or other objects with each Evidence record (as described in grant the case of th	ute natuwate, 9 The system sh this role is a system of the
incalons for the images function). The actual number of images, documents, or other objects shall be limited only by m, and/or database platform sizing restrictions. In and/or database platform sizing restrictions. It is confiscated multiple Drug records with a single case. It is confiscated or records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. In confiscated or records that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionally described in separately documented specifications for the Evidence module from within the Case unctionally described in separately documented specifications for the Evidence module from within the Case is Evidence records and/or Evidence records that are subordinate to the incident, Adult Arestee and/or Juvenile record; in an Evidence record to other records related to the case, including. It is to directly link an Evidence record to other records related to the case, including. In and/or, involvement It is to enable the System Administrator to expose additional fields for data collection beyond those provided with the record or the mages function). The actual number of images, documents, or other objects with each Evidence record. In and/or database platform sixty restrictions. In a stock the images and the limited only by m, and/or database platform sixty restrictions.	9 The system sh
incialons for the images function). The actual number of images, documents, or other objects shall be limited only by m, and/or database platform sizing restrictions. It is associated multiple Drug records with a single case. It is associated with a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. It is confiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, sunctionally described in separately documented specifications for the Evidence module from within the Case unctionally described in separately documented specifications for the Evidence module from within the Case it Evidence records and/or Evidence records that are subordinate to the incident, Adult Arrestee and/or Juvenile it Evidence records and/or Evidence records that are subordinate to the incident, Adult Arrestee and/or Juvenile in the Case in the case, including. It is benefit to associate multiple digital images, documents, or other objects with each Evidence record (as described in the associate multiple digital images, documents, or other objects with each Evidence record (as described in m, and/or database platform sizing restrictions.	
incalons for the Images function). The actual number of Images, documents, or other objects shall be limited only by m, and/or database platform sizing restrictions. ation records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. s confiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctonality described in separately documented specifications for the Evidence module from within the Case it Evidence records and/or Evidence records that are subordinate to the incident, Adult Arrestee and/or Juvenile of derectly link an Evidence record to other records related to the case, including. Jandfor, involvement venile fields for data collection beyond those provided with the print. S) ites to enable the System Administrator to expose additional fields for data collection beyond those provided with the print. Betto enable the System Administrator to expose additional fields for data collection beyond those provided with the print.	The system shi
inciations for the Images function). The actual number of images, documents, or other objects shall be limited only by m, and/or database platform sizing restrictions. arity of associate multiple Drug records with a single case, and modify, delete, or print Drug records for each agency/jurisdiction. arity records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. s confiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionally described in separately documented specifications for the Evidence module from within the Case including and/or, involvement Evidence records and/or Evidence records that are subordinate to the incident, Adult Arrestee and/or Juvenile and/or, involvement and/or, involvement and/or, involvement specifications related to the case, including and/or, involvement specifications related to the case, including serille Detention Record(s) and/or, involvement specification of the involvement of the specification of the case including including and/or specification beyond those provided with the print of the specification of the case including including including including and or the specification of the case including	Mass & Clear Organ tradium No.
in, and/or database platform sizing restrictions. er to associate multiple Drug records with a single case. asion records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. sconfiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionality described in separately documented specifications for the Evidence module from within the Case and/or Evidence records that are subordinate to the Incident, Adult Arrestee and/or Juvenile or to directly link an Evidence record to other records related to the case, including. and/or, Involvement peters of the System Administrator to expose additional fields for data collection beyond those provided with the rin. social terminates and the System Administrator to expose additional fields for data collection beyond those provided with the rin.	
in, and/or database platform sizing restrictions. In add/or database platform sizing restrictions. In add/or database platform sizing restrictions. In add/or database platform sizing restrictions. In the case platform with a single case. In the case platform with a single case. In the case module records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. In the case module records associated with a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. In the case entity categories (e.g., vehicles, unctionality described in separately documented specifications for the Evidence module from within the Case in the Case and/or Involvement In the case and/or Evidence records that are subordinate to the incident, Adult Arrestee and/or Juvenile are to directly link an Evidence record to other records related to the case, including and/or, involvement In the case and/or Evidence records to other records related to the case, including and/or including and/or involvement are considered with the system Administrator to expose additional fields for data collection beyond those provided with the case in the case including and the case including are calculated to the case, including and the case included an	The system sh
fications for the Images function). The actual number of images, documents, or other objects shall be limited only by m, and/or database platform sizing restrictions. er to associate multiple Drug records with a single case. ation records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. confiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionality described in separately documented specifications for the Evidence module from within the Case of the Evidence records and/or Evidence records that are subordinate to the Incident, Adult Arrestee and/or Juvenile and/or, involvement and/or, involvement subscribed in Record(s) and/or, involvement subscribed in System Administrator to expose additional fields for data collection beyond those provided with the case in collection beyond those provided with the case in the System Administrator to expose additional fields for data collection beyond those provided with the case in collection beyond those provided with the case in the System Administrator to expose additional fields for data collection beyond those provided with the	the system of vendor's baseli
fications for the Images function). The actual number of images, documents, or other objects shall be limited only by m, and/or database platform sizing restrictions. er to associate multiple Drug records with a single case. ation records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. ce records associated with a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. s confiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionality described in separately documented specifications for the Evidence module from within the Case of the Evidence records and/or Evidence records that are subordinate to the incident, Adult Arrestee and/or Juvenile er to directly link an Evidence record to other records related to the case, including. and/or, involvement and/or Evidence record(s)	h Associated Inte
fications for the Images function). The actual number of images, documents, or other objects shall be limited only by m, and/or database platform sizing restrictions. er to associate multiple Drug records with a single case. ation records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. sconfiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionality described in separately documented specifications for the Evidence module from within the Case at Evidence records and/or Evidence records that are subordinate to the Incident, Adult Arrestee and/or Juvenille are to directly link an Evidence record to other records related to the case, including venile Detention Record(s).	g Associated Evi
fications for the Images function). The actual number of images, documents, or other objects shall be limited only by m, and/or database platform sizing restrictions. er to associate multiple Drug records with a single case. ation records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. confiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionality described in separately documented specifications for the Evidence module from within the Case at Evidence records and/or Evidence records that are subordinate to the incident, Adult Arrestee and/or Juvenille and/or, Involvement a	Associated Drug Record(s)
fications for the Images function). The actual number of images, documents, or other objects shall be limited only by im, and/or database platform sizing restrictions. er to associate multiple Drug records with a single case. ation records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. sconfiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionality described in separately documented specifications for the Evidence module from within the Case at Evidence records and/or Evidence records that are subordinate to the incident, Adult Arrestee and/or Juvenile are to directly link an Evidence record to other records related to the case, including venile Detention Record(s).	e Associated Vehicle Record(s)
nction). The actual number of images, documents, or other objects shall be limited only by m sizing restrictions. Ig records with a single case. Ch users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. It is a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. It is a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. It is a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. It is a case to be viewed, added, modify, delete, or print Drug records (e.g., vehicles, including).	d Associated Org
inc. and/or database plaitform sizing restrictions. er to associate multiple Drug records with a single case. ration records associated with a case to be viewed, added, modify, delete, or print Drug records for each agency/jurisdiction. sconfiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, unctionality described in separately documented specifications for the Evidence module from within the Case are to drectly link an Evidence records to other records that are subordinate to the incident, Adult Arrestee and/or Juvenile are to drectly link an Evidence record to other records related to the case, including.	
es function). The actual number of images, documents, or other objects shall be limited only by listitorm sizing restrictions. le Drug records with a single case. e which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. e which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. wered that do not fit into any of the other physical case entity categories (e.g., vehicles, in separately documented specifications for the Evidence module from within the Case in separately documented specifications for the Evidence module from within the Case indence records that are subordinate to the Incident. Adult Arrestee and/or Juvenile vidence record to other records related to the case, including	b Associated Per
nted specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by ating system, and/or database platform sizing restrictions. low the user to associate multiple Drug records with a single case. In the user to associate multiple Drug records with a single case. In the user to associate multiple Drug records with a single case. In the user to associate multiple Drug records with a single case. In the user to associate multiple Drug records with a single case. In the user to describe the which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. In the user to describe the users of the the other physical case entity categories (e.g., vehicles, ipport all functionality described in separately documented specifications for the Evidence module from within the Case and/or Evidence records and/or Evidence records that are subordinate to the incident. Adult Arrestee and/or Juvenile to the user to describ the an Evidence record to other records related to the case, including.	as a
nted specifications for the Images function). The actual number of images, documents, or other objects shall be limited only by ating system, and/or database platform sizing restrictions. low the user to associate multiple Drug records with a single case. In a single case with a single case or print Drug records for each agency/jurisdiction. It is a unthorization records to define which users can view, add, modify, delete, or print Drug records for each agency/jurisdiction. It is a unthorization records associated with a case to be viewed, added, modified, deleted, or printed from within the Case module re for items confiscated or recovered that do not fit into any of the other physical case entity categories (e.g., vehicles, ipport all functionality described in separately documented specifications for the Evidence module from within the Case ipport all functionality described in separately documented specifications for the Incident, Adult Arrestee and/or Juvenile	5 The system shall at
be limited only by gency/jurisdiction. The Case module vehicles, The Case	Each case can
be limited only by gency/jurisdiction. The Case module vehicles,	The system shi module.
be limited only by gency/jurisdiction.	Evidence recor property, etc.).
be limited only by pency/jurisdiction.	The system shall all for any active case
be limited only by gency/jurisdiction.	No.
be limited only by pencyjurisdiction.	
be limited only by grant be limited only by by be limited only by lency/jurisdiction.	Evidence Processing - Section 15
be limited only by	The system sh
be limited only by	8 The system sh
The system shall allow the user to associate multiple digital images, documents, or other objects with each Drug record (as described in	The system sh 7 separately documents the hardware, (
er to associate a mu⊪iple narratives with each Drug record.	6 The system sh
nd those provided with the	The system shall include facility yendor's baseline Drug form.
Drug Involvement (buying, cultivating, distributing, exploiting, children, operating, possessing, transporting and/or using).	f Drug Involvem
Y	e Drug Quantity
d Drug Measure (value as defined by each agency/jurisdiction)	ennseely fund p